



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

(An ISO 9001: 2015 Certified Institution)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

ACADEMIC YEAR
2018-2019



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

(An ISO 9001: 2015 Certified Institution)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

PERIOD (2018-2019)

ODD SEM



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: MECHANICAL

NO OF STUDENTS: 146

PERIOD: JUNE - DEC 2018

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	73.29	17.12	6.85	2.05	0.68
Question2	46.58	42.47	7.53	2.74	0.68
Question3	69.18	19.18	8.22	2.05	1.37
Question4	47.95	41.10	8.22	0.68	2.05
Question5	62.33	26.71	6.85	3.42	0.68
Question6	55.48	30.82	8.22	2.74	2.74
Question7	56.16	30.14	9.59	1.37	2.74
Question8	57.53	30.14	7.53	2.74	2.05
Question9	58.90	28.77	7.53	2.74	2.05
Question10	56.85	29.45	6.16	4.79	2.74

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

NO. OF STUDENTS: 47

BATCH: 2016-2020

PERIOD: JUNE - NOV 2018

YEAR/SEM: IV / VII

Questions	PPE (%)					M (%)					CIMS (%)					TQM (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	50.00	32.69	17.31	0.00	0.00	44.23	28.85	23.08	1.92	1.92	40.38	46.15	9.62	3.85	0.00	30.77	30.77	26.92	3.85	7.69
Question2	42.31	38.46	13.46	0.00	5.77	25.00	48.08	21.15	1.92	3.85	26.92	46.15	21.15	0.00	5.77	32.69	46.15	15.38	1.92	3.85
Question3	50.00	34.62	9.62	1.92	3.85	38.46	34.62	25.00	0.00	1.92	46.15	30.77	17.31	5.77	0.00	34.62	32.69	25.00	3.85	3.85
Question4	34.62	48.08	13.46	1.92	1.92	26.92	46.15	21.15	1.92	3.85	30.77	42.31	21.15	1.92	3.85	42.31	38.46	13.46	0.00	5.77
Question5	50.00	30.77	17.31	1.92	0.00	28.85	42.31	25.00	1.92	1.92	38.46	28.85	26.92	1.92	3.85	38.46	34.62	21.15	3.85	1.92
Question6	32.69	46.15	15.38	1.92	3.85	34.62	30.77	26.92	3.85	3.85	28.85	42.31	19.23	3.85	5.77	28.85	40.38	23.08	1.92	5.77
Question7	51.92	28.85	11.54	3.85	3.85	36.54	38.46	17.31	3.85	3.85	42.31	36.54	15.38	3.85	1.92	36.54	50.00	11.54	1.92	0.00
Question8	40.38	42.31	11.54	1.92	3.85	32.69	34.62	25.00	3.85	3.85	30.77	44.23	15.38	3.85	5.77	42.31	38.46	13.46	0.00	5.77
Question9	46.15	30.77	17.31	1.92	3.85	32.69	40.38	21.15	1.92	3.85	38.46	38.46	15.38	1.92	5.77	28.85	34.62	25.00	3.85	7.69
Question10	36.54	50.00	11.54	1.92	0.00	25.00	44.23	25.00	1.92	3.85	38.46	38.46	15.38	3.85	3.85	28.85	40.38	23.08	1.92	5.77

*PPE - Power Plant Engineering, M - Mechatronics, CIMS - Computer Integrated Manufacturing Systems, TQM - Total Quality Management

WT (%)					ME (%)					SAAL (%)					ML (%)					C (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
59.62	26.92	9.62	1.92	1.92	50.00	38.46	7.69	1.92	1.92	55.77	26.92	13.46	3.85	0.00	38.46	44.23	13.46	0.00	3.85	53.85	30.77	11.54	3.85	0.00
50.00	36.54	9.62	3.85	0.00	44.23	34.62	13.46	3.85	3.85	32.69	46.15	15.38	3.85	1.92	44.23	40.38	13.46	0.00	1.92	46.15	36.54	11.54	1.92	3.85
59.62	28.85	11.54	0.00	0.00	46.15	38.46	13.46	0.00	1.92	42.31	36.54	17.31	3.85	0.00	40.38	42.31	15.38	0.00	1.92	50.00	46.15	1.92	0.00	1.92
53.85	32.69	9.62	3.85	0.00	38.46	46.15	7.69	3.85	3.85	32.69	44.23	17.31	3.85	1.92	32.69	48.08	17.31	0.00	1.92	38.46	44.23	13.46	0.00	3.85



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

57.69	26.92	11.54	0.00	3.85	42.31	40.38	13.46	3.85	0.00	38.46	34.62	21.15	3.85	1.92	38.46	34.62	21.15	3.85	1.92	44.23	40.38	13.46	0.00	1.92
65.38	17.31	11.54	3.85	1.92	38.46	42.31	9.62	3.85	5.77	36.54	40.38	19.23	1.92	1.92	32.69	44.23	17.31	3.85	1.92	40.38	42.31	15.38	0.00	1.92
53.85	30.77	11.54	0.00	3.85	46.15	34.62	13.46	5.77	0.00	40.38	36.54	17.31	3.85	1.92	38.46	34.62	21.15	3.85	1.92	44.23	40.38	11.54	1.92	1.92
57.69	28.85	7.69	3.85	1.92	42.31	36.54	13.46	1.92	5.77	26.92	48.08	21.15	3.85	0.00	36.54	40.38	19.23	1.92	1.92	36.54	51.92	7.69	1.92	1.92
61.54	19.23	13.46	1.92	3.85	51.92	30.77	13.46	1.92	1.92	42.31	34.62	19.23	1.92	1.92	40.38	36.54	17.31	3.85	1.92	44.23	42.31	11.54	0.00	1.92
59.62	21.15	15.38	1.92	1.92	44.23	38.46	15.38	1.92	0.00	38.46	34.62	21.15	5.77	0.00	26.92	48.08	21.15	3.85	0.00	32.69	48.08	17.31	0.00	1.92

* WT - Welding Technology, ME - Maintenance Engineering, SAAL - Simulation And Analysis Laboratory, ML - Mechatronics Laboratory, C - Comprehension

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO. OF. STUDENTS: 47

BATCH: 2016-2020

PERIOD: JUNE - NOV 2018

YEAR/SEM: III / V

Questions	CAD (%)					HAMT (%)					DOME (%)					PEAE (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	80.85	19.15	0.00	0.00	0.00	65.96	27.66	6.38	0.00	0.00	82.98	17.02	0.00	0.00	0.00	70.21	27.66	2.13	0.00	0.00
Question2	31.91	68.09	0.00	0.00	0.00	23.40	70.21	6.38	0.00	0.00	57.45	42.55	0.00	0.00	0.00	36.17	61.70	2.13	0.00	0.00
Question3	68.09	29.79	2.13	0.00	0.00	65.96	29.79	4.26	0.00	0.00	78.72	19.15	2.13	0.00	0.00	59.57	36.17	4.26	0.00	0.00
Question4	46.81	48.94	4.26	0.00	0.00	44.68	46.81	8.51	0.00	0.00	53.19	46.81	0.00	0.00	0.00	44.68	51.06	4.26	0.00	0.00
Question5	65.96	34.04	0.00	0.00	0.00	65.96	31.91	2.13	0.00	0.00	65.96	34.04	0.00	0.00	0.00	57.45	40.43	2.13	0.00	0.00
Question6	48.94	48.94	2.13	0.00	0.00	44.68	51.06	4.26	0.00	0.00	68.09	29.79	2.13	0.00	0.00	44.68	53.19	2.13	0.00	0.00
Question7	72.34	25.53	2.13	0.00	0.00	76.60	21.28	2.13	0.00	0.00	59.57	40.43	0.00	0.00	0.00	57.45	38.30	4.26	0.00	0.00
Question8	44.68	51.06	4.26	0.00	0.00	61.70	34.04	4.26	0.00	0.00	65.96	31.91	2.13	0.00	0.00	59.57	38.30	2.13	0.00	0.00
Question9	65.96	29.79	4.26	0.00	0.00	68.09	27.66	4.26	0.00	0.00	68.09	29.79	0.00	0.00	2.13	61.70	36.17	2.13	0.00	0.00
Question10	63.83	31.91	4.26	0.00	0.00	59.57	36.17	4.26	0.00	0.00	55.32	44.68	0.00	0.00	0.00	55.32	40.43	4.26	0.00	0.00

**CAD - Computer Aided Design, HAMT - Heat and Mass Transfer, DOME - Design of Machine Elements, PEAE - Professional Ethics and Engineering*

DL (%)					MAM (%)					DOM (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
72.34	25.53	2.13	0.00	0.00	65.96	29.79	2.13	0.00	2.13	85.11	10.64	2.13	2.13	0.00
48.94	46.81	4.26	0.00	0.00	46.81	46.81	4.26	0.00	2.13	48.94	46.81	4.26	0.00	0.00
55.32	42.55	2.13	0.00	0.00	51.06	44.68	2.13	0.00	2.13	74.47	25.53	0.00	0.00	0.00
48.94	48.94	2.13	0.00	0.00	51.06	42.55	4.26	0.00	2.13	59.57	38.30	2.13	0.00	0.00
61.70	36.17	2.13	0.00	0.00	57.45	38.30	2.13	0.00	2.13	76.60	23.40	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)


ANGUCHETTYPLAYAM, PANRUTI – 607 106

57.45	36.17	6.38	0.00	0.00	46.81	42.55	8.51	0.00	2.13	55.32	36.17	6.38	0.00	0.00
57.45	40.43	0.00	0.00	2.13	59.57	31.91	6.38	0.00	2.13	80.85	17.02	0.00	2.13	0.00
59.57	38.30	2.13	0.00	0.00	51.06	44.68	4.26	0.00	0.00	57.45	38.30	2.13	2.13	0.00
63.83	34.04	0.00	2.13	0.00	72.34	21.28	2.13	4.26	0.00	78.72	21.28	0.00	0.00	0.00
59.57	38.30	2.13	0.00	0.00	46.81	46.81	4.26	0.00	2.13	63.83	34.04	2.13	0.00	0.00

*DL - Dynamics Laboratory, MAM - Metrology and Measurements, DOM - Dynamics Of Machines

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

R. Arakiadass



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO. OF. STUDENTS: 47

BATCH: 2017-2021

PERIOD: JUNE - NOV 2018

YEAR/SEM: II / III

Questions	TAPDE (%)					ET (%)					FMAM (%)					MT - I (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	51.06	27.66	12.77	2.13	6.38	63.83	14.89	19.15	2.13	0.00	57.45	38.30	4.26	0.00	0.00	57.45	31.91	10.64	0.00	0.00
Question2	36.17	42.55	10.64	8.51	2.13	51.06	31.91	10.64	4.26	2.13	61.70	34.04	4.26	0.00	0.00	42.55	40.43	12.77	4.26	0.00
Question3	46.81	31.91	14.89	2.13	4.26	55.32	27.66	12.77	4.26	0.00	68.09	21.28	8.51	2.13	0.00	40.43	38.30	17.02	2.13	2.13
Question4	46.81	25.53	17.02	6.38	4.26	59.57	23.40	12.77	4.26	0.00	61.70	34.04	2.13	2.13	0.00	51.06	36.17	12.77	0.00	0.00
Question5	46.81	36.17	10.64	2.13	4.26	61.70	23.40	14.89	0.00	0.00	68.09	19.15	10.64	0.00	2.13	55.32	38.30	6.38	0.00	0.00
Question6	51.06	29.79	14.89	2.13	2.13	55.32	27.66	12.77	4.26	0.00	68.09	29.79	2.13	0.00	0.00	59.57	29.79	8.51	2.13	0.00
Question7	42.55	38.30	10.64	4.26	4.26	48.94	31.91	10.64	8.51	0.00	57.45	31.91	8.51	0.00	2.13	55.32	31.91	8.51	4.26	0.00
Question8	48.94	27.66	12.77	4.26	6.38	55.32	25.53	17.02	2.13	0.00	65.96	27.66	6.38	0.00	0.00	51.06	34.04	8.51	6.38	0.00
Question9	53.19	23.40	8.51	6.38	8.51	55.32	21.28	17.02	4.26	2.13	68.09	19.15	10.64	2.13	0.00	57.45	27.66	14.89	0.00	0.00
Question10	48.94	25.53	8.51	12.77	4.26	57.45	29.79	10.64	2.13	0.00	63.83	34.04	2.13	0.00	0.00	61.70	27.66	6.38	4.26	0.00

*TAPDE - Transforms and Partial Differential Equations, ET - Engineering Thermodynamics, FMAM - Fluid Mechanics and Machinery, MT I - Manufacturing Technology – I

EDAC (%)					MT (%)					CAMDL (%)					TEL (%)					MAML (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
78.72	19.15	2.13	0.00	0.00	63.83	25.53	8.51	2.13	0.00	59.57	38.30	2.13	0.00	0.00	70.21	25.53	4.26	0.00	0.00	76.60	21.28	2.13	0.00	0.00
68.09	27.66	4.26	0.00	0.00	53.19	36.17	8.51	2.13	0.00	57.45	36.17	6.38	0.00	0.00	44.68	31.91	2.13	0.00	0.00	44.68	51.06	2.13	0.00	2.13
76.60	19.15	4.26	0.00	0.00	59.57	29.79	6.38	4.26	0.00	65.96	29.79	4.26	0.00	0.00	57.45	36.17	4.26	0.00	2.13	57.45	36.17	4.26	0.00	2.13
72.34	21.28	4.26	2.13	0.00	65.96	19.15	8.51	6.38	0.00	57.45	38.30	4.26	0.00	0.00	55.32	42.55	0.00	0.00	2.13	48.94	44.68	2.13	2.13	2.13



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

76.60	17.02	6.38	0.00	0.00	46.81	40.43	8.51	2.13	2.13	59.57	36.17	4.26	0.00	0.00	55.32	38.30	6.38	0.00	0.00	48.94	38.30	10.64	0.00	2.13
65.96	25.53	8.51	0.00	0.00	55.32	36.17	4.26	2.13	2.13	57.45	34.04	6.38	2.13	0.00	53.19	44.68	2.13	0.00	0.00	44.68	46.81	6.38	2.13	0.00
72.34	23.40	4.26	0.00	0.00	55.32	31.91	8.51	4.26	0.00	72.34	23.40	4.26	0.00	0.00	59.57	36.17	4.26	0.00	0.00	42.55	42.55	12.77	0.00	2.13
72.34	25.53	2.13	0.00	0.00	57.45	27.66	10.64	4.26	0.00	63.83	29.79	6.38	0.00	0.00	59.57	38.30	2.13	0.00	0.00	42.55	53.19	4.26	0.00	0.00
80.85	10.64	8.51	0.00	0.00	59.57	23.40	12.77	4.26	0.00	72.34	21.28	6.38	0.00	0.00	61.70	31.91	4.26	2.13	0.00	59.57	31.91	8.51	0.00	0.00
78.72	17.02	4.26	0.00	0.00	59.57	27.66	10.64	2.13	4.26	59.57	36.17	4.26	0.00	0.00	59.57	36.17	2.13	2.13	0.00	55.32	38.30	6.38	0.00	0.00

*EDAC - Electrical Drives and Controls MT - Manufacturing Technology, CAMDL - Computer Aided Machines Drawing Lab, TEL - Thermal Engineering Laboratory, MAML - Metrology and Measurements Laboratory

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Arakadass
Dr. R. AROKADASS, M.E., Ph.D.
Principal,
St. Anne's College of Engineering & Technology,
Panruti, Anguchettyplayam.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 132 (CSE)

PERIOD: JULY - NOV 2018

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	29.55	40.15	18.18	6.82	5.30
Question2	26.52	35.61	28.03	4.55	5.30
Question3	18.18	46.97	21.97	6.06	6.82
Question4	26.52	34.85	25.00	9.09	4.55
Question5	22.73	37.12	20.45	12.88	6.82
Question6	21.21	40.15	27.27	6.06	5.30
Question7	22.73	34.09	24.24	13.64	5.30
Question8	25.00	43.18	21.97	4.55	5.30
Question9	29.55	37.88	18.18	8.33	6.06
Question10	31.82	34.85	25.00	3.03	5.30

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that around 80% of feedback on department as “Excellent” and “Very Good”.

R. Aradiass
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist) Pin: 607 110



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 31

BATCH: 2015 – 2019

PERIOD: JULY – NOV 2018

YEAR / SEM: IV / VII

Questions	CANS (%)					GTAA (%)					GACC (%)					RMT (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	41.94	38.71	9.68	6.45	3.23	51.61	25.81	12.90	6.45	3.23	41.94	45.16	6.45	3.23	3.23	38.71	51.61	6.45	0.00	3.23
Question2	45.16	45.16	6.45	3.23	0.00	45.16	38.71	9.68	6.45	0.00	41.94	45.16	6.45	6.45	0.00	48.39	35.48	9.68	6.45	0.00
Question3	41.94	45.16	6.45	3.23	3.23	45.16	45.16	6.45	0.00	3.23	38.71	51.61	6.45	0.00	3.23	45.16	45.16	6.45	0.00	3.23
Question4	41.94	45.16	6.45	6.45	0.00	38.71	45.16	9.68	6.45	0.00	48.39	35.48	9.68	6.45	0.00	45.16	41.94	9.68	3.23	0.00
Question5	38.71	51.61	6.45	0.00	3.23	48.39	41.94	6.45	0.00	3.23	48.39	41.94	6.45	0.00	3.23	45.16	45.16	6.45	0.00	3.23
Question6	48.39	35.48	9.68	6.45	0.00	45.16	41.94	9.68	3.23	0.00	45.16	41.94	9.68	3.23	0.00	45.16	35.48	9.68	6.45	3.23
Question7	45.16	45.16	6.45	0.00	3.23	48.39	41.94	6.45	0.00	3.23	48.39	41.94	6.45	0.00	3.23	48.39	45.16	3.23	3.23	0.00
Question8	45.16	41.94	9.68	3.23	0.00	41.94	41.94	9.68	3.23	3.23	41.94	41.94	9.68	3.23	3.23	38.71	51.61	6.45	0.00	3.23
Question9	45.16	45.16	6.45	0.00	3.23	48.39	41.94	9.68	0.00	0.00	48.39	41.94	9.68	0.00	0.00	48.39	35.48	9.68	6.45	0.00
Question10	45.16	35.48	9.68	6.45	3.23	45.16	32.26	12.90	6.45	3.23	45.16	32.26	12.90	6.45	3.23	48.39	41.94	6.45	0.00	3.23

*CANS – Cryptography And Network Security, GTAA – Graph Theory and Applications, GACC – Grid And Cloud Computing, RMT – Resource Management Techniques

CF (%)					IR (%)					SL (%)					GACCL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
38.71	51.61	6.45	0.00	3.23	41.94	38.71	9.68	6.45	3.23	48.39	45.16	3.23	3.23	0.00	48.39	35.48	9.68	6.45	0.00
48.39	35.48	9.68	6.45	0.00	45.16	45.16	6.45	3.23	0.00	38.71	51.61	6.45	0.00	3.23	48.39	41.94	6.45	0.00	3.23
48.39	41.94	6.45	0.00	3.23	41.94	45.16	6.45	3.23	3.23	48.39	35.48	9.68	6.45	0.00	45.16	41.94	9.68	3.23	0.00
45.16	41.94	9.68	3.23	0.00	41.94	45.16	6.45	6.45	0.00	48.39	41.94	6.45	0.00	3.23	48.39	41.94	6.45	0.00	3.23
48.39	41.94	6.45	0.00	3.23	38.71	51.61	6.45	0.00	3.23	45.16	41.94	9.68	3.23	0.00	48.39	35.48	9.68	6.45	0.00
45.16	41.94	9.68	3.23	0.00	48.39	35.48	9.68	6.45	0.00	48.39	41.94	6.45	0.00	3.23	48.39	41.94	6.45	0.00	3.23



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106


45.16	45.16	6.45	0.00	3.23	45.16	45.16	6.45	0.00	3.23	41.94	41.94	9.68	3.23	3.23	45.16	41.94	9.68	3.23	0.00
45.16	35.48	9.68	6.45	3.23	45.16	41.94	9.68	3.23	0.00	45.16	35.48	9.68	6.45	3.23	48.39	41.94	6.45	0.00	3.23
48.39	41.94	6.45	0.00	3.23	45.16	45.16	6.45	0.00	3.23	48.39	45.16	3.23	3.23	0.00	45.16	41.94	9.68	3.23	0.00
41.94	41.94	9.68	3.23	3.23	45.16	35.48	9.68	6.45	3.23	38.71	51.61	6.45	0.00	3.23	45.16	45.16	6.45	0.00	3.23

*CF – Cyber Forensics, IR – Information Retrieval, SL – Security Laboratory, GACCL – Grid And Cloud Computing Laboratory

* EX – Excellent VG – Very Good S – Satisfactory P – Poor

PERIOD: JULY - NOV 2018

YEAR / SEM: IV / VII



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

R. Arokiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106

NO OF STUDENTS: 47

BATCH: 2016 – 2020

YEAR / SEM: III / V

Questions	DM (%)					IP (%)					OOAAD (%)					TOC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	23.40	40.43	29.79	4.26	2.13	44.68	31.91	14.89	6.38	2.13	27.66	42.55	21.28	4.26	4.26	44.68	31.91	14.89	6.38	2.13
Question2	42.55	29.79	27.66	0.00	0.00	36.17	40.43	14.89	6.38	2.13	25.53	34.04	29.79	8.51	2.13	36.17	40.43	14.89	6.38	2.13
Question3	29.79	34.04	29.79	4.26	2.13	44.68	23.40	23.40	6.38	2.13	25.53	40.43	23.40	8.51	2.13	44.68	23.40	23.40	6.38	2.13
Question4	25.53	42.55	31.91	0.00	0.00	42.55	34.04	17.02	4.26	2.13	19.15	42.55	25.53	8.51	4.26	42.55	34.04	17.02	4.26	2.13
Question5	27.66	34.04	31.91	4.26	2.13	38.30	29.79	23.40	6.38	0.00	25.53	42.55	19.15	8.51	4.26	38.30	29.79	23.40	6.38	0.00
Question6	23.40	42.55	21.28	10.64	2.13	46.81	29.79	17.02	4.26	2.13	25.53	31.91	27.66	10.64	4.26	21.28	36.17	27.66	10.64	4.26
Question7	19.15	42.55	25.53	10.64	2.13	46.81	29.79	17.02	4.26	2.13	25.53	42.55	21.28	8.51	2.13	25.53	42.55	21.28	8.51	2.13
Question8	21.28	42.55	27.66	6.38	2.13	44.68	31.91	14.89	6.38	2.13	23.40	34.04	34.04	4.26	4.26	23.40	34.04	34.04	4.26	4.26
Question9	25.53	42.55	27.66	4.26	0.00	46.81	23.40	23.40	4.26	2.13	29.79	42.55	19.15	8.51	2.13	29.79	42.55	19.15	8.51	2.13
Question10	27.66	42.55	23.40	6.38	2.13	48.94	31.91	12.77	4.26	2.13	19.15	38.30	29.79	8.51	4.26	19.15	38.30	29.79	8.51	4.26

*DM – Discrete Mathematics, IP – Internet Programming, OOAAD – Object Oriented Analysis And Design, TOC – Theory of Computation

CG (%)					CTL (%)					IPL (%)					CGL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
23.40	40.43	29.79	4.26	2.13	31.91	42.55	23.40	0.00	2.13	23.40	42.55	21.28	10.64	2.13	25.53	40.43	23.40	8.51	2.13
42.55	29.79	27.66	0.00	0.00	19.15	46.81	31.91	2.13	0.00	19.15	42.55	25.53	10.64	2.13	19.15	42.55	25.53	8.51	4.26
29.79	34.04	29.79	4.26	2.13	25.53	25.53	25.53	4.26	0.00	21.28	42.55	27.66	6.38	2.13	25.53	42.55	19.15	8.51	4.26
25.53	42.55	31.91	0.00	0.00	25.53	40.43	40.43	6.38	0.00	25.53	42.55	27.66	4.26	0.00	25.53	31.91	27.66	10.64	4.26
27.66	34.04	31.91	4.26	2.13	23.40	34.04	34.04	12.77	2.13	27.66	42.55	23.40	6.38	2.13	25.53	42.55	21.28	8.51	2.13
25.53	42.55	19.15	8.51	4.26	23.40	29.79	29.79	6.38	0.00	21.28	36.17	27.66	10.64	4.26	44.68	23.40	23.40	6.38	2.13
42.55	21.28	21.28	10.64	4.26	23.40	25.53	25.53	12.77	0.00	25.53	42.55	21.28	8.51	2.13	42.55	34.04	17.02	4.26	2.13



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106


25.53	42.55	21.28	8.51	2.13	23.40	29.79	29.79	6.38	2.13	23.40	34.04	34.04	4.26	4.26	38.30	29.79	23.40	6.38	0.00
23.40	34.04	34.04	4.26	4.26	27.66	25.53	25.53	8.51	2.13	29.79	42.55	19.15	8.51	2.13	21.28	36.17	27.66	10.64	4.26
29.79	42.55	19.15	8.51	2.13	23.40	36.17	36.17	2.13	2.13	25.53	25.53	25.53	4.26	0.00	25.53	42.55	21.28	8.51	2.13

*CG – Computer Graphics, CTL – Case Tools Laboratory, IPL – Internet Programming Laboratory, CGL – Computer Graphics Laboratory

*EX – Excellent VG – Very Good S – Satisfactory P – Poor

PERIOD: JULY - NOV 2018

YEAR / SEM: III / V



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvather (Post), Panruti (T.k),
Cuddalore (Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106

NO OF STUDENTS: 54

BATCH: 2017 – 2021

YEAR / SEM: II / III

Questions	DM (%)					DPASD (%)					DS (%)					OOP (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	38.89	33.33	22.22	3.70	1.85	38.89	40.74	16.67	3.70	0.00	40.74	33.33	18.52	7.41	0.00	33.33	48.15	12.96	3.70	1.85
Question2	51.85	44.44	1.85	1.85	0.00	22.22	51.85	20.37	3.70	1.85	35.19	48.15	12.96	0.00	3.70	22.22	53.70	14.81	5.56	3.70
Question3	53.70	37.04	7.41	0.00	1.85	29.63	46.30	18.52	5.56	0.00	44.44	35.19	14.81	3.70	1.85	25.93	51.85	14.81	5.56	1.85
Question4	38.89	50.00	7.41	3.70	0.00	35.19	40.74	18.52	5.56	0.00	44.44	40.74	12.96	1.85	0.00	31.48	37.04	24.07	7.41	0.00
Question5	44.44	46.30	7.41	1.85	0.00	27.78	40.74	20.37	7.41	3.70	33.33	44.44	20.37	0.00	1.85	29.63	40.74	20.37	3.70	5.56
Question6	33.33	55.56	9.26	1.85	0.00	31.48	53.70	9.26	3.70	1.85	37.04	40.74	18.52	3.70	0.00	27.78	31.48	33.33	7.41	0.00
Question7	46.30	40.74	11.11	0.00	1.85	31.48	38.89	22.22	5.56	1.85	38.89	38.89	18.52	1.85	1.85	27.78	42.59	22.22	5.56	1.85
Question8	46.30	40.74	11.11	1.85	0.00	18.52	55.56	20.37	3.70	1.85	40.74	46.30	11.11	1.85	0.00	29.63	40.74	24.07	5.56	0.00
Question9	46.30	38.89	11.11	1.85	1.85	38.89	42.59	16.67	1.85	0.00	40.74	40.74	12.96	3.70	1.85	35.19	38.89	18.52	3.70	3.70
Question10	40.74	33.33	22.22	3.70	0.00	42.59	37.04	12.96	5.56	1.85	44.44	38.89	14.81	1.85	0.00	40.74	33.33	16.67	9.26	0.00

*DM – Discrete Mathematics, DPASD – Digital Principles And System Design, DS – Data Structures, OOP – Object Oriented Programming

CE (%)					DSL (%)					OOPL (%)					DSL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
53.70	31.48	11.11	1.85	1.85	40.74	40.74	12.96	3.70	1.85	42.59	35.19	14.81	3.70	3.70	40.74	44.44	11.11	1.85	1.85
37.04	40.74	16.67	1.85	3.70	33.33	44.44	20.37	0.00	1.85	40.74	33.33	20.37	1.85	3.70	51.85	20.37	25.93	1.85	0.00
44.44	35.19	14.81	3.70	1.85	37.04	38.89	20.37	3.70	0.00	44.44	25.93	24.07	3.70	1.85	46.30	29.63	16.67	3.70	3.70
51.85	27.78	14.81	5.56	0.00	46.30	27.78	24.07	0.00	1.85	48.15	24.07	16.67	7.41	3.70	37.04	25.93	29.63	0.00	1.85
35.19	38.89	12.96	7.41	5.56	44.44	40.74	11.11	3.70	0.00	33.33	35.19	24.07	5.56	1.85	38.89	37.04	24.07	0.00	0.00
42.59	37.04	14.81	5.56	0.00	40.74	35.19	18.52	1.85	3.70	44.44	22.22	18.52	11.11	1.85	42.59	27.78	25.93	3.70	0.00
40.74	35.19	16.67	5.56	1.85	37.04	40.74	16.67	5.56	0.00	38.89	29.63	22.22	3.70	5.56	29.63	38.89	24.07	5.56	1.85
42.59	37.04	11.11	9.26	0.00	42.59	33.33	16.67	3.70	3.70	48.15	24.07	18.52	5.56	3.70	38.89	29.63	24.07	5.56	1.85



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106

40.74	33.33	11.11	5.56	3.70	46.30	33.33	12.96	7.41	0.00	37.04	33.33	22.22	5.56	1.85	44.44	27.78	22.22	3.70	1.85
40.74	42.59	11.11	5.56	0.00	48.15	29.63	12.96	7.41	1.85	48.15	27.78	14.81	1.85	7.41	44.44	33.33	18.52	3.70	0.00

*CE – Communication Engineering, DSL – Data Structures Laboratory, OOPL – Object Oriented Programming Laboratory, DSL – Digital Systems Laboratory

* EX – Excellent VG – Very Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.




ST. ANNE'S
COLLEGE OF ENGINEERING AND TECHNOLOGY
ANGUCHETTYPALYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 99

PERIOD: JUL- NOV 2018

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question 1	52.53	19.19	10.10	10.10	8.08
Question 2	55.56	19.19	10.10	8.08	7.07
Question 3	50.51	20.20	14.14	8.08	7.07
Question 4	42.42	29.29	20.20	6.06	2.02
Question 5	56.57	35.35	5.05	2.02	1.01
Question 6	55.56	19.19	10.10	8.08	7.07
Question 7	60.61	21.21	10.10	5.05	3.03
Question 8	49.49	21.21	12.12	10.10	7.07
Question 9	60.61	19.19	8.08	6.06	6.06
Question 10	56.57	30.30	7.07	4.04	2.02



It is observed from the graph that around 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTYPALAYAM,

Siruvathur-(Post), Panruti-(T.k),

Cuddalore-(Dist). Pin: 607 110.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

DEPARTMENT: EEE

NO OF STUDENTS: 33

BATCH: 2016-2020 YEAR/ SEMESTER: III / V

PERIOD: JUL 2018 – NOV 2018

Questions	PSA (%)					MMC (%)					PPE (%)					PE (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	75.76	18.18	3.03	3.03	0.00	78.79	15.15	6.06	0.00	0.00	60.61	21.21	12.12	3.03	3.03	81.82	18.18	0.00	0.00	0.00
Question2	42.42	48.48	3.03	0.00	6.06	75.76	18.18	6.06	0.00	0.00	27.27	48.48	15.15	0.00	9.09	75.76	21.21	0.00	3.03	0.00
Question3	54.55	42.42	3.03	0.00	0.00	75.76	18.18	6.06	0.00	0.00	42.42	36.36	9.09	9.09	3.03	72.73	24.24	3.03	0.00	0.00
Question4	60.61	30.30	6.06	3.03	0.00	60.61	33.33	6.06	0.00	0.00	36.36	24.24	27.27	6.06	6.06	78.79	21.21	0.00	0.00	0.00
Question5	45.45	39.39	12.12	3.03	0.00	75.76	12.12	12.12	0.00	0.00	33.33	42.42	12.12	3.03	9.09	60.61	33.33	6.06	0.00	0.00
Question6	54.55	39.39	6.06	0.00	0.00	78.79	15.15	6.06	0.00	0.00	45.45	30.30	15.15	3.03	6.06	75.76	21.21	3.03	0.00	0.00
Question7	51.52	39.39	6.06	3.03	0.00	69.70	15.15	12.12	3.03	0.00	33.33	33.33	21.21	6.06	6.06	66.67	27.27	6.06	0.00	0.00
Question8	60.61	30.30	9.09	0.00	0.00	75.76	18.18	6.06	0.00	0.00	39.39	24.24	24.24	12.12	0.00	69.70	27.27	3.03	0.00	0.00
Question9	69.70	21.21	9.09	0.00	0.00	72.73	18.18	9.09	0.00	0.00	39.39	30.30	15.15	15.15	0.00	84.85	9.09	6.06	0.00	0.00
Question10	66.67	30.30	3.03	0.00	0.00	81.82	9.09	9.09	0.00	0.00	42.42	30.30	12.12	9.09	6.06	75.76	18.18	6.06	0.00	0.00

*PSA - Power System Analysis, MMC - Microprocessor and Micro Controllers, PPE - Power Plant Engineering, PE - Power Electronics

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

EM (%)					CS (%)					CIL (%)					CSL (%)					EML II (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
72.73	24.24	3.03	0.00	0.00	84.85	12.12	0.00	3.03	0.00	63.64	24.24	0.00	6.06	6.06	81.82	12.12	6.06	0.00	0.00	81.82	12.12	6.06	0.00	0.00
72.73	21.21	3.03	0.00	3.03	78.79	15.15	3.03	0.00	3.03	42.42	36.36	6.06	12.12	3.03	81.82	15.15	3.03	0.00	0.00	81.82	15.15	3.03	0.00	0.00
75.76	12.12	12.12	0.00	0.00	75.76	15.15	9.09	0.00	0.00	48.48	21.21	18.18	9.09	3.03	84.85	12.12	0.00	3.03	0.00	48.48	21.21	18.18	9.09	3.03
72.73	18.18	9.09	0.00	0.00	69.70	27.27	0.00	3.03	0.00	51.52	30.30	6.06	9.09	3.03	75.76	18.18	6.06	0.00	0.00	51.52	30.30	6.06	9.09	3.03



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

78.79	9.09	12.12	0.00	0.00	78.79	9.09	12.12	0.00	0.00	54.55	15.15	18.18	12.12	0.00	78.79	18.18	3.03	0.00	0.00	54.55	15.15	18.18	12.12	0.00
72.73	24.24	3.03	0.00	0.00	75.76	21.21	0.00	3.03	0.00	45.45	39.39	3.03	6.06	6.06	75.76	18.18	6.06	0.00	0.00	45.45	39.39	3.03	6.06	6.06
69.70	15.15	15.15	0.00	0.00	63.64	18.18	18.18	0.00	0.00	39.39	30.30	15.15	12.12	3.03	75.76	18.18	3.03	3.03	0.00	39.39	30.30	15.15	12.12	3.03
78.79	18.18	0.00	3.03	0.00	75.76	18.18	6.06	0.00	0.00	48.48	27.27	9.09	6.06	9.09	87.88	9.09	3.03	0.00	0.00	87.88	9.09	3.03	0.00	0.00
87.88	9.09	3.03	0.00	0.00	78.79	15.15	6.06	0.00	0.00	57.58	21.21	15.15	3.03	3.03	78.79	15.15	3.03	3.03	0.00	78.79	15.15	3.03	3.03	0.00
78.79	18.18	3.03	0.00	0.00	84.85	12.12	3.03	0.00	0.00	57.58	21.21	9.09	6.06	6.06	78.79	15.15	3.03	3.03	0.00	78.79	15.15	3.03	3.03	0.00

*EM - Electrical Machines, CS - Control Systems, CIL - Control And Instrumentation Laboratory, CSL - Communication Skills Laboratory, EML II - Electrical Machines - II Laboratory

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTYPALAYAM,

Siruvathur-(Post), Panruti-(T.k),

Cuddalore-(Dist), Pin: 604 106

It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good"



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

DEPARTMENT: EEE

NO OF STUDENTS: 25

BATCH: 2017-2021

YEAR/ SEMESTER: II / III

PERIOD: JUL 2018- NOV 2018

Questions	TPDE (%)					DLC I (%)					ET (%)					EMI (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	80.00	16.00	4.00	0.00	0.00	72.00	16.00	8.00	4.00	0.00	76.00	16.00	8.00	0.00	0.00	80.00	8.00	8.00	4.00	0.00
Question2	72.00	20.00	4.00	4.00	0.00	64.00	24.00	4.00	8.00	0.00	72.00	12.00	8.00	8.00	0.00	72.00	16.00	8.00	4.00	0.00
Question3	68.00	20.00	12.00	0.00	0.00	68.00	12.00	12.00	8.00	0.00	60.00	16.00	20.00	4.00	0.00	76.00	12.00	8.00	4.00	0.00
Question4	64.00	24.00	8.00	4.00	0.00	76.00	12.00	8.00	4.00	0.00	68.00	16.00	8.00	8.00	0.00	68.00	20.00	4.00	8.00	0.00
Question5	60.00	20.00	8.00	12.00	0.00	72.00	16.00	8.00	4.00	0.00	76.00	20.00	4.00	0.00	0.00	72.00	16.00	8.00	4.00	0.00
Question6	76.00	12.00	12.00	0.00	0.00	80.00	8.00	8.00	4.00	0.00	72.00	20.00	8.00	0.00	0.00	80.00	8.00	8.00	4.00	0.00
Question7	68.00	20.00	8.00	4.00	0.00	65.38	7.69	7.69	11.54	7.69	88.00	8.00	4.00	0.00	0.00	84.00	4.00	8.00	0.00	4.00
Question8	72.00	20.00	4.00	4.00	0.00	64.00	12.00	12.00	8.00	4.00	72.00	12.00	12.00	4.00	0.00	80.00	8.00	8.00	4.00	0.00
Question9	72.00	20.00	4.00	4.00	0.00	72.00	16.00	8.00	4.00	0.00	76.00	16.00	8.00	0.00	0.00	68.00	20.00	4.00	8.00	0.00
Question10	72.00	4.00	8.00	8.00	8.00	68.00	12.00	12.00	8.00	0.00	88.00	0.00	4.00	4.00	4.00	64.00	20.00	8.00	8.00	0.00

*TPDE - Transforms and Partial Differential Equations, DLC I - Digital Logic Circuits- I, ET - Electromagnetic Theory, EMI - Electrical Machines – I

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

EDC (%)					PPE (%)					EL (%)					EML I (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
76.00	12.00	8.00	0.00	4.00	80.00	8.00	8.00	4.00	0.00	80.00	8.00	12.00	0.00	0.00	72.00	16.00	12.00	0.00	0.00
72.00	16.00	8.00	0.00	4.00	88.00	0.00	8.00	4.00	0.00	80.00	8.00	12.00	0.00	0.00	80.00	8.00	12.00	0.00	0.00
72.00	12.00	8.00	8.00	0.00	84.00	8.00	4.00	4.00	0.00	80.77	11.54	7.69	0.00	0.00	76.00	16.00	8.00	0.00	0.00
80.00	8.00	12.00	0.00	0.00	80.00	8.00	8.00	4.00	0.00	88.00	0.00	12.00	0.00	0.00	80.00	8.00	12.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

84.00	12.00	4.00	0.00	0.00	72.00	12.00	12.00	4.00	0.00	84.00	8.00	8.00	0.00	0.00	88.00	8.00	4.00	0.00	0.00
80.00	0.00	8.00	12.00	0.00	76.00	12.00	4.00	8.00	0.00	76.00	12.00	4.00	8.00	0.00	92.00	4.00	4.00	0.00	0.00
72.00	8.00	12.00	4.00	4.00	68.00	20.00	8.00	4.00	0.00	72.00	16.00	8.00	4.00	0.00	88.00	8.00	0.00	4.00	0.00
76.00	12.00	0.00	4.00	8.00	64.00	20.00	8.00	8.00	0.00	80.00	0.00	16.00	4.00	0.00	84.00	0.00	12.00	4.00	0.00
76.00	8.00	8.00	4.00	4.00	72.00	16.00	8.00	4.00	0.00	84.00	8.00	8.00	0.00	0.00	84.00	8.00	8.00	0.00	0.00
76.00	12.00	4.00	8.00	0.00	76.00	8.00	16.00	0.00	0.00	88.00	0.00	4.00	8.00	0.00	92.00	0.00	4.00	4.00	0.00

*EDC - Electron Devices and Circuits, PPE - Power Plant Engineering, EL - Electronics Laboratory, EML I - Electrical Machines Laboratory - I

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



R. K. Mohan

DR. R. MOHANDASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.

It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good"



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 44

BATCH: 2015 – 2019

PERIOD: JUL – NOV 2018

YEAR/SEMESTER: IV/VII

Questions	HVE (%)					PAS (%)					SEM (%)					POM (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question2	88.64	11.36	0.00	0.00	0.00	65.91	22.73	11.36	0.00	0.00	88.64	11.36	0.00	0.00	0.00	65.91	22.73	11.36	0.00	0.00
Question3	68.18	31.82	0.00	0.00	0.00	56.82	22.73	20.45	0.00	0.00	95.45	4.55	0.00	0.00	0.00	56.82	22.73	20.45	0.00	0.00
Question4	65.91	34.09	0.00	0.00	0.00	65.91	22.73	11.36	0.00	0.00	90.91	4.55	4.55	0.00	0.00	65.91	22.73	11.36	0.00	0.00
Question5	50.00	22.73	15.91	11.36	0.00	90.91	4.55	4.55	0.00	0.00	79.55	20.45	0.00	0.00	0.00	50.00	22.73	15.91	11.36	0.00
Question6	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question7	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question8	54.55	11.36	18.18	15.91	0.00	90.91	4.55	4.55	0.00	0.00	79.55	20.45	0.00	0.00	0.00	90.91	4.55	4.55	0.00	0.00
Question9	54.55	22.73	11.36	11.36	0.00	54.55	11.36	18.18	15.91	0.00	86.36	11.36	2.27	0.00	0.00	54.55	11.36	18.18	15.91	0.00
Question10	77.27	11.36	11.36	0.00	0.00	90.91	4.55	4.55	0.00	0.00	61.36	18.18	11.36	9.09	0.00	65.91	11.36	11.36	11.36	0.00

*HVE – High voltage Engineering, PAS – Protection and Switchgear, SEM – Special Electrical Machine, POM – Principles of Management

ASC (%)					MBSD (%)					PSS LAB (%)					C (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
56.82	22.73	20.45	0.00	0.00	65.91	22.73	11.36	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
95.45	4.55	0.00	0.00	0.00	65.91	22.73	11.36	0.00	0.00	95.45	4.55	0.00	0.00	0.00	95.45	4.55	0.00	0.00	0.00
90.91	4.55	4.55	0.00	0.00	65.91	22.73	11.36	0.00	0.00	90.91	4.55	4.55	0.00	0.00	95.45	4.55	0.00	0.00	0.00
79.55	20.45	0.00	0.00	0.00	50.00	22.73	15.91	11.36	0.00	79.55	20.45	0.00	0.00	0.00	90.91	4.55	4.55	0.00	0.00
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	65.91	22.73	11.36	0.00	0.00	88.64	6.82	4.55	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
56.82	22.73	20.45	0.00	0.00	65.91	11.36	11.36	11.36	0.00	79.55	20.45	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
54.55	11.36	18.18	15.91	0.00	54.55	11.36	18.18	15.91	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
61.36	18.18	11.36	9.09	0.00	65.91	11.36	11.36	11.36	0.00	65.91	22.73	11.36	0.00	0.00	100.00	0.00	0.00	0.00	0.00

* ASC – Applied Soft Computing, MBSD – Microcontroller Based System Design, PSSSL – Power System Simulation, C – Comprehension

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good"

R. Arokia Dass

Dr. R. AROKIDASS, M.E., Ph.D.
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPLAYAM, PANRUTI.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: S&H

NO OF STUDENTS: 83

PERIOD: AUG - DEC 2018

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	87.95	10.84	1.20	0.00	0.00
Question2	57.83	38.55	3.61	0.00	0.00
Question3	68.67	28.92	1.20	0.00	1.20
Question4	60.24	38.55	0.00	0.00	1.20
Question5	74.70	22.89	2.41	0.00	0.00
Question6	61.45	38.55	0.00	0.00	0.00
Question7	77.11	21.69	1.20	0.00	0.00
Question8	66.27	32.53	1.20	0.00	0.00
Question9	77.11	20.48	2.41	0.00	0.00
Question10	68.67	30.12	1.20	0.00	0.00

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that above 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTYPALAYAM,

Siruvathur (Post), Panruti - 607 106.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

ELECTRICAL AND COMMUNICATION ENGINEERING

NO OF STUDENTS: 21

BATCH: 2018 – 2022

PERIOD: AUG - DEC 2018

YEAR / SEM: I / I

Questions	CE (%)					EM - I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	85.71	14.29	0.00	0.00	0.00	85.71	14.29	0.00	0.00	0.00	95.24	4.76	0.00	0.00	0.00	90.48	9.52	0.00	0.00	0.00
Question2	38.10	57.14	4.76	0.00	0.00	28.57	66.67	4.76	0.00	0.00	19.05	80.95	0.00	0.00	0.00	42.86	57.14	0.00	0.00	0.00
Question3	71.43	23.81	4.76	0.00	0.00	66.67	33.33	0.00	0.00	0.00	80.95	14.29	4.76	0.00	0.00	90.48	9.52	0.00	0.00	0.00
Question4	42.86	52.38	0.00	4.76	0.00	28.57	66.67	4.76	0.00	0.00	23.81	71.43	0.00	4.76	0.00	42.86	52.38	4.76	0.00	0.00
Question5	71.43	19.05	4.76	0.00	4.76	66.67	23.81	9.52	0.00	0.00	76.19	14.29	4.76	4.76	0.00	90.48	9.52	0.00	0.00	0.00
Question6	33.33	61.90	4.76	0.00	0.00	28.57	71.43	0.00	0.00	0.00	42.86	52.38	4.76	0.00	0.00	52.38	47.62	0.00	0.00	0.00
Question7	76.19	19.05	4.76	0.00	0.00	61.90	33.33	4.76	0.00	0.00	80.95	14.29	4.76	0.00	0.00	76.19	23.81	0.00	0.00	0.00
Question8	33.33	57.14	4.76	4.76	0.00	33.33	66.67	0.00	0.00	0.00	42.86	57.14	0.00	0.00	0.00	42.86	52.38	4.76	0.00	0.00
Question9	71.43	28.57	0.00	0.00	0.00	61.90	33.33	4.76	0.00	0.00	80.95	19.05	0.00	0.00	0.00	85.71	14.29	0.00	0.00	0.00
Question10	23.81	71.43	0.00	0.00	4.76	33.33	66.67	0.00	0.00	0.00	57.14	42.86	0.00	0.00	0.00	52.38	47.62	0.00	0.00	0.00

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

PSAPP (%)					EG (%)					PSAPPL (%)					PCL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
80.95	14.29	4.76	0.00	0.00	85.71	14.29	0.00	0.00	0.00	80.95	19.05	0.00	0.00	0.00	85.71	14.29	0.00	0.00	0.00
23.81	76.19	0.00	0.00	0.00	33.33	61.90	4.76	0.00	0.00	19.05	76.19	4.76	0.00	0.00	23.81	71.43	4.76	0.00	0.00
71.43	14.29	14.29	0.00	0.00	71.43	19.05	9.52	0.00	0.00	61.90	38.10	0.00	0.00	0.00	76.19	19.05	4.76	0.00	0.00
23.81	66.67	4.76	4.76	0.00	33.33	61.90	4.76	0.00	0.00	28.57	66.67	4.76	0.00	0.00	38.10	57.14	4.76	0.00	0.00
61.90	28.57	9.52	0.00	0.00	76.19	23.81	0.00	0.00	0.00	57.14	38.10	4.76	0.00	0.00	66.67	33.33	0.00	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

28.57	66.67	4.76	0.00	0.00	42.86	52.38	4.76	0.00	0.00	23.81	71.43	4.76	0.00	0.00	38.10	57.14	4.76	0.00	0.00
71.43	28.57	0.00	0.00	0.00	66.67	28.57	4.76	0.00	0.00	61.90	33.33	4.76	0.00	0.00	76.19	23.81	0.00	0.00	0.00
33.33	61.90	4.76	0.00	0.00	42.86	57.14	0.00	0.00	0.00	33.33	61.90	4.76	0.00	0.00	33.33	57.14	9.52	0.00	0.00
71.43	23.81	4.76	0.00	0.00	71.43	28.57	0.00	0.00	0.00	66.67	28.57	4.76	0.00	0.00	66.67	33.33	0.00	0.00	0.00
28.57	71.43	0.00	0.00	0.00	38.10	57.14	4.76	0.00	0.00	33.33	66.67	0.00	0.00	0.00	42.86	57.14	0.00	0.00	0.00

*PSAPP – Problem solving And Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory, PACL – Physics And Chemistry Laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

2 | Page

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

ELECTRICAL AND ELECTRONIC ENGINEERING

NO OF STUDENTS: 22

BATCH: 2018 – 2022

PERIOD: AUG - DEC 2018

YEAR / SEM: I / I

Questions	CE (%)					EM - I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	81.82	18.18	0.00	0.00	0.00	86.36	9.09	0.00	0.00	4.55	72.73	27.27	0.00	0.00	0.00	90.91	9.09	0.00	0.00	0.00
Question2	68.18	31.82	0.00	0.00	0.00	59.09	36.36	0.00	0.00	4.55	68.18	27.27	4.55	0.00	0.00	63.64	36.36	0.00	0.00	0.00
Question3	86.36	13.64	0.00	0.00	0.00	63.64	27.27	4.55	0.00	4.55	81.82	18.18	0.00	0.00	0.00	90.91	4.55	4.55	0.00	0.00
Question4	72.73	27.27	0.00	0.00	0.00	72.73	22.73	0.00	0.00	4.55	63.64	31.82	4.55	0.00	0.00	68.18	31.82	0.00	0.00	0.00
Question5	77.27	18.18	4.55	0.00	0.00	72.73	22.73	0.00	0.00	4.55	81.82	18.18	0.00	0.00	0.00	77.27	18.18	4.55	0.00	0.00
Question6	68.18	31.82	0.00	0.00	0.00	77.27	18.18	0.00	0.00	4.55	86.36	9.09	4.55	0.00	0.00	77.27	22.73	0.00	0.00	0.00
Question7	81.82	18.18	0.00	0.00	0.00	68.18	27.27	0.00	0.00	4.55	72.73	27.27	0.00	0.00	0.00	90.91	9.09	0.00	0.00	0.00
Question8	81.82	13.64	4.55	0.00	0.00	77.27	13.64	4.55	0.00	4.55	81.82	18.18	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00
Question9	68.18	27.27	4.55	0.00	0.00	77.27	18.18	0.00	0.00	4.55	68.18	31.82	0.00	0.00	0.00	86.36	13.64	0.00	0.00	0.00
Question10	86.36	9.09	4.55	0.00	0.00	90.91	4.55	0.00	0.00	4.55	77.27	18.18	4.55	0.00	0.00	86.36	9.09	4.55	0.00	0.00

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

PSAPP (%)					EG (%)					PSAPPL (%)					PCLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
81.82	18.18	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00
50.00	50.00	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00	68.18	31.82	0.00	0.00	0.00
77.27	18.18	4.55	0.00	0.00	63.64	36.36	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	54.55	45.45	0.00	0.00	0.00
59.09	31.82	9.09	0.00	0.00	77.27	22.73	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00
77.27	18.18	4.55	0.00	0.00	72.73	27.27	0.00	0.00	0.00	90.91	9.09	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

68.18	27.27	0.00	4.55	0.00	81.82	18.18	0.00	0.00	0.00	81.82	18.18	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00
86.36	9.09	0.00	4.55	0.00	68.18	31.82	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	68.18	31.82	0.00	0.00	0.00
63.64	27.27	4.55	0.00	4.55	77.27	22.73	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	81.82	18.18	0.00	0.00	0.00
77.27	22.73	0.00	0.00	0.00	68.18	27.27	4.55	0.00	0.00	72.73	27.27	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00
81.82	18.18	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00	68.18	31.82	0.00	0.00	0.00

*PSAPP – Problem solving And Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory, PACL – Physics And Chemistry Laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass 4 | Page

Dr. R. AROKIADASS, M.E., Ph.D.
Principal



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

COMPUTER SCIENCE AND ENGINEERING

NO OF STUDENTS: 22

BATCH: 2018 – 2022

PERIOD: AUG - DEC 2018

YEAR / SEM: I / I

Questions	CE (%)					EM – I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	81.82	18.18	0.00	0.00	0.00	50.00	45.45	0.00	0.00	4.55	90.91	9.09	0.00	0.00	0.00	72.73	22.73	0.00	0.00	4.55
Question2	45.45	45.45	4.55	4.55	0.00	31.82	59.09	4.55	0.00	4.55	50.00	50.00	0.00	0.00	0.00	77.27	18.18	0.00	0.00	4.55
Question3	63.64	31.82	4.55	0.00	0.00	45.45	45.45	4.55	0.00	4.55	77.27	22.73	0.00	0.00	0.00	59.09	36.36	0.00	0.00	4.55
Question4	45.45	45.45	9.09	0.00	0.00	31.82	54.55	9.09	0.00	4.55	45.45	54.55	0.00	0.00	0.00	68.18	27.27	0.00	0.00	4.55
Question5	59.09	36.36	0.00	4.55	0.00	50.00	40.91	0.00	9.09	0.00	86.36	9.09	4.55	0.00	0.00	72.73	22.73	0.00	0.00	4.55
Question6	72.73	27.27	0.00	0.00	0.00	36.36	54.55	0.00	0.00	9.09	59.09	40.91	0.00	0.00	0.00	72.73	18.18	4.55	0.00	4.55
Question7	45.45	50.00	0.00	0.00	4.55	40.91	50.00	4.55	4.55	0.00	86.36	13.64	0.00	0.00	0.00	77.27	18.18	0.00	0.00	4.55
Question8	63.64	27.27	9.09	0.00	0.00	27.27	59.09	9.09	0.00	4.55	50.00	50.00	0.00	0.00	0.00	72.73	22.73	0.00	0.00	4.55
Question9	59.09	40.91	0.00	0.00	0.00	50.00	36.36	9.09	4.55	0.00	86.36	13.64	0.00	0.00	0.00	68.18	27.27	0.00	0.00	4.55
Question10	63.64	31.82	4.55	0.00	0.00	54.55	40.91	0.00	0.00	4.55	54.55	45.45	0.00	0.00	0.00	68.18	27.27	0.00	0.00	4.55

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

PSAPP (%)					EG (%)					PSAPPL (%)					PCL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
77.27	22.73	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00
59.09	50.00	0.00	0.00	0.00	59.09	36.36	4.55	0.00	0.00	54.55	45.45	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00
68.18	31.82	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	72.73	18.18	4.55	0.00	4.55	63.64	36.36	0.00	0.00	0.00
68.18	31.82	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00
63.64	36.36	0.00	0.00	0.00	81.82	13.64	4.55	0.00	0.00	59.09	40.91	0.00	0.00	0.00	72.73	18.18	9.09	0.00	0.00
59.09	40.91	0.00	0.00	0.00	72.73	22.73	4.55	0.00	0.00	59.09	36.36	4.55	0.00	0.00	54.55	36.36	9.09	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

54.55	45.45	0.00	0.00	0.00	68.18	27.27	4.55	0.00	0.00	72.73	22.73	0.00	4.55	0.00	63.64	31.82	4.55	0.00	0.00
72.73	27.27	0.00	0.00	0.00	63.64	31.82	4.55	0.00	0.00	54.55	40.91	4.55	0.00	0.00	59.09	40.91	0.00	0.00	0.00
50.00	45.45	4.55	0.00	0.00	72.73	27.27	0.00	0.00	0.00	77.27	18.18	4.55	0.00	0.00	68.18	31.82	0.00	0.00	0.00
72.73	27.27	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00	68.18	31.82	0.00	0.00	0.00

*PSAPP – Problem solving And Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory,
PACL – Physics And Chemistry Laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

6 | Page

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

MECHANICAL ENGINEERING

NO OF STUDENTS: 18

BATCH: 2018 – 2022

PERIOD: AUG - DEC 2018

YEAR / SEM: I / I

Questions	CE (%)					EM - I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	50.00	22.73	4.55	4.55	0.00	31.82	13.64	9.09	4.55	22.73	63.64	13.64	4.55	0.00	0.00	54.55	9.09	13.64	0.00	4.55
Question2	40.91	31.82	9.09	0.00	0.00	31.82	9.09	13.64	18.18	9.09	54.55	18.18	9.09	0.00	0.00	59.09	13.64	9.09	0.00	0.00
Question3	40.91	22.73	13.64	4.55	0.00	36.36	9.09	18.18	4.55	13.64	68.18	9.09	4.55	0.00	0.00	54.55	13.64	13.64	0.00	0.00
Question4	40.91	31.82	9.09	0.00	0.00	22.73	22.73	13.64	13.64	9.09	59.09	13.64	4.55	4.55	0.00	45.45	27.27	4.55	4.55	0.00
Question5	45.45	18.18	13.64	0.00	4.55	31.82	13.64	22.73	4.55	9.09	63.64	9.09	9.09	0.00	0.00	40.91	22.73	13.64	0.00	4.55
Question6	54.55	13.64	13.64	0.00	0.00	27.27	27.27	13.64	9.09	4.55	59.09	13.64	9.09	0.00	0.00	54.55	13.64	9.09	4.55	0.00
Question7	36.36	27.27	13.64	4.55	0.00	36.36	13.64	13.64	4.55	13.64	68.18	0.00	13.64	0.00	0.00	50.00	18.18	13.64	0.00	0.00
Question8	50.00	22.73	9.09	0.00	0.00	36.36	9.09	22.73	13.64	0.00	54.55	13.64	13.64	0.00	0.00	50.00	18.18	13.64	0.00	0.00
Question9	40.91	27.27	9.09	4.55	0.00	31.82	18.18	13.64	0.00	18.18	59.09	9.09	13.64	0.00	0.00	50.00	22.73	9.09	0.00	0.00
Question10	50.00	22.73	9.09	0.00	0.00	40.91	13.64	9.09	9.09	9.09	59.09	18.18	4.55	0.00	0.00	54.55	13.64	13.64	0.00	0.00

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

PSAPP (%)					EG (%)					PSAPPL (%)					PCL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
40.91	27.27	9.09	0.00	4.55	68.18	9.09	4.55	0.00	0.00	54.55	13.64	9.09	4.55	0.00	68.18	9.09	4.55	0.00	0.00
40.91	31.82	4.55	0.00	4.55	59.09	18.18	4.55	0.00	0.00	50.00	22.73	9.09	0.00	0.00	54.55	13.64	4.55	9.09	0.00
45.45	22.73	9.09	0.00	4.55	54.55	9.09	18.18	0.00	0.00	54.55	18.18	9.09	0.00	0.00	59.09	18.18	4.55	0.00	0.00
50.00	13.64	13.64	0.00	4.55	50.00	18.18	13.64	0.00	0.00	54.55	22.73	4.55	0.00	0.00	59.09	13.64	9.09	0.00	0.00
36.36	27.27	13.64	0.00	4.55	63.64	9.09	9.09	0.00	0.00	50.00	18.18	9.09	4.55	0.00	54.55	18.18	4.55	0.00	4.55



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

59.09	13.64	4.55	4.55	0.00	63.64	4.55	13.64	0.00	0.00	40.91	22.73	18.18	0.00	0.00	59.09	9.09	9.09	0.00	4.55
40.91	27.27	9.09	4.55	0.00	54.55	13.64	9.09	4.55	0.00	45.45	31.82	4.55	0.00	0.00	59.09	9.09	9.09	0.00	4.55
40.91	22.73	13.64	4.55	0.00	54.55	18.18	4.55	4.55	0.00	45.45	31.82	4.55	0.00	0.00	54.55	18.18	9.09	0.00	0.00
50.00	22.73	4.55	0.00	4.55	54.55	13.64	9.09	4.55	0.00	54.55	13.64	13.64	0.00	0.00	54.55	4.55	18.18	0.00	4.55
54.55	13.64	4.55	9.09	0.00	63.64	4.55	13.64	0.00	0.00	59.09	13.64	9.09	0.00	0.00	59.09	18.18	4.55	0.00	0.00

*PSAPP – Problem solving And Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory, PACL – Physics And Chemistry Laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

[Signature]



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 75 (ECE)

PERIOD: JULY-NOV 2018

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	48.00	33.33	9.33	2.67	6.67
Question2	26.67	52.00	14.67	1.33	5.33
Question3	33.33	44.00	16.00	2.67	4.00
Question4	37.33	37.33	16.00	5.33	4.00
Question5	28.00	49.33	13.33	5.33	4.00
Question6	25.33	48.00	18.67	4.00	4.00
Question7	37.33	41.33	13.33	4.00	4.00
Question8	34.67	46.67	8.00	8.00	2.67
Question9	30.67	49.33	10.67	4.00	5.33
Question10	37.33	33.33	20.00	5.33	4.00

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradi
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 106



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 20

BATCH: 2015-2019

PERIOD: JULY-NOV 2018

YEAR/SEM: II / III

Questions	LAPDE (%)					FDSC (%)					EC-I (%)					SAS (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	60.00	30.00	10.00	0.00	0.00	70.00	30.00	0.00	0.00	0.00	90.00	10.00	0.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00
Question2	55.00	40.00	0.00	5.00	0.00	30.00	70.00	0.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00	50.00	40.00	10.00	0.00	0.00
Question3	60.00	30.00	5.00	5.00	0.00	40.00	55.00	5.00	0.00	0.00	75.00	25.00	0.00	0.00	0.00	40.00	45.00	15.00	0.00	0.00
Question4	60.00	35.00	0.00	5.00	0.00	50.00	45.00	5.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	45.00	40.00	10.00	5.00	0.00
Question5	60.00	30.00	10.00	0.00	0.00	35.00	65.00	0.00	0.00	0.00	75.00	25.00	0.00	0.00	0.00	35.00	55.00	5.00	5.00	0.00
Question6	30.00	55.00	15.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	35.00	55.00	10.00	0.00	0.00
Question7	50.00	45.00	5.00	0.00	0.00	45.00	50.00	5.00	0.00	0.00	70.00	25.00	0.00	5.00	0.00	30.00	55.00	15.00	0.00	0.00
Question8	50.00	45.00	5.00	0.00	0.00	45.00	50.00	5.00	0.00	0.00	45.00	55.00	0.00	0.00	0.00	35.00	55.00	10.00	0.00	0.00
Question9	60.00	25.00	15.00	0.00	0.00	35.00	60.00	5.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	35.00	55.00	10.00	0.00	0.00
Question10	55.00	40.00	5.00	0.00	0.00	55.00	45.00	0.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	40.00	45.00	15.00	0.00	0.00

*LAPDE - Linear Algebra and Partial Differential Equation, FDSC - Fundamental of Data Structure in C, EC I - Electronic Circuits-I, SAS - Signals and Systems

DE (%)					CSE (%)					FDSL (%)					ADCL (%)					IPS/LS (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
50.00	35.00	15.00	0.00	0.00	45.00	50.00	5.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	60.00	30.00	10.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00
30.00	45.00	25.00	0.00	0.00	55.00	35.00	10.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	35.00	55.00	5.00	0.00	5.00
35.00	40.00	25.00	0.00	0.00	50.00	40.00	10.00	0.00	0.00	45.00	50.00	5.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	40.00	50.00	5.00	0.00	5.00
35.00	35.00	30.00	0.00	0.00	45.00	45.00	5.00	5.00	0.00	40.00	55.00	5.00	0.00	0.00	45.00	50.00	5.00	0.00	0.00	30.00	65.00	0.00	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

40.00	35.00	25.00	0.00	0.00	45.00	45.00	10.00	0.00	0.00	45.00	55.00	0.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	40.00	50.00	0.00	0.00	0.00
40.00	35.00	25.00	0.00	0.00	40.00	50.00	10.00	0.00	0.00	50.00	40.00	10.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	40.00	55.00	0.00	0.00	0.00
35.00	45.00	20.00	0.00	0.00	35.00	55.00	10.00	0.00	0.00	40.00	50.00	10.00	0.00	0.00	55.00	35.00	10.00	0.00	0.00	50.00	45.00	0.00	0.00	0.00
45.00	30.00	25.00	0.00	0.00	40.00	50.00	10.00	0.00	0.00	50.00	40.00	10.00	0.00	0.00	45.00	45.00	10.00	0.00	0.00	40.00	50.00	0.00	0.00	0.00
30.00	55.00	15.00	0.00	0.00	40.00	45.00	15.00	0.00	0.00	50.00	40.00	10.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	35.00	60.00	0.00	0.00	0.00
45.00	40.00	10.00	0.00	5.00	40.00	50.00	10.00	0.00	0.00	45.00	45.00	10.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	50.00	45.00	0.00	0.00	0.00

*DE - Digital Electronics, CSE - Control Systems Engineering, FDSL - Fundamentals of Data Structures Laboratory, ADCL - Analog and Digital Circuits Laboratory, IPSLS - Inter Personal Skills/Listening and Speaking

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

NO. OF. STUDENTS: 40

BATCH: 2016 - 2020

PERIOD: JULY - NOV 2018

YEAR/SEM: III / V

Questions	DC (%)					PDSP (%)					TLWG (%)					ESE (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	47.50	37.50	12.50	0.00	2.50	60.00	27.50	10.00	2.50	0.00	37.50	32.50	22.50	22.50	5.00	62.50	27.50	7.50	2.50	0.00
Question2	32.50	42.50	22.50	0.00	2.50	37.50	52.50	7.50	0.00	2.50	27.50	40.00	25.00	25.00	2.50	42.50	45.00	10.00	2.50	0.00
Question3	40.00	42.50	10.00	5.00	2.50	50.00	37.50	12.50	0.00	0.00	30.00	32.50	27.50	27.50	5.00	42.50	35.00	22.50	0.00	0.00
Question4	30.00	50.00	17.50	0.00	2.50	47.50	40.00	12.50	0.00	0.00	30.00	30.00	30.00	30.00	2.50	45.00	40.00	12.50	2.50	0.00
Question5	40.00	37.50	20.00	0.00	2.50	40.00	50.00	10.00	0.00	0.00	35.00	27.50	27.50	27.50	5.00	47.50	30.00	20.00	2.50	0.00
Question6	35.00	35.00	25.00	0.00	5.00	50.00	40.00	10.00	0.00	0.00	40.00	22.50	32.50	32.50	5.00	45.00	37.50	15.00	2.50	0.00
Question7	35.00	32.50	17.50	12.50	2.50	60.00	32.50	7.50	0.00	0.00	22.50	50.00	20.00	20.00	2.50	55.00	22.50	22.50	0.00	0.00
Question8	32.50	32.50	30.00	2.50	2.50	37.50	55.00	7.50	0.00	0.00	32.50	37.50	22.50	22.50	5.00	55.00	27.50	17.50	0.00	0.00
Question9	30.00	45.00	20.00	2.50	2.50	47.50	42.50	7.50	2.50	0.00	25.00	42.50	20.00	20.00	7.50	45.00	37.50	17.50	0.00	0.00
Question10	25.00	37.50	30.00	5.00	2.50	55.00	30.00	15.00	0.00	0.00	45.00	25.00	22.50	22.50	5.00	57.50	30.00	12.50	0.00	0.00

*DC - Digital Communication, PDSP - Principles of Digital Signal Processing, TLWG - Transmission Lines and Wave Guides, ESE - Environmental Science and Engineering

MAM (%)					DSPL (%)					CSL (%)					MML (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
52.50	40.00	5.00	0.00	2.50	52.50	37.50	7.50	2.50	0.00	52.50	35.00	10.00	2.50	0.00	55.00	30.00	10.00	2.50	2.50
40.00	50.00	5.00	2.50	2.50	37.50	50.00	10.00	2.50	0.00	40.00	45.00	10.00	5.00	0.00	22.50	62.50	10.00	2.50	2.50
42.50	32.50	22.50	0.00	2.50	70.00	17.50	12.50	0.00	0.00	50.00	37.50	12.50	0.00	0.00	47.50	35.00	10.00	5.00	2.50
45.00	37.50	12.50	2.50	2.50	42.50	40.00	15.00	2.50	0.00	35.00	42.50	20.00	2.50	0.00	32.50	37.50	22.50	5.00	2.50
47.50	32.50	15.00	0.00	5.00	55.00	30.00	10.00	5.00	0.00	45.00	37.50	15.00	2.50	0.00	37.50	37.50	20.00	2.50	2.50



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

42.50	37.50	15.00	0.00	5.00	42.50	45.00	12.50	0.00	0.00	40.00	40.00	20.00	0.00	0.00	42.50	32.50	15.00	7.50	2.50
37.50	42.50	17.50	0.00	2.50	52.50	27.50	12.50	7.50	0.00	42.50	37.50	15.00	5.00	0.00	35.00	40.00	17.50	5.00	2.50
47.50	32.50	17.50	0.00	2.50	47.50	32.50	17.50	2.50	0.00	50.00	27.50	20.00	0.00	2.50	35.00	35.00	20.00	7.50	2.50
45.00	37.50	12.50	2.50	2.50	50.00	35.00	12.50	0.00	2.50	45.00	35.00	15.00	2.50	2.50	32.50	47.50	15.00	2.50	2.50
50.00	35.00	10.00	2.50	2.50	55.00	30.00	12.50	2.50	0.00	47.50	27.50	20.00	5.00	0.00	45.00	35.00	7.50	10.00	2.50

*MAM - Microprocessor and Microcontroller, DSPL - Digital Signal Processing Laboratory, CSL - Communication System Laboratory, MML - Microprocessor and Microcontroller Laboratory

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. R. Aradiass

Dr. R. ARADIASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

NO. OF STUDENTS: 15

BATCH: 2015 – 2019

PERIOD: JULY - NOV 2018

YEAR / SEM: IV / VII

Questions	RF ME (%)					OCN (%)					ERTS (%)					DIP (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	6.67	73.33	13.33	6.67	0.00	40.00	60.00	0.00	0.00	0.00	40.00	60.00	0.00	0.00	0.00	40.00	60.00	0.00	0.00	0.00
Question2	20.00	46.67	6.67	26.67	0.00	46.67	20.00	20.00	13.33	0.00	46.67	20.00	20.00	13.33	0.00	40.00	53.33	6.67	0.00	0.00
Question3	20.00	46.67	33.33	0.00	0.00	13.33	66.67	20.00	0.00	0.00	13.33	66.67	20.00	0.00	0.00	26.67	60.00	13.33	0.00	0.00
Question4	13.33	40.00	40.00	6.67	0.00	40.00	33.33	26.67	0.00	0.00	40.00	33.33	26.67	0.00	0.00	46.67	33.33	20.00	0.00	0.00
Question5	6.67	66.67	20.00	0.00	6.67	40.00	46.67	13.33	0.00	0.00	40.00	46.67	13.33	0.00	0.00	40.00	60.00	0.00	0.00	0.00
Question6	40.00	26.67	26.67	6.67	0.00	33.33	53.33	6.67	6.67	0.00	33.33	53.33	6.67	6.67	0.00	53.33	33.33	13.33	0.00	0.00
Question7	26.67	40.00	33.33	0.00	0.00	20.00	66.67	13.33	0.00	0.00	20.00	66.67	13.33	0.00	0.00	26.67	66.67	6.67	0.00	0.00
Question8	26.67	40.00	33.33	0.00	0.00	40.00	46.67	13.33	0.00	0.00	40.00	46.67	13.33	0.00	0.00	26.67	53.33	20.00	0.00	0.00
Question9	33.33	33.33	20.00	6.67	6.67	40.00	40.00	13.33	6.67	0.00	40.00	40.00	13.33	6.67	0.00	40.00	46.67	13.33	0.00	0.00
Question10	26.67	60.00	6.67	6.67	0.00	33.33	60.00	6.67	0.00	0.00	33.33	60.00	6.67	0.00	0.00	33.33	53.33	13.33	0.00	0.00

*RFME – RF and Microwave Engineering, OCN – Optical and Communication Networks, ERTS – Embedded and Real Time Systems, DIP – Digital Image

Processing

ACA (%)					OED (%)					EL (%)					OML (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
26.67	53.33	20.00	0.00	0.00	20.00	66.67	13.33	0.00	0.00	46.67	53.33	0.00	0.00	0.00	40.00	40.00	13.33	6.67	0.00
33.33	20.00	46.67	0.00	0.00	26.67	60.00	0.00	13.33	0.00	33.33	46.67	20.00	0.00	0.00	13.33	60.00	26.67	0.00	0.00
20.00	73.33	6.67	0.00	0.00	26.67	66.67	6.67	0.00	0.00	40.00	46.67	13.33	0.00	0.00	26.67	53.33	13.33	6.67	0.00
26.67	40.00	26.67	6.67	0.00	40.00	33.33	26.67	0.00	0.00	33.33	40.00	26.67	0.00	0.00	33.33	60.00	6.67	0.00	0.00
26.67	53.33	20.00	0.00	0.00	20.00	73.33	6.67	0.00	0.00	53.33	46.67	0.00	0.00	0.00	26.67	46.67	20.00	6.67	0.00
46.67	33.33	20.00	0.00	0.00	20.00	60.00	20.00	0.00	0.00	33.33	33.33	33.33	0.00	0.00	26.67	53.33	13.33	6.67	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

6.67	80.00	13.33	0.00	0.00	33.33	33.33	33.33	0.00	0.00	53.33	46.67	0.00	0.00	0.00	20.00	53.33	20.00	6.67	0.00
20.00	46.67	33.33	0.00	0.00	53.33	40.00	6.67	0.00	0.00	40.00	53.33	6.67	0.00	0.00	20.00	53.33	20.00	6.67	0.00
13.33	60.00	20.00	6.67	0.00	46.67	46.67	6.67	0.00	0.00	40.00	46.67	13.33	0.00	0.00	33.33	53.33	13.33	0.00	0.00
60.00	33.33	6.67	0.00	0.00	60.00	33.33	6.67	0.00	0.00	46.67	46.67	6.67	0.00	0.00	26.67	53.33	20.00	0.00	0.00

*ACA – Advanced Computer Architecture, OED – OPTO Electronic Devices, EL - Embedded Laboratory, OML - Optical and Microwave Laboratory

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D., 6 | Page
Principal,
St. Anne's College of Engineering & Technology.



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

(An ISO 9001: 2015 Certified Institution)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

PERIOD (2018-2019)
EVEN SEM



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT

DEPARTMENT: MECHANICAL


NO OF STUDENTS: 141

PERIOD: JAN - APR 2019

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	80.14	17.73	1.42	0.00	0.71
Question2	46.81	46.10	4.96	0.71	1.42
Question3	68.09	21.99	7.80	1.42	0.71
Question4	48.23	42.55	6.38	5.67	1.42
Question5	66.67	21.99	9.93	0.71	0.71
Question6	49.65	39.01	7.80	2.13	1.42
Question7	61.70	29.79	7.80	0.00	1.42
Question8	54.61	34.04	7.80	2.13	1.42
Question9	65.25	26.95	5.67	1.42	0.71
Question10	56.03	31.21	9.22	2.13	1.42

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

PERIOD: JAN - APR 2019



It is observed from the graph that more than 90% of feedback on department as “Excellent” and “Very Good”.

R. Arokiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur (Post), Panruti (T.K),
607 106.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

NO. OF. STUDENTS: 52

BATCH: 2015 - 20219

PERIOD: JAN - APR 2019

YEAR/SEM: IV / III

Questions	AE (%)					EE (%)					ED (%)					PW (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	73.08	23.08	1.92	0.00	1.92	65.38	32.69	1.92	0.00	0.00	61.54	26.92	9.62	0.00	1.92	78.85	17.31	0.00	0.00	3.85
Question2	63.46	30.77	3.85	0.00	1.92	38.46	53.85	5.77	1.92	0.00	44.23	44.23	7.69	1.92	1.92	57.69	36.54	1.92	0.00	3.85
Question3	59.62	36.54	1.92	0.00	1.92	63.46	28.85	5.77	0.00	1.92	50.00	32.69	15.38	0.00	1.92	76.92	19.23	1.92	0.00	1.92
Question4	63.46	26.92	7.69	0.00	1.92	55.77	30.77	7.69	5.77	0.00	44.23	40.38	11.54	1.92	1.92	61.54	30.77	1.92	0.00	1.92
Question5	61.54	32.69	3.85	0.00	1.92	51.92	38.46	7.69	1.92	0.00	51.92	30.77	15.38	0.00	1.92	69.23	23.08	5.77	0.00	1.92
Question6	57.69	38.46	1.92	0.00	1.92	55.77	36.54	7.69	0.00	0.00	38.46	48.08	9.62	1.92	1.92	65.38	30.77	1.92	0.00	1.92
Question7	65.38	26.92	5.77	0.00	1.92	51.92	38.46	7.69	1.92	0.00	51.92	28.85	17.31	0.00	1.92	67.31	26.92	3.85	0.00	1.92
Question8	59.62	34.62	1.92	1.92	1.92	55.77	34.62	7.69	1.92	0.00	53.85	28.85	13.46	1.92	1.92	71.15	25.00	1.92	0.00	1.92
Question9	63.46	26.92	5.77	1.92	1.92	57.69	32.69	5.77	1.92	1.92	42.31	38.46	15.38	1.92	1.92	71.15	25.00	1.92	0.00	1.92
Question10	63.46	28.85	5.77	0.00	1.92	53.85	36.54	7.69	0.00	1.92	46.15	40.38	11.54	0.00	1.92	69.23	23.08	3.85	1.92	1.92

*AS – Advanced Engines, EE – Engineering Economics, ED – Entrepreneurship Development, PW – Project Work


*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106



R. Aradi

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPLAYAM,
Sivurthi (Dist. - Tiruvarur (T.E.),
Cuddalore (Dist). Pin: 607 110

It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

NO. OF. STUDENTS: 45

PERIOD: JAN - APR 2019

BATCH: 2016 - 2020

YEAR/SEM: III / VI

Questions	DOTS (%)					POM (%)					AE (%)					FEA (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	75.56	17.78	2.22	2.22	2.22	75.56	22.22	2.22	0.00	0.00	71.11	22.22	6.67	0.00	0.00	91.11	8.89	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

Question2	48.89	44.44	2.22	4.44	0.00	44.44	55.56	0.00	0.00	0.00	44.44	55.56	0.00	0.00	0.00	51.11	48.89	0.00	0.00	0.00
Question3	48.89	40.00	8.89	0.00	2.22	55.56	35.56	6.67	2.22	0.00	55.56	35.56	6.67	2.22	0.00	77.78	20.00	2.22	0.00	0.00
Question4	31.11	57.78	4.44	6.67	0.00	44.44	48.89	6.67	0.00	0.00	44.44	48.89	6.67	0.00	0.00	48.89	46.67	4.44	0.00	0.00
Question5	55.56	31.11	6.67	4.44	2.22	53.33	42.22	4.44	0.00	0.00	53.33	42.22	4.44	0.00	0.00	82.22	15.56	2.22	0.00	0.00
Question6	37.78	48.89	6.67	6.67	0.00	48.89	42.22	8.89	0.00	0.00	48.89	42.22	8.89	0.00	0.00	48.89	48.89	2.22	0.00	0.00
Question7	53.33	37.78	4.44	2.22	2.22	48.89	44.44	6.67	0.00	0.00	48.89	44.44	6.67	0.00	0.00	75.56	22.22	2.22	0.00	0.00
Question8	46.67	42.22	6.67	4.44	0.00	46.67	51.11	2.22	0.00	0.00	46.67	51.11	2.22	0.00	0.00	46.67	51.11	2.22	0.00	0.00
Question9	55.56	33.33	6.67	2.22	2.22	64.44	31.11	4.44	0.00	0.00	64.44	31.11	4.44	0.00	0.00	71.11	28.89	0.00	0.00	0.00
Question10	53.33	40.00	2.22	2.22	2.22	48.89	46.67	4.44	0.00	0.00	48.89	46.67	4.44	0.00	0.00	62.22	35.56	2.22	0.00	0.00

*DOTS – Design Of Transmission Systems, POM – Principles Of Management, AE – Automobile Engineering, FEA – Finite Element Analysis

GDAJP (%)					UMP (%)					C.A.D. / C.A.M. LAB (%)					DAFP (%)					CSLB (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
75.56	20.00	4.44	0.00	0.00	75.56	20.00	2.22	2.22	0.00	88.89	8.89	2.22	0.00	0.00	77.78	17.78	4.44	0.00	0.00	82.22	17.78	0.00	0.00	0.00
31.11	57.78	8.89	2.22	0.00	40.00	60.00	0.00	0.00	0.00	40.00	51.11	6.67	0.00	0.00	37.78	57.78	2.22	2.22	0.00	33.33	64.44	2.22	0.00	0.00
57.78	26.67	15.56	0.00	0.00	66.67	60.00	0.00	0.00	0.00	68.89	26.67	4.44	0.00	0.00	73.33	22.22	4.44	0.00	0.00	60.00	33.33	6.67	0.00	0.00
35.56	53.33	8.89	0.00	0.00	42.22	53.33	4.44	0.00	0.00	46.67	48.89	4.44	0.00	0.00	44.44	48.89	6.67	0.00	0.00	37.78	57.78	4.44	0.00	0.00
53.33	35.56	11.11	0.00	0.00	77.78	17.78	2.22	0.00	0.00	73.33	26.67	0.00	0.00	0.00	64.44	26.67	8.89	0.00	0.00	75.56	22.22	2.22	0.00	0.00
37.78	51.11	11.11	0.00	0.00	44.44	46.67	8.89	0.00	0.00	42.22	53.33	4.44	0.00	0.00	42.22	57.78	0.00	0.00	0.00	40.00	55.56	4.44	0.00	0.00
62.22	24.44	13.33	0.00	0.00	62.22	55.56	4.44	0.00	0.00	66.67	31.11	2.22	0.00	0.00	60.00	28.89	11.11	0.00	0.00	66.67	24.44	8.89	0.00	0.00
48.89	46.67	4.44	0.00	0.00	51.11	48.89	0.00	0.00	0.00	51.11	44.44	4.44	0.00	0.00	55.56	42.22	2.22	0.00	0.00	42.22	55.56	2.22	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

57.78	35.56	6.67	0.00	0.00	66.67	24.44	6.67	0.00	0.00	64.44	31.11	2.22	0.00	0.00	57.78	40.00	2.22	0.00	0.00	62.22	33.33	4.44	0.00	0.00
51.11	42.22	6.67	0.00	0.00	48.89	51.11	6.67	0.00	0.00	55.56	42.22	0.00	2.22	0.00	53.33	42.22	4.44	0.00	0.00	51.11	46.67	2.22	0.00	0.00

*GDAJP – Gas Dynamics and Jet Propulsion, UMP – Unconventional Machining Processes, CAD / CAML – CAD / CAM Laboratory, DAFP – Design and Fabrication Project, CSLB – Communication Skills – Laboratory Based

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good"

Dr. P. AROKIADESS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPLAYAM,
Sivuvathur-(Post), Panruti (T.K),
Cuddalore-(Dist), Pin-607106



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO. OF. STUDENTS: 44

PERIOD: JAN - APR 2019

BATCH: 2017 - 2021

YEAR/SEM: II / IV

Questions	SOMFME (%)					SANM (%)					MT - II (%)					KOM (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	63.64	29.55	6.82	0.00	0.00	54.55	40.91	0.00	2.27	2.27	50.00	36.36	9.09	2.27	2.27	45.45	43.18	9.09	2.27	0.00
Question2	50.00	31.82	11.36	4.55	2.27	36.36	50.00	9.09	2.27	2.27	47.73	31.82	18.18	2.27	0.00	36.36	45.45	11.36	4.55	2.27
Question3	56.82	27.27	11.36	2.27	2.27	56.82	31.82	6.82	2.27	2.27	47.73	34.09	13.64	4.55	0.00	45.45	40.91	11.36	2.27	0.00
Question4	50.00	38.64	6.82	4.55	0.00	38.64	47.73	11.36	2.27	0.00	56.82	27.27	13.64	2.27	0.00	31.82	47.73	15.91	4.55	0.00
Question5	61.36	15.91	20.45	0.00	2.27	45.45	31.82	13.64	9.09	0.00	50.00	34.09	13.64	2.27	0.00	50.00	38.64	9.09	2.27	0.00
Question6	50.00	34.09	13.64	0.00	2.27	43.18	38.64	13.64	4.55	0.00	45.45	38.64	11.36	4.55	0.00	40.91	43.18	11.36	4.55	0.00
Question7	56.82	20.45	20.45	2.27	0.00	43.18	29.55	13.64	11.36	2.27	50.00	34.09	13.64	0.00	2.27	40.91	45.45	9.09	4.55	0.00
Question8	45.45	45.45	9.09	0.00	0.00	47.73	34.09	13.64	4.55	0.00	43.18	34.09	15.91	4.55	2.27	31.82	43.18	18.18	2.27	4.55
Question9	52.27	29.55	15.91	0.00	2.27	50.00	36.36	9.09	4.55	0.00	54.55	25.00	13.64	4.55	2.27	52.27	36.36	6.82	4.55	0.00
Question10	61.36	27.27	6.82	4.55	0.00	50.00	36.36	11.36	0.00	2.27	52.27	31.82	9.09	6.82	0.00	50.00	36.36	6.82	6.82	0.00

*SOMFME – Strength Of Materials For Mechanical Engineers, SANM – Statistics And Numerical Methods, MT II – Manufacturing Technology II, KOM – Kinematics Of Machinery

TE - I (%)					EM (%)					MT LAB - II (%)					SOMAFML (%)					ARAW (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
68.18	25.00	6.82	0.00	0.00	54.55	31.82	9.09	4.55	0.00	65.91	27.27	6.82	0.00	0.00	59.09	34.09	6.82	0.00	0.00	61.36	36.36	2.27	0.00	0.00
50.00	43.18	4.55	2.27	0.00	52.27	31.82	11.36	4.55	0.00	38.64	47.73	13.64	0.00	0.00	34.09	50.00	13.64	0.00	2.27	47.73	36.36	13.64	2.27	0.00
61.36	31.82	4.55	0.00	2.27	50.00	34.09	11.36	4.55	0.00	50.00	36.36	11.36	2.27	0.00	65.91	22.73	9.09	0.00	2.27	54.55	36.36	6.82	0.00	2.27
47.73	36.36	11.36	4.55	0.00	47.73	40.91	6.82	4.55	0.00	38.64	43.18	15.91	0.00	2.27	45.45	40.91	13.64	0.00	0.00	50.00	38.64	11.36	0.00	0.00
50.00	29.55	11.36	4.55	4.55	54.55	34.09	6.82	4.55	0.00	40.91	38.64	13.64	6.82	0.00	56.82	29.55	9.09	2.27	2.27	52.27	31.82	13.64	0.00	2.27



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

50.00	43.18	4.55	0.00	2.27	50.00	29.55	15.91	2.27	2.27	40.91	40.91	15.91	0.00	2.27	47.73	40.91	11.36	0.00	0.00	47.73	34.09	13.64	2.27	2.27
63.64	25.00	9.09	0.00	2.27	45.45	40.91	9.09	4.55	0.00	45.45	34.09	20.45	0.00	0.00	59.09	25.00	11.36	0.00	4.55	52.27	25.00	18.18	2.27	2.27
50.00	38.64	11.36	0.00	0.00	38.64	40.91	13.64	6.82	0.00	47.73	36.36	11.36	2.27	2.27	52.27	29.55	15.91	0.00	2.27	54.55	31.82	9.09	2.27	2.27
65.91	27.27	4.55	2.27	0.00	45.45	36.36	11.36	6.82	0.00	50.00	31.82	13.64	2.27	2.27	61.36	29.55	9.09	0.00	0.00	61.36	25.00	9.09	2.27	2.27
54.55	38.64	6.82	0.00	0.00	47.73	34.09	13.64	4.55	0.00	43.18	45.45	9.09	2.27	0.00	54.55	31.82	13.64	0.00	0.00	61.36	29.55	6.82	0.00	2.27

* TE I – Thermal Engineering I, EM – Engineering Metallurgy, MTL II – Manufacturing Technology Laboratory II, SOMAFML – Strength Of Materials And Fluid Mechanics And Machinery Laboratory, ARAW – Advanced Reading And Writing

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

6 | Page

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,

St. Anne's College of Engineering and Technology



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 132 (CSE) BATCH: 2016 - 20220

PERIOD: DEC - MAR 2019

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	31.06	36.36	21.21	2.27	9.09
Question2	20.45	40.91	27.27	6.82	4.55
Question3	27.27	34.85	26.52	9.85	1.52
Question4	21.97	37.12	31.06	8.33	1.52
Question5	25.76	32.58	32.58	6.82	2.27
Question6	19.70	40.15	27.27	9.09	3.79
Question7	25.00	34.09	27.27	8.33	5.30
Question8	18.94	41.67	27.27	9.09	3.03
Question9	23.48	36.36	27.27	9.85	3.03
Question10	28.79	35.61	21.97	10.61	3.03

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that around 70% of feedback on department as “Excellent” and “Very Good”.

R. Arakiadass

DR. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 31

BATCH: 2015-2019

PERIOD: DEC - MAR 2019

YEAR/SEMESTER: IV/ VII

Questions	MAP (%)					HCI (%)					SPM (%)					PW (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	38.71	38.71	16.13	3.23	3.23	48.39	25.81	16.13	3.23	6.45	41.94	25.81	3.23	3.23	6.45	45.16	35.48	12.90	0.00	6.45
Question2	45.16	16.13	32.26	3.23	3.23	38.71	32.26	22.58	0.00	6.45	35.48	32.26	0.00	0.00	6.45	38.71	41.94	16.13	0.00	3.23
Question3	35.48	41.94	16.13	3.23	3.23	41.94	32.26	16.13	6.45	3.23	35.48	32.26	3.23	6.45	3.23	38.71	45.16	12.90	0.00	3.23
Question4	41.94	29.03	19.35	6.45	3.23	38.71	29.03	22.58	3.23	6.45	38.71	32.26	6.45	3.23	6.45	48.39	29.03	19.35	0.00	3.23
Question5	35.48	38.71	19.35	3.23	3.23	35.48	41.94	12.90	6.45	3.23	38.71	29.03	3.23	6.45	3.23	38.71	41.94	9.68	6.45	3.23
Question6	48.39	32.26	16.13	0.00	3.23	45.16	25.81	22.58	3.23	3.23	41.94	32.26	3.23	3.23	3.23	38.71	35.48	19.35	3.23	3.23
Question7	35.48	32.26	29.03	0.00	3.23	38.71	38.71	19.35	0.00	3.23	35.48	35.48	6.45	0.00	3.23	32.26	41.94	22.58	0.00	3.23
Question8	38.71	22.58	35.48	0.00	3.23	38.71	32.26	22.58	3.23	3.23	35.48	41.94	3.23	3.23	3.23	35.48	38.71	19.35	3.23	3.23
Question9	32.26	32.26	32.26	0.00	3.23	41.94	32.26	19.35	3.23	3.23	32.26	38.71	0.00	3.23	3.23	35.48	35.48	16.13	9.68	3.23
Question10	41.94	22.58	32.26	0.00	3.23	48.39	35.48	9.68	3.23	3.23	41.94	29.03	3.23	3.23	3.23	48.39	25.81	22.58	0.00	3.23

*MAP - Multicore Architectures And Programming, HCI - Human Computer Interaction, SPM - Software Project Management, PW - Project Work


* EX – Excellent VG – Very Good S – Satisfactory P – Poor



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

R. Aradi
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur,
Cuddalore (T.N.),

NO OF STUDENTS: 47

BATCH: 2016-2020

PERIOD: DEC - MAR 2019

YEAR/SEMESTER: III / VI

Questions	DS (%)					MC (%)					CD (%)					DSP (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	14.89	46.81	29.79	6.38	2.13	21.28	36.17	31.91	10.64	0.00	59.57	17.02	17.02	4.26	2.13	38.30	34.04	23.40	0.00	4.26
Question2	8.51	38.30	38.30	10.64	4.26	17.02	40.43	34.04	6.38	2.13	57.45	12.77	23.40	6.38	0.00	38.30	29.79	23.40	4.26	4.26
Question3	19.15	29.79	42.55	6.38	2.13	17.02	48.94	14.89	17.02	2.13	46.81	17.02	27.66	6.38	2.13	42.55	34.04	17.02	2.13	4.26



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106

Question4	8.51	29.79	46.81	10.64	4.26	19.15	38.30	25.53	10.64	6.38	57.45	14.89	17.02	10.64	0.00	38.30	31.91	25.53	0.00	4.26
Question5	17.02	34.04	31.91	10.64	6.38	19.15	34.04	31.91	14.89	0.00	23.40	31.91	36.17	4.26	4.26	40.43	27.66	23.40	4.26	4.26
Question6	12.77	34.04	36.17	12.77	4.26	17.02	36.17	34.04	10.64	2.13	46.81	14.89	31.91	6.38	0.00	40.43	34.04	19.15	2.13	4.26
Question7	14.89	36.17	31.91	14.89	2.13	19.15	46.81	19.15	14.89	0.00	40.43	19.15	31.91	4.26	4.26	36.17	42.55	12.77	4.26	4.26
Question8	12.77	36.17	36.17	12.77	2.13	19.15	31.91	31.91	12.77	4.26	38.30	19.15	31.91	8.51	2.13	42.55	29.79	19.15	4.26	4.26
Question9	14.89	36.17	36.17	8.51	4.26	17.02	36.17	27.66	19.15	0.00	38.30	23.40	27.66	10.64	0.00	42.55	31.91	19.15	2.13	4.26
Question10	12.77	38.30	34.04	12.77	2.13	19.15	34.04	34.04	10.64	2.13	46.81	17.02	21.28	10.64	4.26	42.55	29.79	21.28	2.13	4.26

**DS - Distributed Systems, MC - Mobile Computing, CD - Compiler Design, DSP - Digital Signal Processing*

AI (%)					TQM (%)					MADL (%)					CL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
25.53	27.66	17.02	4.26	4.26	23.40	53.19	14.89	4.26	4.26	34.04	36.17	27.66	0.00	2.13	25.53	53.19	19.15	2.13	0.00
48.94	14.89	27.66	8.51	0.00	19.15	44.68	31.91	2.13	2.13	31.91	48.94	12.77	4.26	2.13	25.53	42.55	27.66	4.26	0.00
46.81	19.15	31.91	0.00	2.13	27.66	46.81	21.28	4.26	0.00	25.53	44.68	19.15	8.51	2.13	23.40	44.68	29.79	0.00	2.13
42.55	17.02	25.53	10.64	4.26	21.28	36.17	34.04	4.26	4.26	34.04	29.79	23.40	10.64	2.13	23.40	38.30	27.66	8.51	2.13
48.94	14.89	31.91	4.26	0.00	27.66	44.68	23.40	2.13	2.13	29.79	34.04	23.40	10.64	2.13	21.28	36.17	36.17	4.26	2.13
36.17	23.40	29.79	8.51	2.13	25.53	44.68	25.53	4.26	0.00	36.17	27.66	25.53	8.51	2.13	19.15	42.55	25.53	10.64	2.13
48.94	17.02	25.53	6.38	2.13	27.66	40.43	25.53	2.13	4.26	34.04	34.04	17.02	10.64	4.26	25.53	40.43	27.66	4.26	2.13
42.55	19.15	31.91	2.13	4.26	23.40	46.81	25.53	4.26	0.00	36.17	31.91	21.28	6.38	4.26	21.28	42.55	25.53	10.64	0.00
51.06	23.40	17.02	6.38	2.13	21.28	42.55	29.79	2.13	4.26	31.91	40.43	17.02	8.51	2.13	27.66	40.43	27.66	2.13	2.13
44.68	19.15	27.66	4.26	4.26	27.66	53.19	17.02	2.13	0.00	34.04	36.17	19.15	8.51	2.13	21.28	38.30	29.79	10.64	0.00

**AI - Artificial Intelligence, TQM - Total Quality Management, MADL - Mobile Application Development Laboratory, CL - Compiler Laboratory*

** EX – Excellent*

VG – Very Good

S – Satisfactory

P – Poor




ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106

PERIOD: DEC - MAR 2019

YEAR/SEMESTER: III / VI



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTYPALAYAM,

Siruvathur-(Post), Panruti-(T.R.),

Cuddalore-(Dist), Pin: 607 106. 4 | Page



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106

NO OF STUDENTS: 54

BATCH: 2017 – 2021

PERIOD: DEC – MAR 2019

YEAR / SEM: II / IV

Questions	PQT (%)					DAA (%)					CA (%)					DMS (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	29.63	46.30	18.52	3.70	1.85	48.15	31.48	18.52	0.00	1.85	31.48	48.15	18.52	0.00	1.85	40.74	24.07	24.07	7.41	3.70
Question2	18.52	42.59	29.63	7.41	1.85	46.30	25.93	22.22	3.70	1.85	18.52	57.41	16.67	5.56	1.85	40.74	22.22	29.63	5.56	1.85
Question3	31.48	42.59	18.52	3.70	3.70	44.44	29.63	22.22	0.00	3.70	22.22	35.19	40.74	0.00	1.85	40.74	22.22	31.48	1.85	3.70
Question4	20.37	50.00	24.07	3.70	1.85	37.04	27.78	31.48	1.85	1.85	20.37	53.70	20.37	3.70	1.85	37.04	27.78	33.33	0.00	1.85
Question5	22.22	38.89	35.19	1.85	1.85	42.59	27.78	27.78	0.00	1.85	27.78	35.19	31.48	3.70	1.85	24.07	35.19	35.19	3.70	1.85
Question6	22.22	40.74	29.63	5.56	1.85	25.93	33.33	29.63	7.41	3.70	20.37	44.44	24.07	7.41	3.70	37.04	18.52	40.74	0.00	3.70
Question7	24.07	31.48	38.89	3.70	1.85	38.89	31.48	27.78	0.00	1.85	18.52	38.89	40.74	0.00	1.85	40.74	27.78	27.78	3.70	0.00
Question8	24.07	38.89	27.78	5.56	3.70	44.44	27.78	22.22	3.70	1.85	16.67	50.00	27.78	3.70	1.85	37.04	18.52	40.74	0.00	3.70
Question9	29.63	35.19	29.63	5.56	0.00	38.89	22.22	33.33	1.85	3.70	25.93	37.04	33.33	0.00	3.70	40.74	20.37	33.33	1.85	3.70
Question10	27.78	40.74	25.93	5.56	0.00	46.30	25.93	24.07	1.85	1.85	24.07	40.74	29.63	3.70	1.85	33.33	25.93	33.33	5.56	1.85

*PQT - Probability And Queueing Theory, DAA - Design And Analysis Of Algorithm, CA - Computer Architecture, DMS - Database Management System, OS - Operating System

OS (%)					SE (%)					DMSL (%)					OSL (%)					ARW (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
48.15	35.19	9.26	3.70	3.70	50.00	35.19	7.41	3.70	3.70	29.63	35.19	24.07	7.41	3.70	50.00	37.04	12.96	0.00	0.00	42.59	42.59	12.96	0.00	1.85
46.30	38.89	11.11	3.70	0.00	46.30	38.89	9.26	3.70	1.85	27.78	37.04	29.63	3.70	1.85	38.89	50.00	5.56	3.70	1.85	38.89	33.33	22.22	5.56	0.00
51.85	27.78	16.67	0.00	3.70	51.85	35.19	12.96	0.00	0.00	42.59	18.52	31.48	3.70	3.70	42.59	38.89	12.96	1.85	3.70	31.48	48.15	16.67	1.85	1.85
42.59	35.19	16.67	3.70	1.85	40.74	33.33	20.37	1.85	3.70	40.74	18.52	37.04	3.70	0.00	35.19	37.04	27.78	0.00	0.00	40.74	37.04	20.37	1.85	0.00
40.74	31.48	22.22	1.85	3.70	51.85	37.04	11.11	0.00	0.00	38.89	20.37	35.19	3.70	1.85	37.04	46.30	16.67	0.00	0.00	35.19	42.59	20.37	0.00	1.85



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106


51.85	31.48	11.11	3.70	1.85	33.33	29.63	24.07	9.26	1.85	37.04	25.93	31.48	1.85	3.70	37.04	40.74	20.37	0.00	1.85	37.04	37.04	24.07	1.85	0.00
44.44	29.63	20.37	5.56	0.00	48.15	37.04	12.96	1.85	0.00	37.04	24.07	33.33	3.70	0.00	40.74	29.63	22.22	0.00	7.41	31.48	35.19	29.63	1.85	1.85
37.04	38.89	12.96	7.41	3.70	44.44	31.48	16.67	3.70	1.85	37.04	25.93	31.48	1.85	1.85	38.89	38.89	22.22	0.00	0.00	31.48	50.00	16.67	1.85	0.00
37.04	37.04	14.81	9.26	1.85	44.44	31.48	18.52	5.56	0.00	27.78	33.33	31.48	3.70	3.70	40.74	37.04	18.52	0.00	3.70	37.04	27.78	33.33	0.00	1.85
50.00	42.59	7.41	0.00	0.00	40.74	29.63	18.52	7.41	1.85	38.89	25.93	31.48	3.70	0.00	46.30	38.89	11.11	1.85	1.85	33.33	44.44	18.52	3.70	0.00

*SE - Software Engineering, DMSL - Database Management System Laboratory, OSL - Operating System Laboratory, ARW Advanced Reading And Writing

* EX – Excellent VG – Very Good S – Satisfactory P – Poor

PERIOD: DEC - MAR 2019

YEAR/SEMESTER: II / IV



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,

St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur-(Post), Panruti, Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY


ANGUCHETTYPALYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 99

PERIOD: DEC –MAY 2019

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question 1	70.71	18.18	7.07	1.01	3.03
Question 2	80.81	10.10	3.03	4.04	2.02
Question 3	63.64	27.27	6.06	1.01	2.02
Question 4	78.79	9.09	8.08	1.01	3.03
Question 5	66.67	18.18	12.12	0.00	3.03
Question 6	78.79	9.09	8.08	1.01	3.03
Question 7	75.76	15.15	6.06	1.01	2.02
Question 8	70.71	16.16	10.10	0.00	3.03
Question 9	70.71	22.22	5.05	0.00	2.02
Question 10	76.77	11.11	9.09	1.01	2.02



It is observed from the graph that around 90% of feedback on department as “Excellent” and “Very Good”.

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

ANGUCHETTYPALYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 25

BATCH: 2017-2021

YEAR/ SEMESTER: II / IV

PERIOD: DEC2018 – MAY 2019

Questions	NM (%)					EM II (%)					TD (%)					MI (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question 1	64.00	28.00	8.00	0.00	0.00	48.00	44.00	8.00	0.00	0.00	52.00	36.00	12.00	0.00	0.00	6.00	24.00	12.00	4.00	0.00
Question 2	52.00	16.00	16.00	16.00	0.00	44.00	32.00	16.00	8.00	0.00	48.00	32.00	8.00	12.00	0.00	4.80	36.00	8.00	8.00	0.00
Question 3	44.00	32.00	24.00	0.00	0.00	52.00	32.00	12.00	4.00	0.00	36.00	32.00	28.00	4.00	0.00	4.40	36.00	16.00	4.00	0.00
Question 4	52.00	36.00	12.00	0.00	0.00	52.00	28.00	20.00	0.00	0.00	40.00	24.00	28.00	8.00	0.00	3.60	32.00	28.00	4.00	0.00
Question 5	40.00	28.00	28.00	0.00	4.00	40.00	24.00	36.00	0.00	0.00	36.00	36.00	28.00	0.00	0.00	2.80	32.00	32.00	8.00	0.00
Question 6	44.00	48.00	4.00	4.00	0.00	44.00	28.00	28.00	0.00	0.00	40.00	28.00	32.00	0.00	0.00	4.00	40.00	12.00	8.00	0.00
Question 7	36.00	36.00	24.00	4.00	0.00	40.00	32.00	20.00	8.00	0.00	44.00	24.00	28.00	4.00	0.00	4.40	32.00	16.00	8.00	0.00
Question 8	40.00	36.00	24.00	0.00	0.00	32.00	36.00	28.00	4.00	0.00	32.00	36.00	24.00	8.00	0.00	4.40	24.00	24.00	8.00	0.00
Question 9	52.00	20.00	12.00	16.00	0.00	32.00	32.00	20.00	16.00	0.00	40.00	32.00	20.00	8.00	0.00	4.00	24.00	20.00	12.00	4.00
Question 10	32.00	36.00	28.00	4.00	0.00	36.00	24.00	32.00	0.00	8.00	48.00	32.00	16.00	4.00	0.00	5.20	32.00	8.00	8.00	0.00

**NM - Numerical Methods, EM II - Electrical Machines – II, TD - Transmission and Distribution, MI - Measurements And Instrumentation*

**Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor*

LICA (%)					CS (%)					EML II (%)					TS (%)					LDICL (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
52.00	32.00	12.00	0.00	4.00	44.00	40.00	12.00	4.00	0.00	76.00	24.00	0.00	0.00	0.00	64.00	24.00	0.00	8.00	4.00	72.00	24.00	0.00	0.00	4.00
44.00	40.00	8.00	4.00	4.00	48.00	20.00	24.00	8.00	0.00	68.00	32.00	0.00	0.00	0.00	60.00	28.00	0.00	12.00	0.00	72.00	24.00	4.00	0.00	0.00
60.00	20.00	8.00	8.00	4.00	44.00	32.00	20.00	4.00	0.00	60.00	32.00	8.00	0.00	0.00	48.00	36.00	4.00	12.00	0.00	60.00	36.00	4.00	0.00	0.00



ST. ANNE'S


COLLEGE OF ENGINEERING AND TECHNOLOGY

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

52.00	28.00	4.00	4.00	12.00	36.00	32.00	28.00	4.00	0.00	72.00	24.00	4.00	0.00	0.00	56.00	32.00	8.00	4.00	0.00	56.00	40.00	4.00	0.00	0.00
48.00	20.00	20.00	0.00	12.00	36.00	32.00	32.00	0.00	0.00	64.00	16.00	20.00	0.00	0.00	40.00	36.00	16.00	4.00	4.00	56.00	24.00	20.00	0.00	0.00
40.00	32.00	20.00	4.00	4.00	52.00	20.00	24.00	4.00	0.00	76.00	20.00	4.00	0.00	0.00	40.00	44.00	12.00	0.00	4.00	64.00	28.00	4.00	4.00	0.00
60.00	20.00	8.00	0.00	12.00	40.00	40.00	16.00	4.00	0.00	68.00	32.00	0.00	0.00	0.00	44.00	36.00	12.00	0.00	8.00	64.00	28.00	8.00	0.00	0.00
40.00	32.00	16.00	0.00	12.00	44.00	32.00	20.00	4.00	0.00	60.00	40.00	0.00	0.00	0.00	64.00	24.00	0.00	8.00	4.00	52.00	40.00	8.00	0.00	0.00
56.00	24.00	4.00	4.00	12.00	40.00	40.00	12.00	8.00	0.00	80.00	16.00	4.00	0.00	0.00	48.00	36.00	4.00	8.00	4.00	52.00	44.00	4.00	0.00	0.00
56.00	20.00	12.00	0.00	12.00	36.00	32.00	28.00	4.00	0.00	64.00	32.00	4.00	0.00	0.00	44.00	32.00	16.00	4.00	4.00	56.00	24.00	20.00	0.00	0.00

*LICA - Linear Integrated Circuits And Applications, CS - Control Systems, EML II - Electrical Machines Laboratory – II, TS - Technical Seminar, LDICL - Linear And Digital Integrated Circuits Lab

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTYPALAYAM,

Siruvathur-(Post), Panruti-(T.k),

Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

ANGUCHETTYPALYAM, PANRUTI – 607 106.

It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 30

BATCH: 2016 - 2020

YEAR/ SEMESTER: III / VI

PERIOD: DEC 2018 – MAY 2019

Questions	CE (%)					SSD (%)					ES (%)					PSOC (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question 1	63.33	13.33	10.00	10.00	3.33	40.00	30.00	6.67	13.33	10.00	66.67	20.00	10.00	0.00	3.33	73.33	16.67	6.67	3.33	0.00
Question 2	46.67	33.33	6.67	13.33	0.00	40.00	33.33	10.00	10.00	6.67	60.00	26.67	10.00	0.00	3.33	66.67	23.33	6.67	3.33	0.00
Question 3	46.67	26.67	13.33	13.33	0.00	33.33	36.67	6.67	13.33	10.00	60.00	23.33	6.67	6.67	3.33	80.00	10.00	6.67	3.33	0.00
Question 4	36.67	40.00	10.00	13.33	0.00	33.33	33.33	13.33	10.00	10.00	63.33	30.00	3.33	0.00	3.33	63.33	33.33	0.00	3.33	0.00
Question 5	43.33	23.33	13.33	20.00	0.00	36.67	26.67	6.67	16.67	13.33	66.67	23.33	0.00	3.33	6.67	66.67	20.00	6.67	6.67	0.00
Question 6	43.33	33.33	13.33	10.00	0.00	43.33	33.33	6.67	6.67	10.00	60.00	30.00	6.67	0.00	3.33	76.67	16.67	3.33	3.33	0.00
Question 7	50.00	20.00	13.33	13.33	3.33	40.00	36.67	3.33	6.67	13.33	66.67	26.67	3.33	0.00	3.33	66.67	23.33	6.67	3.33	0.00
Question 8	40.00	33.33	13.33	10.00	3.33	36.67	26.67	13.33	13.33	10.00	53.33	30.00	13.33	0.00	3.33	76.67	16.67	3.33	3.33	0.00
Question 9	46.67	26.67	6.67	20.00	0.00	36.67	30.00	10.00	13.33	10.00	63.33	20.00	10.00	0.00	6.67	70.00	23.33	3.33	3.33	0.00
Question 10	46.67	16.67	20.00	16.67	0.00	36.67	26.67	13.33	13.33	10.00	63.33	23.33	3.33	3.33	6.67	76.67	16.67	0.00	6.67	0.00

*CE - Communication Engineering, SSD - Solid State Drives, ES - Embedded System, PSOC - Power System Operation and Control

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

DOEM (%)					PST (%)					PEDL (%)					MML (%)					PSTS (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
50.00	33.33	13.33	0.00	3.33	40.00	36.67	16.67	3.33	3.33	56.67	30.00	6.67	3.33	3.33	66.67	16.67	6.67	3.33	6.67	50.00	23.33	16.67	3.33	6.67
53.33	26.67	10.00	6.67	3.33	40.00	43.33	13.33	0.00	3.33	56.67	33.33	3.33	3.33	3.33	60.00	20.00	6.67	6.67	6.67	43.33	33.33	10.00	6.67	6.67
56.67	30.00	10.00	0.00	3.33	40.00	26.67	20.00	10.00	3.33	60.00	26.67	6.67	3.33	3.33	70.00	6.67	6.67	10.00	6.67	50.00	20.00	16.67	6.67	6.67



ST. ANNE'S


COLLEGE OF ENGINEERING AND TECHNOLOGY

ANGUCHETTYPALYAM, PANRUTI – 607 106.

53.33	26.67	16.67	0.00	3.33	46.67	30.00	13.33	6.67	3.33	60.00	20.00	16.67	0.00	3.33	60.00	16.67	10.00	6.67	6.67	40.00	33.33	10.00	6.67	10.00
56.67	26.67	3.33	6.67	6.67	46.67	26.67	6.67	13.33	6.67	63.33	26.67	0.00	6.67	3.33	56.67	16.67	13.33	6.67	6.67	46.67	13.33	23.33	10.00	6.67
50.00	30.00	16.67	0.00	3.33	40.00	40.00	6.67	6.67	6.67	73.33	16.67	6.67	0.00	3.33	66.67	13.33	10.00	3.33	6.67	43.33	36.67	13.33	0.00	6.67
63.33	20.00	10.00	0.00	6.67	40.00	30.00	16.67	6.67	6.67	60.00	26.67	6.67	3.33	3.33	60.00	23.33	6.67	3.33	6.67	60.00	20.00	10.00	3.33	6.67
40.00	36.67	13.33	6.67	3.33	40.00	33.33	16.67	6.67	3.33	70.00	16.67	10.00	0.00	3.33	60.00	13.33	16.67	3.33	6.67	50.00	23.33	20.00	0.00	6.67
63.33	26.67	6.67	0.00	3.33	50.00	30.00	13.33	3.33	3.33	63.33	20.00	10.00	3.33	3.33	60.00	16.67	10.00	6.67	6.67	56.67	20.00	13.33	3.33	6.67
56.67	26.67	10.00	3.33	3.33	50.00	30.00	6.67	10.00	3.33	73.33	13.33	3.33	3.33	6.67	60.00	13.33	10.00	6.67	10.00	63.33	13.33	10.00	6.67	6.67

*DEM - Design of Electrical Machines, PST - Power System Transients, PEDL - Power Electronics And Drives Laboratory, MML - Microprocessors And Microcontrollers Lab, PSTS - Presentation Skills And Technical Seminar

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,
St. Anne's College of Engineering & Technology,

ANGUCHETTYPALYAM,

Sirumathiur (Post), Panruti - 607 106.

Chennai - 605 006.



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

ANGUCHETTYPALYAM, PANRUTI – 607 106.

It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

STUDENT FEEDBACK ON SUBJECT

DEPARTMENT: EEE

NO OF STUDENTS: 44

BATCH: 2015-2019

YEAR/ SEMESTER: IV / VIII

PERIOD: DEC 2018- MAY 2019

Questions	EEG, UC (%)					PEFRES (%)					TQM (%)					PW (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question 1	75.00	25.00	0.00	0.00	0.00	61.36	38.64	0.00	0.00	0.00	95.45	4.55	0.00	0.00	0.00	75.00	25.00	0.00	0.00	0.00
Question 2	75.00	18.18	6.82	0.00	0.00	56.82	36.36	6.82	0.00	0.00	75.00	20.45	4.55	0.00	0.00	52.27	43.18	2.27	2.27	0.00
Question 3	72.73	15.91	0.00	2.27	9.09	63.64	36.36	0.00	0.00	0.00	75.00	18.18	6.82	0.00	0.00	72.73	25.00	2.27	0.00	0.00
Question 4	59.09	25.00	11.36	9.09	0.00	75.00	25.00	0.00	0.00	0.00	75.00	15.91	9.09	0.00	0.00	63.64	27.27	6.82	2.27	0.00
Question 5	63.64	34.09	0.00	0.00	2.27	75.00	22.73	2.27	0.00	0.00	77.27	20.45	4.55	0.00	0.00	68.18	31.82	0.00	0.00	0.00
Question 6	50.00	36.36	6.82	2.27	6.82	59.09	38.64	2.27	0.00	0.00	75.00	18.18	6.82	0.00	0.00	56.82	31.82	11.36	0.00	0.00
Question 7	70.45	29.55	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00	90.91	9.09	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00
Question 8	59.09	25.00	11.36	9.09	0.00	56.82	43.18	0.00	0.00	0.00	75.00	15.91	9.09	0.00	0.00	63.64	27.27	6.82	2.27	0.00
Question 9	75.00	18.18	6.82	0.00	0.00	65.91	31.82	2.27	0.00	0.00	81.82	11.36	9.09	0.00	0.00	65.91	34.09	0.00	0.00	0.00
Question 10	65.91	34.09	0.00	0.00	0.00	65.91	27.27	9.09	2.27	0.00	86.36	11.36	0.00	2.27	0.00	63.64	36.36	0.00	0.00	0.00

*EEG, UC - Electric Energy Generation, Utilization and Conservation, PEFRES - Power Electronics For Renewable Energy Systems, TQM - Total Quality Management, PW - Project Work


*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

ANGUCHETTYPALYAM, PANRUTI – 607 106.



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur-(Post), Panruti (T. &),
Cuddalore-(Dist), Pin. 607 106.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


STUDENT FEEDBACK ON DEPARTMENT

NO. OF. STUDENTS: 71 (ECE)

PERIOD: DEC - MARCH 2019

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	47.89	32.39	12.68	5.63	1.41
Question2	32.39	47.89	12.68	4.23	2.82
Question3	39.44	39.44	18.31	1.41	1.41
Question4	30.99	45.07	18.31	1.41	4.23
Question5	32.39	46.48	12.68	4.23	4.23
Question6	29.58	50.70	14.08	2.82	2.82
Question7	38.03	40.85	16.90	1.41	2.82
Question8	35.21	42.25	14.08	5.63	2.82
Question9	38.03	39.44	15.49	1.41	5.63
Question10	39.44	39.44	15.49	4.23	1.41

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that around 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradi

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur (S.O), Panruti (T.k),
Tamil Nadu - 607 106.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENTS FEEDBACK ON SUBJECTS

NO OF STUDENTS: 39

BATCH: 2016 – 2020

YEAR/SEM: III / VI

PERIOD: DEC 2018 - MAR 2019

Questions	PM (%)					CA (%)					CN (%)					VLSI.D (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	43.59	43.59	7.69	0.00	5.13	41.03	46.15	10.26	2.56	0.00	56.41	28.21	10.26	2.56	2.56	43.59	48.72	2.56	2.56	2.56
Question2	30.77	46.15	20.51	2.56	0.00	30.77	46.15	17.95	5.13	0.00	46.15	38.46	10.26	5.13	0.00	43.59	41.03	12.82	0.00	2.56
Question3	46.15	28.21	20.51	5.13	0.00	46.15	30.77	20.51	2.56	0.00	51.28	28.21	15.38	5.13	0.00	48.72	35.90	10.26	5.13	0.00
Question4	35.90	46.15	15.38	2.56	0.00	33.33	41.03	23.08	2.56	0.00	46.15	28.21	20.51	0.00	5.13	38.46	43.59	12.82	2.56	2.56
Question5	41.03	35.90	17.95	2.56	2.56	35.90	38.46	20.51	5.13	0.00	48.72	30.77	12.82	5.13	2.56	46.15	35.90	15.38	0.00	2.56
Question6	48.72	28.21	20.51	2.56	0.00	30.77	46.15	20.51	2.56	0.00	46.15	35.90	15.38	0.00	2.56	46.15	41.03	10.26	0.00	2.56
Question7	38.46	33.33	23.08	5.13	0.00	35.90	46.15	15.38	2.56	0.00	46.15	38.46	10.26	2.56	2.56	53.85	30.77	12.82	0.00	2.56
Question8	46.15	25.64	23.08	0.00	5.13	35.90	33.33	25.64	5.13	0.00	41.03	43.59	10.26	5.13	0.00	46.15	35.90	15.38	0.00	2.56
Question9	41.03	35.90	15.38	2.56	5.13	41.03	46.15	7.69	2.56	2.56	53.85	38.46	2.56	5.13	0.00	48.72	41.03	7.69	0.00	2.56
Question10	35.90	35.90	23.08	2.56	2.56	30.77	43.59	23.08	2.56	0.00	51.28	38.46	7.69	0.00	2.56	48.72	41.03	10.26	0.00	2.56

*PM – Principles Of Management, CA – Computer Architecture, CN – Computer Networks, VLSI D – VLSI Design

AWP (%)					ME (%)					CNL (%)					VLSI .D L (%)					CSSL (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
51.28	46.15	2.56	0.00	0.00	46.15	46.15	7.69	0.00	0.00	58.97	30.77	7.69	0.00	2.56	64.10	25.64	5.13	0.00	5.13	51.28	38.46	7.69	2.56	0.00
43.59	41.03	12.82	0.00	2.56	28.21	58.97	10.26	2.56	0.00	43.59	35.90	12.82	5.13	2.56	51.28	38.46	2.56	5.13	2.56	46.15	38.46	12.82	2.56	0.00
48.72	30.77	20.51	0.00	0.00	41.03	38.46	20.51	0.00	0.00	53.85	33.33	10.26	0.00	2.56	69.23	17.95	10.26	0.00	2.56	53.85	28.21	12.82	5.13	0.00
48.72	38.46	10.26	0.00	2.56	35.90	48.72	12.82	0.00	2.56	43.59	43.59	5.13	5.13	2.56	61.54	23.08	10.26	2.56	2.56	61.54	20.51	12.82	5.13	0.00
51.28	30.77	17.95	0.00	0.00	43.59	38.46	15.38	2.56	0.00	53.85	30.77	10.26	2.56	2.56	61.54	20.51	12.82	2.56	2.56	51.28	30.77	17.95	0.00	0.00
46.15	38.46	12.82	0.00	2.56	46.15	46.15	5.13	0.00	2.56	43.59	43.59	5.13	5.13	2.56	58.97	33.33	5.13	0.00	2.56	56.41	30.77	7.69	5.13	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.


46.15	38.46	12.82	0.00	2.56	46.15	33.33	15.38	0.00	5.13	43.59	43.59	5.13	5.13	2.56	58.97	33.33	0.00	2.56	5.13	61.54	30.77	2.56	5.13	0.00
46.15	43.59	7.69	0.00	2.56	46.15	48.72	5.13	0.00	0.00	56.41	38.46	2.56	0.00	2.56	56.41	33.33	5.13	0.00	5.13	58.97	23.08	12.82	2.56	2.56
51.28	35.90	10.26	0.00	2.56	51.28	35.90	12.82	0.00	0.00	56.41	33.33	7.69	0.00	2.56	53.85	38.46	0.00	5.13	2.56	61.54	23.08	7.69	7.69	0.00
58.97	33.33	5.13	2.56	0.00	46.15	51.28	2.56	0.00	0.00	51.28	38.46	7.69	0.00	2.56	53.85	33.33	5.13	5.13	2.56	61.54	17.95	17.95	0.00	2.56

*AAWP – Antenna And Wave Propagation, ME – Medical Electronics, CNL – Computer Networks, VLSI D – VLSI Design, CSSL – Communication and Soft Skills Laborator

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

PERIOD: DEC 2018-MAR 2019

YEAR/SEM: III / VI



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

NO OF STUDENTS: 28

BATCH: 2014 - 2018

PERIOD: DEC - MAY 2018

YEAR / SEMESTER: IV / VIII

Questions	WC (%)					WN (%)					MCC (%)					TQM (%)					PW (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	13.33	60.00	26.67	0.00	0.00	13.33	60.00	26.67	0.00	0.00	33.33	60.00	6.67	0.00	0.00	33.33	46.67	20.00	0.00	0.00	33.33	46.67	20.00	0.00	0.00
Question2	26.67	33.33	26.67	13.33	0.00	13.33	53.33	20.00	13.33	0.00	46.67	40.00	13.33	0.00	0.00	13.33	60.00	26.67	0.00	0.00	33.33	53.33	13.33	0.00	0.00
Question3	26.67	60.00	6.67	6.67	0.00	6.67	60.00	20.00	13.33	0.00	40.00	46.67	13.33	0.00	0.00	13.33	60.00	26.67	0.00	0.00	33.33	46.67	20.00	0.00	0.00
Question4	20.00	53.33	26.67	0.00	0.00	20.00	46.67	26.67	6.67	0.00	46.67	33.33	20.00	0.00	0.00	20.00	73.33	6.67	0.00	0.00	40.00	40.00	20.00	0.00	0.00
Question5	26.67	53.33	6.67	13.33	0.00	13.33	40.00	40.00	6.67	0.00	33.33	40.00	26.67	0.00	0.00	26.67	40.00	33.33	0.00	0.00	33.33	46.67	20.00	0.00	0.00
Question6	26.67	40.00	33.33	0.00	0.00	26.67	26.67	46.67	0.00	0.00	33.33	40.00	26.67	0.00	0.00	26.67	53.33	20.00	0.00	0.00	46.67	33.33	20.00	0.00	0.00
Question7	26.67	46.67	26.67	0.00	0.00	40.00	26.67	33.33	0.00	0.00	33.33	66.67	0.00	0.00	0.00	26.67	53.33	20.00	0.00	0.00	26.67	60.00	13.33	0.00	0.00
Question8	20.00	60.00	20.00	0.00	0.00	13.33	66.67	20.00	0.00	0.00	40.00	40.00	20.00	0.00	0.00	33.33	66.67	0.00	0.00	0.00	46.67	40.00	13.33	0.00	0.00
Question9	20.00	66.67	13.33	0.00	0.00	26.67	40.00	33.33	0.00	0.00	33.33	53.33	13.33	0.00	0.00	46.67	46.67	6.67	0.00	0.00	33.33	33.33	33.33	0.00	0.00
Question10	33.33	46.67	20.00	0.00	0.00	26.67	26.67	46.67	0.00	0.00	33.33	40.00	26.67	0.00	0.00	33.33	46.67	20.00	0.00	0.00	53.33	26.67	20.00	0.00	0.00

*WC – Wireless Communication, WN – Wireless Networks, MCC – Multimedia Compression /and Communication, TQM – Total Quality Management, PW – Project Work

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor




ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

PERIOD:DEC 2018-MAR2019

YEAR/SEME:IV/VIII



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

NO OF STUDENTS: 38

BATCH: 2016 - 2020

PERIOD: DEC – MAY 2018

YEAR- SEM- II / IV

Question	PRP (%)					EC-II (%)					CT (%)					EF (%)				
	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
Question1	52.94	41.18	5.88	0.00	0.00	76.47	23.53	0.00	0.00	0.00	64.71	29.41	5.88	0.00	0.00	29.41	29.41	41.18	0.00	0.00
Question2	29.41	41.18	29.41	0.00	0.00	47.06	41.18	11.76	0.00	0.00	29.41	58.82	11.76	0.00	0.00	11.76	41.18	47.06	0.00	0.00
Question3	47.06	52.94	0.00	0.00	0.00	58.82	29.41	5.88	5.88	0.00	41.18	52.94	5.88	0.00	0.00	23.53	47.06	23.53	0.00	5.88
Question4	52.94	35.29	5.88	5.88	0.00	52.94	41.18	5.88	0.00	0.00	29.41	64.71	0.00	0.00	5.88	0.00	47.06	35.29	17.65	0.00

R. Arakiadass
Dr. R. AROKIADASS, M.E., Ph.D.
 Principal,
 St. Anne's College of Engineering and Technology



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

Question5	29.41	70.59	0.00	0.00	0.00	41.18	41.18	17.65	0.00	0.00	17.65	70.59	0.00	11.76	0.00	29.41	29.41	35.29	0.00	5.88
Question6	17.65	64.71	11.76	0.00	5.88	64.71	23.53	11.76	0.00	0.00	23.53	70.59	0.00	5.88	0.00	11.76	47.06	41.18	0.00	0.00
Question7	41.18	58.82	0.00	0.00	0.00	47.06	41.18	11.76	0.00	0.00	47.06	35.29	17.65	0.00	0.00	17.65	35.29	35.29	5.88	5.88
Question8	23.53	58.82	17.65	0.00	0.00	58.82	35.29	0.00	0.00	5.88	23.53	58.82	5.88	5.88	5.88	17.65	29.41	41.18	5.88	5.88
Question9	41.18	58.82	0.00	0.00	0.00	64.71	29.41	5.88	0.00	0.00	47.06	41.18	11.76	0.00	0.00	17.65	41.18	41.18	0.00	0.00
Question10	52.94	29.41	11.76	5.88	0.00	58.82	35.29	5.88	0.00	0.00	23.53	58.82	17.65	0.00	0.00	11.76	52.94	23.53	5.88	5.88

*PRP - Probability and Random Process, EC II - Electronic Circuit II, CT - Communication Theory, EF - Electromagnetic Fields

LIC (%)					ESE (%)					CDSL (%)					LICL (%)				
Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P	Ex	VG	G	S	P
41.18	52.94	5.88	0.00	0.00	70.59	29.41	0.00	0.00	0.00	76.47	11.76	11.76	0.00	0.00	58.82	35.29	5.88	0.00	0.00
17.65	47.06	35.29	0.00	0.00	47.06	47.06	5.88	0.00	0.00	29.41	58.82	11.76	0.00	0.00	35.29	41.18	23.53	0.00	0.00
29.41	58.82	5.88	5.88	0.00	70.59	29.41	0.00	0.00	0.00	76.47	11.76	11.76	0.00	0.00	58.82	29.41	5.88	5.88	0.00
11.76	64.71	23.53	0.00	0.00	58.82	41.18	0.00	0.00	0.00	47.06	47.06	5.88	0.00	0.00	47.06	29.41	23.53	0.00	0.00
17.65	76.47	0.00	0.00	5.88	52.94	41.18	5.88	0.00	0.00	70.59	17.65	11.76	0.00	0.00	35.29	58.82	5.88	0.00	0.00
11.76	70.59	17.65	0.00	0.00	70.59	29.41	0.00	0.00	0.00	35.29	58.82	5.88	0.00	0.00	29.41	47.06	17.65	0.00	0.00
29.41	52.94	11.76	0.00	5.88	52.94	41.18	5.88	0.00	0.00	64.71	29.41	5.88	0.00	0.00	29.41	52.94	5.88	5.88	5.88
17.65	70.59	11.76	0.00	0.00	52.94	47.06	0.00	0.00	0.00	52.94	41.18	5.88	0.00	0.00	41.18	35.29	23.53	0.00	0.00
17.65	70.59	11.76	0.00	0.00	52.94	35.29	11.76	0.00	0.00	64.71	23.53	11.76	0.00	0.00	41.18	35.29	17.65	5.88	0.00
29.41	64.71	5.88	0.00	0.00	52.94	47.06	0.00	0.00	0.00	52.94	35.29	11.76	0.00	0.00	29.41	47.06	23.53	0.00	0.00

*LIC - Linear Integrated Circuits, ESE - Environmental Science and Engineering, CDSL - Circuits Design and Simulation Laboratory, LICL - Linear Integrated Circuit Laboratory


*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur (Dist. Tiruvarur), T.N.,
Cuddalore (Dist), Pin. 607 113.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: S & H

NO OF STUDENTS: 83

PERIOD: JAN – MAY 2019

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	87.95	10.84	0.00	1.20	0.00
Question2	59.04	39.76	1.20	0.00	0.00
Question3	68.67	25.30	4.82	1.20	0.00
Question4	51.81	45.78	2.41	0.00	0.00
Question5	65.06	34.94	0.00	0.00	0.00
Question6	56.63	40.96	1.20	0.00	0.00
Question7	60.24	38.55	1.20	0.00	0.00
Question8	63.86	33.73	1.20	1.20	0.00
Question9	63.86	33.73	2.41	0.00	0.00
Question10	54.22	3.61	3.61	0.00	0.00

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that above 90% of feedback on department as “Excellent” and “Very Good”.

[Handwritten Signature]

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Tamil Nadu Pin: 607 106.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

MECHANICAL ENGINEERING

NO OF STUDENTS: 18

BATCH: 2018 – 2022

PERIOD: JAN – MAY 2019

YEAR / SEM: I / II

Questions	TE (%)					EM - II (%)					MS (%)					BE, EIE (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	83.33	16.67	0.00	0.00	0.00	77.78	22.22	0.00	0.00	0.00	94.44	5.56	0.00	0.00	0.00	77.78	22.22	0.00	0.00	0.00
Question2	33.33	66.67	0.00	0.00	0.00	22.22	72.22	5.56	0.00	0.00	33.33	66.67	0.00	0.00	0.00	38.89	61.11	0.00	0.00	0.00
Question3	61.11	22.22	16.67	0.00	0.00	77.78	16.67	5.56	0.00	0.00	61.11	27.78	11.11	0.00	0.00	61.11	33.33	5.56	0.00	0.00
Question4	50.00	38.89	5.56	5.56	0.00	38.89	50.00	5.56	5.56	0.00	44.44	50.00	0.00	5.56	0.00	50.00	50.00	0.00	0.00	0.00
Question5	44.44	33.33	11.11	5.56	5.56	66.67	16.67	11.11	0.00	5.56	66.67	27.78	0.00	5.56	0.00	61.11	33.33	5.56	0.00	0.00
Question6	50.00	38.89	0.00	11.11	0.00	50.00	33.33	5.56	11.11	0.00	38.89	55.56	0.00	5.56	0.00	33.33	61.11	5.56	0.00	0.00
Question7	33.33	61.11	5.56	0.00	0.00	55.56	27.78	16.67	0.00	0.00	50.00	44.44	5.56	0.00	0.00	33.33	44.44	22.22	0.00	0.00
Question8	66.67	22.22	5.56	0.00	5.56	50.00	50.00	0.00	0.00	0.00	44.44	55.56	0.00	0.00	0.00	55.56	38.89	5.56	0.00	0.00
Question9	55.56	38.89	0.00	5.56	0.00	94.44	5.56	0.00	0.00	0.00	66.67	27.78	5.56	0.00	0.00	66.67	22.22	11.11	0.00	0.00
Question10	77.78	16.67	5.56	0.00	0.00	50.00	44.44	5.56	0.00	0.00	61.11	38.89	0.00	0.00	0.00	66.67	27.78	5.56	0.00	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

ESAE (%)					EM (%)					EPL (%)					BE, EIELAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	88.89	11.11	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
27.78	72.22	0.00	0.00	0.00	44.44	55.56	0.00	0.00	0.00	44.44	55.56	0.00	0.00	0.00	27.78	72.22	0.00	0.00	0.00
33.33	55.56	11.11	0.00	0.00	50.00	33.33	16.67	0.00	0.00	55.56	33.33	11.11	0.00	0.00	50.00	33.33	16.67	0.00	0.00
55.56	33.33	5.56	5.56	0.00	44.44	50.00	5.56	0.00	0.00	44.44	50.00	0.00	5.56	0.00	33.33	66.67	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

50.00	44.44	0.00	0.00	5.56	61.11	38.89	0.00	0.00	0.00	44.44	44.44	5.56	0.00	5.56	72.22	27.78	0.00	0.00	0.00
61.11	22.22	11.11	5.56	0.00	55.56	44.44	0.00	0.00	0.00	33.33	61.11	0.00	5.56	0.00	27.78	66.67	0.00	5.56	0.00
50.00	38.89	11.11	0.00	0.00	44.44	33.33	22.22	0.00	0.00	61.11	27.78	11.11	0.00	0.00	66.67	16.67	16.67	0.00	0.00
61.11	33.33	5.56	0.00	0.00	50.00	33.33	16.67	0.00	0.00	44.44	55.56	0.00	0.00	0.00	55.56	38.89	5.56	0.00	0.00
61.11	38.89	0.00	0.00	0.00	61.11	33.33	5.56	0.00	0.00	77.78	22.22	0.00	0.00	0.00	44.44	33.33	16.67	5.56	0.00
55.56	27.78	16.67	0.00	0.00	66.67	27.78	5.56	0.00	0.00	44.44	55.56	0.00	0.00	0.00	38.89	44.44	11.11	5.56	0.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Arumugam

DE. R. ARUMUGAM, M.E., Ph.D. | Page
Principal,
St. Anne's College of Engineering & Technology.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

ELECTRICAL AND COMMUNICATION ENGINEERING

NO OF STUDENTS: 21

BATCH: 2018 – 2022

PERIOD: JAN – MAY 2019

YEAR / SEM: I / II

Questions	TE (%)					EM - II (%)					PFEE (%)					BEAIE (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	57.14	33.33	4.76	0.00	4.76	47.62	42.86	9.52	0.00	0.00	76.19	23.81	0.00	0.00	0.00	71.43	23.81	4.76	0.00	0.00
Question2	33.33	52.38	9.52	4.76	0.00	47.62	47.62	4.76	0.00	0.00	42.86	57.14	0.00	0.00	0.00	42.86	47.62	9.52	0.00	0.00
Question3	33.33	47.62	19.05	0.00	0.00	42.86	38.10	19.05	0.00	0.00	61.90	33.33	4.76	0.00	0.00	52.38	38.10	9.52	0.00	0.00
Question4	38.10	52.38	4.76	4.76	0.00	52.38	38.10	9.52	0.00	0.00	61.90	38.10	0.00	0.00	0.00	47.62	47.62	4.76	0.00	0.00
Question5	38.10	42.86	14.29	4.76	0.00	38.10	52.38	9.52	0.00	0.00	61.90	28.57	9.52	0.00	0.00	38.10	57.14	4.76	0.00	0.00
Question6	33.33	42.86	19.05	0.00	4.76	47.62	47.62	4.76	0.00	0.00	66.67	33.33	0.00	0.00	0.00	42.86	52.38	4.76	0.00	0.00
Question7	28.57	42.86	23.81	0.00	4.76	57.14	28.57	14.29	0.00	0.00	52.38	38.10	9.52	0.00	0.00	61.90	28.57	9.52	0.00	0.00
Question8	38.10	38.10	19.05	0.00	4.76	23.81	66.67	9.52	0.00	0.00	61.90	33.33	4.76	0.00	0.00	38.10	52.38	9.52	0.00	0.00
Question9	52.38	38.10	4.76	0.00	4.76	47.62	42.86	9.52	0.00	0.00	76.19	19.05	4.76	0.00	0.00	52.38	38.10	9.52	0.00	0.00
Question10	52.38	28.57	14.29	0.00	4.76	42.86	52.38	4.76	0.00	0.00	71.43	23.81	4.76	0.00	0.00	57.14	33.33	9.52	0.00	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

CA (%)					ED (%)					CADLAB (%)					EPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
52.38	42.86	4.76	0.00	0.00	61.90	33.33	4.76	0.00	0.00	66.67	33.33	0.00	0.00	0.00	61.90	28.57	9.52	0.00	0.00
42.86	38.10	19.05	0.00	0.00	47.62	52.38	0.00	0.00	0.00	38.10	61.90	0.00	0.00	0.00	33.33	9.52	9.52	0.00	0.00
57.14	38.10	4.76	0.00	0.00	52.38	42.86	4.76	0.00	0.00	61.90	23.81	14.29	0.00	0.00	52.38	42.86	4.76	0.00	0.00
52.38	38.10	9.52	0.00	0.00	42.86	47.62	9.52	0.00	0.00	71.43	23.81	4.76	0.00	0.00	47.62	42.86	9.52	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

42.86	38.10	19.05	0.00	0.00	52.38	42.86	4.76	0.00	0.00	57.14	38.10	4.76	0.00	0.00	66.67	28.57	4.76	0.00	0.00
28.57	57.14	14.29	0.00	0.00	38.10	57.14	4.76	0.00	0.00	33.33	57.14	9.52	0.00	0.00	42.86	47.62	9.52	0.00	0.00
57.14	42.86	0.00	0.00	0.00	47.62	52.38	0.00	0.00	0.00	66.67	28.57	4.76	0.00	0.00	47.62	47.62	4.76	0.00	0.00
57.14	28.57	14.29	0.00	0.00	57.14	42.86	0.00	0.00	0.00	47.62	47.62	4.76	0.00	0.00	33.33	61.90	4.76	0.00	0.00
61.90	28.57	9.52	0.00	0.00	57.14	23.81	19.05	0.00	0.00	47.62	42.86	9.52	0.00	0.00	61.90	23.81	14.29	0.00	0.00
52.38	33.33	14.29	0.00	0.00	57.14	42.86	0.00	0.00	0.00	38.10	61.90	0.00	0.00	0.00	47.62	47.62	4.76	0.00	0.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass
Dr. R. ARADIASS, M.E., Ph.D.
Principal,



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

ELECTRICAL AND ELECTRONIC ENGINEERING

NO OF STUDENTS: 22

BATCH: 2018 – 2022

PERIOD: JAN – MAY 2019

YEAR / SEM: I / II

Questions	TE (%)					EM - II (%)					PFEE (%)					BCAME (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	63.64	27.27	9.09	0.00	0.00	72.73	18.18	4.55	4.55	0.00	63.64	27.27	4.55	0.00	4.55	77.27	13.64	9.09	0.00	0.00
Question2	27.27	54.55	18.18	0.00	0.00	54.55	31.82	13.64	0.00	0.00	50.00	40.91	9.09	0.00	0.00	54.55	27.27	18.18	0.00	0.00
Question3	45.45	40.91	4.55	9.09	0.00	68.18	27.27	4.55	0.00	0.00	72.73	18.18	4.55	4.55	0.00	63.64	18.18	9.09	9.09	0.00
Question4	45.45	31.82	22.73	0.00	0.00	59.09	31.82	4.55	0.00	4.55	54.55	36.36	9.09	9.09	0.00	63.64	18.18	9.09	9.09	0.00
Question5	27.27	54.55	13.64	4.55	0.00	54.55	31.82	13.64	0.00	0.00	54.55	27.27	13.64	4.55	0.00	40.91	40.91	18.18	0.00	0.00
Question6	50.00	40.91	9.09	0.00	0.00	59.09	27.27	9.09	4.55	0.00	54.55	31.82	9.09	4.55	0.00	45.45	40.91	13.64	0.00	0.00
Question7	50.00	36.36	9.09	0.00	4.55	50.00	40.91	9.09	0.00	0.00	54.55	36.36	4.55	4.55	0.00	45.45	36.36	18.18	0.00	0.00
Question8	45.45	36.36	13.64	4.55	0.00	59.09	27.27	9.09	0.00	4.55	68.18	18.18	9.09	4.55	0.00	63.64	27.27	9.09	0.00	0.00
Question9	40.91	45.45	9.09	0.00	4.55	59.09	31.82	4.55	4.55	0.00	54.55	27.27	13.64	0.00	4.55	54.55	40.91	4.55	0.00	0.00
Question10	59.09	18.18	18.18	0.00	4.55	77.27	9.09	13.64	0.00	0.00	81.82	13.64	4.55	0.00	0.00	63.64	31.82	4.55	0.00	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

CT (%)					ESAE (%)					EPLAB (%)					ECLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
95.45	4.55	0.00	0.00	0.00	50.00	40.91	9.09	0.00	0.00	68.18	27.27	4.55	0.00	0.00	86.36	13.64	0.00	0.00	0.00
81.82	18.18	0.00	0.00	0.00	45.45	45.45	9.09	0.00	0.00	45.45	45.45	9.09	0.00	0.00	59.09	36.36	4.55	0.00	0.00
77.27	22.73	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	63.64	18.18	18.18	0.00	0.00	81.82	18.18	0.00	0.00	0.00
86.36	9.09	4.55	0.00	0.00	50.00	36.36	13.64	0.00	0.00	45.45	45.45	4.55	4.55	0.00	63.64	36.36	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

63.64	36.36	0.00	0.00	0.00	54.55	40.91	4.55	0.00	0.00	54.55	36.36	4.55	4.55	0.00	72.73	27.27	0.00	0.00	0.00
77.27	18.18	4.55	0.00	0.00	54.55	40.91	0.00	4.55	0.00	68.18	22.73	9.09	0.00	0.00	63.64	31.82	4.55	0.00	0.00
68.18	27.27	4.55	0.00	0.00	40.91	54.55	4.55	0.00	0.00	45.45	45.45	9.09	0.00	0.00	72.73	22.73	4.55	0.00	0.00
72.73	18.18	9.09	0.00	0.00	54.55	36.36	9.09	0.00	0.00	59.09	27.27	13.64	0.00	0.00	59.09	36.36	4.55	0.00	0.00
72.73	22.73	4.55	0.00	0.00	40.91	50.00	9.09	0.00	0.00	54.55	31.82	9.09	4.55	0.00	59.09	31.82	9.09	0.00	0.00
77.27	18.18	4.55	0.00	0.00	72.73	18.18	9.09	0.00	0.00	45.45	50.00	4.55	0.00	0.00	63.64	36.36	0.00	0.00	0.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. J. Arokia Dass

Dr. R. J. AROKIA DASS, M.E., Ph.D.,
Principal,



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

COMPUTER SCIENCE AND ENGINEERING

NO OF STUDENTS: 22

BATCH: 2018 – 2022

PERIOD: JAN – MAY 2019

YEAR / SEM: I / II

Questions	TE (%)					EM - II (%)					PFIS (%)					BE, EAME (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	68.18	31.82	0.00	0.00	0.00	77.27	22.73	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00	81.82	18.18	0.00	0.00	0.00
Question2	40.91	59.09	0.00	0.00	0.00	13.64	40.91	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	40.91	59.09	0.00	0.00	0.00
Question3	40.91	50.00	9.09	0.00	0.00	72.73	27.27	0.00	0.00	0.00	54.55	36.36	9.09	0.00	0.00	68.18	31.82	0.00	0.00	0.00
Question4	45.45	50.00	4.55	0.00	0.00	50.00	50.00	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00
Question5	50.00	40.91	9.09	0.00	0.00	63.64	36.36	0.00	0.00	0.00	40.91	59.09	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00
Question6	50.00	50.00	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	54.55	45.45	0.00	0.00	0.00
Question7	40.91	54.55	4.55	0.00	0.00	59.09	36.36	4.55	0.00	0.00	40.91	59.09	0.00	0.00	0.00	59.09	40.91	0.00	0.00	0.00
Question8	50.00	50.00	0.00	0.00	0.00	45.45	54.55	0.00	0.00	0.00	50.00	45.45	4.55	0.00	0.00	59.09	36.36	4.55	0.00	0.00
Question9	68.18	31.82	0.00	0.00	0.00	45.45	54.55	0.00	0.00	0.00	40.91	59.09	0.00	0.00	0.00	54.55	45.45	0.00	0.00	0.00
Question10	72.73	27.27	0.00	0.00	0.00	68.18	31.82	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00	54.55	45.45	0.00	0.00	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

ESAE (%)					PIC (%)					EPLAB (%)					CPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
72.73	22.73	4.55	0.00	0.00	68.18	31.82	0.00	0.00	0.00	63.64	31.82	0.00	4.55	0.00	86.36	9.09	0.00	0.00	4.55
63.64	36.36	0.00	0.00	0.00	68.18	31.82	0.00	0.00	0.00	36.36	54.55	9.09	0.00	0.00	40.91	50.00	0.00	9.09	0.00
54.55	36.36	9.09	0.00	0.00	59.09	40.91	0.00	0.00	0.00	59.09	27.27	9.09	4.55	0.00	68.18	27.27	4.55	0.00	0.00
45.45	54.55	0.00	0.00	0.00	63.64	36.36	0.00	0.00	0.00	27.27	68.18	4.55	0.00	0.00	59.09	40.91	0.00	0.00	0.00
54.55	45.45	0.00	0.00	0.00	72.73	27.27	0.00	0.00	0.00	54.55	36.36	4.55	4.55	0.00	68.18	18.18	0.00	0.00	0.00




ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

50.00	45.45	4.55	0.00	0.00	68.18	31.82	0.00	0.00	0.00	36.36	59.09	4.55	0.00	0.00	54.55	45.45	0.00	0.00	0.00
54.55	40.91	4.55	0.00	0.00	68.18	31.82	0.00	0.00	0.00	54.55	27.27	13.64	4.55	0.00	72.73	18.18	4.55	4.55	0.00
59.09	36.36	4.55	0.00	0.00	63.64	36.36	0.00	0.00	0.00	40.91	45.45	13.64	0.00	0.00	59.09	31.82	4.55	4.55	0.00
59.09	36.36	4.55	0.00	0.00	63.64	36.36	0.00	0.00	0.00	45.45	50.00	0.00	4.55	0.00	81.82	13.64	0.00	0.00	4.55
59.09	36.36	4.55	0.00	0.00	68.18	31.82	0.00	0.00	0.00	45.45	50.00	4.55	0.00	0.00	63.64	36.36	0.00	0.00	0.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory
 *EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,