



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

(An ISO 9001: 2015 Certified Institution)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

ACADEMIC YEAR 2020-2021



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

(An ISO 9001: 2015 Certified Institution)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

PERIOD (2020-2021)
ODD SEM



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: MECH

NO OF STUDENTS: 79

PERIOD: JUNE – DEC 2020

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	92.41	6.33	1.27	0.00	0.00
Question2	17.72	70.89	11.39	0.00	0.00
Question3	37.97	16.46	45.57	0.00	0.00
Question4	24.05	20.25	39.24	16.46	0.00
Question5	20.25	51.90	26.58	0.00	1.27
Question6	35.44	63.29	0.00	0.00	1.27
Question7	68.35	30.38	0.00	0.00	1.27
Question8	48.10	36.71	15.19	0.00	0.00
Question9	12.66	87.34	0.00	0.00	0.00
Question10	64.56	29.11	6.33	0.00	0.00

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that above 90% of feedback on department as “Excellent” and “Very Good”.

AROKIADASS
RAJARATHA
NAM

Digitally signed by
AROKIADASS
RAJARATHANAM
Date: 2023.03.26
16:22:15 +05'30'

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin. 607 110.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

DEPARTMENT: MECH

BATCH: 2017- 2021

YEAR/ SEMESTER: IV / VII

PERIOD: JUNE – DEC 2020

Questions	PPE (%)					PPAC (%)					M (%)					TOM (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	91.11	8.89	0.00	0.00	0.00	91.11	8.89	0.00	0.00	0.00	84.44	15.56	0.00	0.00	0.00	82.22	17.78	0.00	0.00	0.00
Question2	8.89	91.11	0.00	0.00	0.00	8.89	91.11	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00
Question3	8.89	48.89	42.22	0.00	0.00	4.44	60.00	35.56	0.00	0.00	4.44	24.44	71.11	0.00	0.00	6.67	37.78	53.33	2.22	0.00
Question4	22.22	26.67	22.22	28.89	0.00	22.22	26.67	24.44	26.67	0.00	2.22	15.56	46.67	35.56	0.00	20.00	13.33	11.11	55.56	0.00
Question5	11.11	57.78	31.11	0.00	0.00	13.33	53.33	33.33	0.00	0.00	2.22	57.78	40.00	0.00	0.00	17.78	17.78	64.44	0.00	0.00
Question6	57.78	42.22	0.00	0.00	0.00	53.33	46.67	0.00	0.00	0.00	44.44	55.56	0.00	0.00	0.00	17.78	82.22	0.00	0.00	0.00
Question7	42.22	57.78	0.00	0.00	0.00	46.67	53.33	0.00	0.00	0.00	42.22	57.78	0.00	0.00	0.00	82.22	17.78	0.00	0.00	0.00
Question8	42.22	0.00	57.78	0.00	0.00	46.67	0.00	53.33	0.00	0.00	42.22	13.33	44.44	0.00	0.00	82.22	0.00	17.78	0.00	0.00
Question9	11.11	88.89	0.00	0.00	0.00	13.33	86.67	0.00	0.00	0.00	2.22	97.78	0.00	0.00	0.00	17.78	82.22	0.00	0.00	0.00
Question10	57.78	22.22	15.56	4.44	0.00	51.11	35.56	11.11	2.22	0.00	86.67	13.33	0.00	0.00	0.00	82.22	17.78	0.00	0.00	0.00

* PPE – Power Plant Engineering PPACE - Process Planning and Cost Estimation, M – Mechatronics, TOM - Testing Of Materials

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

UMP (%)					R (%)					SAALAB (%)					ML (%)					TS (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
71.11	28.89	0.00	0.00	0.00	84.44	15.56	0.00	0.00	0.00	94.12	0.00	5.88	0.00	0.00	95.56	4.44	0.00	0.00	0.00	93.33	6.67	0.00	0.00	0.00
28.89	71.11	0.00	0.00	0.00	33.33	66.67	0.00	0.00	0.00	35.29	64.71	0.00	0.00	0.00	17.78	82.22	0.00	0.00	0.00	13.33	84.44	2.22	0.00	0.00
33.33	42.22	20.00	4.44	0.00	48.89	24.44	26.67	0.00	0.00	76.47	23.53	0.00	0.00	0.00	24.44	8.89	64.44	2.22	0.00	22.22	13.33	57.78	6.67	0.00
31.11	42.22	2.22	24.44	0.00	53.33	15.56	2.22	28.89	0.00	29.41	70.59	0.00	0.00	0.00	26.67	8.89	22.22	42.22	0.00	35.56	8.89	24.44	31.11	0.00
26.67	44.44	28.89	0.00	0.00	48.89	15.56	35.56	0.00	0.00	70.59	29.41	0.00	0.00	0.00	22.22	31.11	46.67	0.00	0.00	22.22	31.11	46.67	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

42.22	57.78	0.00	0.00	0.00	48.89	51.11	0.00	0.00	0.00	29.41	64.71	5.88	0.00	0.00	48.89	51.11	0.00	0.00	0.00	42.22	57.78	0.00	0.00	0.00
55.56	44.44	0.00	0.00	0.00	84.44	13.33	2.22	0.00	0.00	70.59	23.53	0.00	0.00	5.88	66.67	31.11	2.22	0.00	0.00	66.67	28.89	4.44	0.00	0.00
55.56	28.89	15.56	0.00	0.00	84.44	0.00	15.56	0.00	0.00	17.65	82.35	0.00	0.00	0.00	68.89	0.00	31.11	0.00	0.00	68.89	2.22	28.89	0.00	0.00
26.67	73.33	0.00	0.00	0.00	48.89	51.11	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00	22.22	77.78	0.00	0.00	0.00	20.00	80.00	0.00	0.00	0.00
33.33	46.67	20.00	0.00	0.00	73.33	13.33	13.33	0.00	0.00	41.18	52.94	5.88	0.00	0.00	80.00	11.11	8.89	0.00	0.00	55.56	22.22	20.00	2.22	0.00

* UMP - Unconventional Machining Processes, R – Robotics, SAAL – Simulation and Analysis lab, ML – Mechatronics Laboratory, TS - Technical Seminar

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,

St. Anne's College of Engineering & Technology, Page

ANGUCHETTYPALAYAM,
Srinagar (Dist) Panruti, TN



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO OF STUDENTS: 17

BATCH: 2018 - 2022

YEAR/ SEMESTER: III / V

PERIOD: JUNE-DEC 2020

Questions	TE – II (%)					DOME (%)					MAM (%)					DOM (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	82.35	5.88	11.76	0.00	0.00	64.71	35.29	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00
Question2	76.47	11.76	11.76	0.00	0.00	82.35	11.76	5.88	0.00	0.00	64.71	17.65	17.65	0.00	0.00	88.24	11.76	0.00	0.00	0.00
Question3	35.29	11.76	52.94	0.00	0.00	58.82	23.53	17.65	0.00	0.00	41.18	41.18	17.65	0.00	0.00	41.18	29.41	29.41	0.00	0.00
Question4	52.94	47.06	0.00	0.00	0.00	11.76	88.24	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	17.65	82.35	0.00	0.00	0.00
Question5	11.76	88.24	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	11.76	82.35	5.88	0.00	0.00	17.65	70.59	0.00	11.76	0.00
Question6	70.59	29.41	0.00	0.00	0.00	76.47	23.53	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00	47.06	5.88	41.18	5.88	0.00
Question7	76.47	23.53	0.00	0.00	0.00	76.47	17.65	0.00	5.88	0.00	52.94	23.53	23.53	0.00	0.00	82.35	11.76	0.00	0.00	5.88
Question8	70.59	23.53	0.00	0.00	0.00	76.47	23.53	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00	70.59	17.65	11.76	0.00	0.00
Question9	5.88	76.47	17.65	0.00	0.00	23.53	64.71	11.76	0.00	0.00	23.53	64.71	11.76	0.00	0.00	0.00	82.35	17.65	0.00	0.00
Question10	52.94	41.18	5.88	0.00	0.00	58.82	41.18	0.00	0.00	0.00	41.18	35.29	23.53	0.00	0.00	47.06	47.06	5.88	0.00	0.00

*TE II -Thermal Engineering- II, DOME - Design Of Machine Elements, MAM - Metrology And Measurements, DOM - Dynamics Of Machines

* EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor

RES (%)					KADL (%)					TEL (%)					MAML (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
64.71	35.29	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00
52.94	29.41	17.65	0.00	0.00	76.47	17.65	0.00	0.00	5.88	35.29	47.06	17.65	0.00	0.00	88.24	11.76	0.00	0.00	0.00
23.53	35.29	41.18	0.00	0.00	41.18	47.06	11.76	0.00	0.00	64.71	35.29	0.00	0.00	0.00	23.53	47.06	29.41	0.00	0.00
11.76	88.24	0.00	0.00	0.00	11.76	88.24	0.00	0.00	0.00	5.88	94.12	0.00	0.00	0.00	5.88	94.12	0.00	0.00	0.00
23.53	58.82	11.76	5.88	0.00	35.29	52.94	0.00	11.76	0.00	5.88	88.24	5.88	0.00	0.00	17.65	58.82	11.76	11.76	0.00
76.47	23.53	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00	47.06	17.65	35.29	0.00	0.00	88.24	11.76	0.00	0.00	0.00
82.35	17.65	0.00	0.00	0.00	76.47	17.65	0.00	0.00	5.88	47.06	29.41	23.53	0.00	0.00	82.35	17.65	0.00	0.00	0.00
70.59	23.53	5.88	0.00	0.00	64.71	23.53	11.76	0.00	0.00	88.24	11.76	0.00	0.00	0.00	70.59	17.65	11.76	0.00	0.00
5.88	82.35	11.76	0.00	0.00	11.76	82.35	5.88	0.00	0.00	0.00	76.47	23.53	0.00	0.00	0.00	100.00	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

35.29	41.18	23.53	0.00	0.00	23.53	41.18	35.29	0.00	0.00	47.06	35.29	17.65	0.00	0.00	41.18	29.41	29.41	0.00	0.00
-------	-------	-------	------	------	-------	-------	-------	------	------	-------	-------	-------	------	------	-------	-------	-------	------	------

*RES - Renewable Energy Sources, KADL - Kinematics And Dynamics Laboratory, TEL - Thermal Engineering Laboratory, MAML - Metrology And Measurements laboratory


* EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. Aradass

Dr. R. AROKLDASS, M.E., Ph.D.,
Principal,

St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur (Post), ...
Cuddalore (Dist), Pin. 606 001.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO OF STUDENTS: 17

BATCH: 2019 - 2023

YEAR/ SEMESTER: II / III

PERIOD: JUNE-DEC 2020

Questions	TAPDE (%)					ETD (%)					FMAM (%)					MT – I (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	76.47	17.65	5.88	0.00	0.00	35.29	64.71	0.00	0.00	0.00	47.06	47.06	5.88	0.00	0.00	58.82	35.29	5.88	0.00	0.00
Question2	41.18	52.94	5.88	0.00	0.00	47.06	41.18	11.76	0.00	0.00	23.53	58.82	5.88	5.88	5.88	52.94	35.29	11.76	0.00	0.00
Question3	70.59	29.41	0.00	0.00	0.00	47.06	47.06	0.00	0.00	5.88	52.94	35.29	5.88	5.88	0.00	47.06	41.18	11.76	0.00	0.00
Question4	23.53	70.59	5.88	0.00	0.00	29.41	52.94	11.76	0.00	5.88	35.29	58.82	0.00	5.88	0.00	35.29	52.94	5.88	0.00	5.88
Question5	76.47	23.53	0.00	0.00	0.00	35.29	41.18	11.76	0.00	11.76	47.06	23.53	0.00	0.00	29.41	29.41	52.94	17.65	0.00	0.00
Question6	23.53	70.59	0.00	5.88	0.00	23.53	70.59	0.00	0.00	5.88	35.29	58.82	0.00	0.00	5.88	41.18	52.94	0.00	0.00	5.88
Question7	76.47	11.76	0.00	0.00	11.76	35.29	64.71	0.00	0.00	0.00	52.94	5.88	0.00	0.00	41.18	35.29	58.82	0.00	0.00	5.88
Question8	29.41	52.94	17.65	0.00	0.00	58.82	23.53	11.76	5.88	0.00	35.29	58.82	0.00	0.00	5.88	52.94	23.53	11.76	0.00	11.76
Question9	82.35	5.88	0.00	0.00	11.76	52.94	41.18	0.00	0.00	5.88	41.18	52.94	0.00	5.88	0.00	47.06	41.18	5.88	5.88	0.00
Question10	41.18	52.94	0.00	0.00	5.88	23.53	52.94	0.00	23.53	0.00	41.18	52.94	5.88	0.00	0.00	35.29	35.29	0.00	17.65	11.76

*TAPDE - Transforms And Partial Differential Equations, ET - Engineering Thermodynamics, FMSM - Fluid Mechanics And Machinery, MT – I -Manufacturing Technology – I

*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor

EDAC (%)					MTL – I (%)					CAMDL (%)					EE (%)					EEL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
64.71	29.41	5.88	0.00	0.00	41.18	41.18	5.88	0.00	11.76	41.18	47.06	11.76	0.00	0.00	35.29	47.06	11.76	0.00	5.88	52.94	35.29	11.76	0.00	0.00
58.82	29.41	11.76	0.00	0.00	41.18	29.41	23.53	0.00	5.88	47.06	23.53	23.53	5.88	0.00	52.94	11.76	11.76	11.76	11.76	47.06	29.41	23.53	0.00	0.00
64.71	23.53	11.76	0.00	0.00	41.18	41.18	0.00	11.76	5.88	35.29	41.18	5.88	11.76	5.88	29.41	47.06	11.76	11.76	0.00	70.59	23.53	0.00	0.00	5.88
23.53	58.82	11.76	0.00	5.88	29.41	47.06	17.65	5.88	0.00	35.29	35.29	17.65	5.88	5.88	29.41	64.71	5.88	0.00	0.00	35.29	41.18	23.53	0.00	0.00
35.29	41.18	5.88	11.76	5.88	29.41	47.06	11.76	0.00	11.76	35.29	47.06	11.76	0.00	5.88	52.94	23.53	11.76	0.00	11.76	47.06	29.41	17.65	0.00	5.88
58.82	23.53	11.76	0.00	5.88	47.06	35.29	5.88	0.00	11.76	29.41	35.29	17.65	5.88	11.76	23.53	35.29	23.53	0.00	17.65	47.06	47.06	5.88	0.00	0.00
47.06	47.06	0.00	0.00	5.88	29.41	52.94	5.88	11.76	0.00	41.18	23.53	11.76	11.76	11.76	41.18	23.53	17.65	17.65	0.00	64.71	23.53	5.88	0.00	5.88
52.94	23.53	11.76	5.88	5.88	52.94	23.53	11.76	0.00	11.76	47.06	23.53	11.76	0.00	17.65	23.53	47.06	11.76	0.00	17.65	47.06	35.29	11.76	0.00	5.88



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

58.82	23.53	11.76	5.88	0.00	58.82	23.53	5.88	11.76	0.00	35.29	29.41	0.00	29.41	5.88	58.82	11.76	0.00	29.41	0.00	64.71	23.53	5.88	5.88	0.00
58.82	29.41	11.76	0.00	0.00	47.06	35.29	11.76	0.00	5.88	47.06	35.29	5.88	5.88	5.88	35.29	52.94	11.76	0.00	0.00	52.94	41.18	5.88	0.00	0.00

* EDAC - Electrical Drives and Controls, MTL – I - Manufacturing Technology Laboratory – I, CAMDL - Computer Aided Machine Drawing Lab, EEL - Electrical Engineering Laboratory, IS/L - Interpersonal Skills / Listening

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: EEE

NO OF STUDENTS: 59

PERIOD: NOV – DEC 2020

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	94.92	3.39	0.00	1.69	0.00
Question2	47.46	49.15	3.39	0.00	0.00
Question3	72.88	25.42	1.69	0.00	0.00
Question4	61.02	35.59	3.39	0.00	0.00
Question5	59.32	37.29	3.39	0.00	0.00
Question6	69.49	28.81	1.69	0.00	0.00
Question7	71.19	27.12	1.69	0.00	0.00
Question8	76.27	20.34	3.39	0.00	0.00
Question9	84.75	15.25	0.00	0.00	0.00
Question10	79.66	13.56	6.78	0.00	0.00

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that around 90% of feedback on department as “Excellent” and “Very Good”.

R. Arokiadass

DR. R. AROKIADASS, M.E., Ph.D.,

Principal

St. Anne's College of Engineering and Technology,
ANGUCHETTYPALAYAM



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 20

BATCH: 2017 - 2021

YEAR/ SEMESTER: IV / VII

PERIOD: NOV - DEC 2020

Questions	HVE (%)					PSOC (%)					RES (%)					TOM (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00
Question2	60.00	40.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00
Question3	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00
Question4	55.00	40.00	5.00	0.00	0.00	90.00	5.00	5.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00
Question5	60.00	35.00	5.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	70.00	25.00	5.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00
Question6	55.00	45.00	0.00	0.00	0.00	90.00	10.00	0.00	0.00	0.00	60.00	40.00	0.00	0.00	0.00	60.00	40.00	0.00	0.00	0.00
Question7	60.00	40.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00
Question8	60.00	40.00	0.00	0.00	0.00	55.00	45.00	0.00	0.00	0.00	70.00	30.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00
Question9	55.00	40.00	5.00	0.00	0.00	90.00	5.00	5.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00
Question10	55.00	40.00	5.00	0.00	0.00	90.00	5.00	5.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00

*HVE - High Voltage Engineering, PSOC - Power System Operation and Control, RES - Renewable Energy Systems, TOM - Testing Of Materials

FOALI (%)					TQM (%)					PSSLAB (%)					RESLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
100.00	0.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00
70.00	30.00	0.00	0.00	0.00	70.00	30.00	0.00	0.00	0.00	55.00	45.00	0.00	0.00	0.00	90.00	10.00	0.00	0.00	0.00
100.00	0.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00	95.00	5.00	0.00	0.00	0.00
70.00	30.00	0.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	85.00	10.00	5.00	0.00	0.00
75.00	25.00	0.00	0.00	0.00	70.00	25.00	5.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00
70.00	30.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	85.00	15.00	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

70.00	30.00	0.00	0.00	0.00	70.00	30.00	0.00	0.00	0.00	55.00	45.00	0.00	0.00	0.00	90.00	10.00	0.00	0.00	0.00
75.00	25.00	0.00	0.00	0.00	70.00	30.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00
70.00	30.00	0.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	85.00	10.00	5.00	0.00	0.00
70.00	30.00	0.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	85.00	10.00	5.00	0.00	0.00

*FOLI - Fibre Optics and Laser Instrumentation, TQM - Total Quality Management, PSSSL - Power System Simulation Laboratory, RESL - Renewable Energy Systems Laboratory

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTYPALAYAM,

Siruvathur-(Post), Panruti-(T.k),



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO OF STUDENTS: 22

BATCH: 2018 - 2022

PERIOD: NOV - DEC 2020

YEAR/ SEMESTER: III / V

Questions	PSA (%)					MAM (%)					PE (%)					OOP (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	63.64	22.73	13.64	0.00	0.00	59.09	27.27	13.64	0.00	0.00	54.55	27.27	18.18	0.00	0.00	68.18	27.27	4.55	0.00	0.00
Question2	54.55	31.82	4.55	9.09	0.00	40.91	45.45	9.09	4.55	0.00	50.00	31.82	9.09	9.09	0.00	54.55	27.27	9.09	9.09	0.00
Question3	63.64	18.18	18.18	0.00	0.00	45.45	22.73	31.82	0.00	0.00	50.00	22.73	22.73	0.00	4.55	63.64	18.18	18.18	0.00	0.00
Question4	31.82	45.45	18.18	4.55	0.00	18.18	59.09	18.18	4.55	0.00	45.45	36.36	18.18	0.00	0.00	45.45	27.27	22.73	4.55	0.00
Question5	59.09	22.73	13.64	4.55	0.00	36.36	31.82	27.27	4.55	0.00	59.09	18.18	13.64	9.09	0.00	45.45	22.73	22.73	4.55	4.55
Question6	40.91	36.36	22.73	0.00	0.00	45.45	22.73	18.18	13.64	0.00	45.45	22.73	13.64	18.18	0.00	72.73	9.09	13.64	4.55	0.00
Question7	31.82	45.45	13.64	9.09	0.00	40.91	22.73	13.64	18.18	4.55	50.00	18.18	9.09	18.18	4.55	59.09	13.64	18.18	9.09	0.00
Question8	45.45	36.36	9.09	4.55	4.55	36.36	36.36	18.18	9.09	0.00	45.45	22.73	22.73	9.09	0.00	54.55	22.73	18.18	4.55	0.00
Question9	50.00	31.82	13.64	4.55	0.00	36.36	36.36	22.73	0.00	4.55	50.00	36.36	9.09	4.55	0.00	54.55	22.73	22.73	0.00	0.00
Question10	68.18	27.27	4.55	0.00	0.00	59.09	22.73	13.64	4.55	0.00	63.64	18.18	13.64	0.00	4.55	59.09	27.27	13.64	0.00	0.00

*PSA - Power System Analysis, MAM - Microprocessors and Microcontrollers, PE - Power Electronics, OOP - Object Oriented Programming

SAT (%)					CAILAB (%)					OOPLAB (%)					PC (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
68.18	31.82	0.00	0.00	0.00	36.36	59.09	0.00	4.55	0.00	68.18	22.73	9.09	0.00	0.00	63.64	31.82	4.55	0.00	0.00
59.09	31.82	0.00	9.09	0.00	36.36	27.27	4.55	31.82	0.00	31.82	50.00	9.09	4.55	4.55	36.36	54.55	4.55	4.55	0.00
59.09	22.73	18.18	0.00	0.00	31.82	22.73	45.45	0.00	0.00	54.55	18.18	22.73	4.55	0.00	54.55	27.27	18.18	0.00	0.00
54.55	31.82	9.09	0.00	4.55	31.82	27.27	36.36	4.55	0.00	40.91	40.91	18.18	0.00	0.00	40.91	45.45	13.64	0.00	0.00
63.64	13.64	18.18	0.00	4.55	36.36	22.73	40.91	0.00	0.00	59.09	27.27	13.64	0.00	0.00	54.55	13.64	31.82	0.00	0.00
63.64	22.73	9.09	4.55	0.00	45.45	13.64	36.36	4.55	0.00	45.45	36.36	13.64	4.55	0.00	36.36	40.91	18.18	4.55	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

59.09	18.18	9.09	9.09	4.55	31.82	27.27	13.64	27.27	0.00	63.64	18.18	13.64	4.55	0.00	59.09	18.18	13.64	9.09	0.00
59.09	18.18	18.18	0.00	4.55	36.36	18.18	45.45	0.00	0.00	40.91	31.82	18.18	4.55	4.55	40.91	45.45	13.64	0.00	0.00
63.64	27.27	9.09	0.00	0.00	31.82	27.27	36.36	4.55	0.00	59.09	27.27	9.09	4.55	0.00	59.09	22.73	18.18	0.00	0.00
68.18	18.18	9.09	4.55	0.00	40.91	13.64	45.45	0.00	0.00	59.09	27.27	13.64	0.00	0.00	45.45	45.45	9.09	0.00	0.00

*ST - Sensors and Transducers, CIL - Control and Instrumentation Laboratory, OOPL - Object Oriented Programming Lab, PC - Professional Communication

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPLAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin- 607 106

NO OF STUDENTS: 17

BATCH: 2019 - 2023

PERIOD: NOV - DEC 2020

YEAR/ SEMESTER: II / III



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

Questions	TPDE (%)					DLC (%)					ET (%)					EM – I (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	94.12	5.88	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00	88.24	5.88	0.00	0.00	5.88	88.24	5.88	0.00	5.88	0.00
Question2	82.35	17.65	0.00	0.00	0.00	76.47	23.53	0.00	0.00	0.00	70.59	23.53	0.00	0.00	5.88	64.71	35.29	0.00	0.00	0.00
Question3	76.47	23.53	0.00	0.00	0.00	64.71	29.41	0.00	5.88	0.00	58.82	35.29	0.00	0.00	5.88	64.71	29.41	0.00	0.00	5.88
Question4	64.71	29.41	0.00	0.00	5.88	52.94	41.18	0.00	0.00	5.88	35.29	58.82	0.00	5.88	0.00	64.71	35.29	0.00	0.00	0.00
Question5	58.82	35.29	0.00	5.88	0.00	64.71	29.41	0.00	0.00	5.88	47.06	47.06	0.00	5.88	0.00	58.82	35.29	0.00	5.88	0.00
Question6	82.35	11.76	0.00	5.88	0.00	58.82	35.29	5.88	0.00	0.00	41.18	47.06	0.00	5.88	5.88	64.71	29.41	0.00	5.88	0.00
Question7	52.94	41.18	0.00	5.88	0.00	52.94	35.29	0.00	0.00	11.76	52.94	41.18	0.00	5.88	0.00	52.94	35.29	5.88	0.00	5.88
Question8	70.59	29.41	0.00	0.00	0.00	64.71	23.53	0.00	5.88	5.88	58.82	35.29	0.00	0.00	5.88	58.82	35.29	0.00	0.00	5.88
Question9	88.24	11.76	0.00	0.00	0.00	76.47	17.65	0.00	0.00	5.88	82.35	11.76	0.00	5.88	0.00	88.24	11.76	0.00	0.00	0.00
Question10	76.47	17.65	0.00	0.00	5.88	88.24	11.76	0.00	0.00	0.00	64.71	29.41	0.00	5.88	0.00	88.24	11.76	0.00	0.00	0.00

*TPDE - Transforms and Partial Differential Equations, DLC - Digital Logic Circuits, ET - Electromagnetic Theory, EM I - Electrical Machines - I

EDC (%)					PPE (%)					ELAB (%)					EMLAB – I (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
82.35	17.65	0.00	0.00	0.00	94.12	5.88	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00
70.59	23.53	0.00	5.88	0.00	64.71	29.41	5.88	0.00	0.00	94.12	0.00	0.00	5.88	0.00	70.59	17.65	0.00	5.88	5.88
76.47	23.53	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00	70.59	23.53	0.00	0.00	5.88	88.24	11.76	0.00	0.00	0.00
52.94	41.18	5.88	0.00	0.00	64.71	35.29	0.00	0.00	0.00	58.82	35.29	0.00	5.88	0.00	64.71	35.29	0.00	0.00	0.00
64.71	35.29	0.00	0.00	0.00	70.59	23.53	0.00	5.88	0.00	64.71	29.41	0.00	0.00	5.88	70.59	23.53	0.00	5.88	0.00
52.94	41.18	0.00	0.00	5.88	88.24	11.76	0.00	0.00	0.00	52.94	41.18	0.00	5.88	0.00	82.35	11.76	0.00	5.88	0.00
64.71	29.41	0.00	0.00	5.88	47.06	47.06	0.00	5.88	0.00	52.94	47.06	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00
58.82	35.29	5.88	0.00	0.00	64.71	35.29	0.00	0.00	0.00	58.82	35.29	0.00	0.00	5.88	70.59	17.65	0.00	11.76	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

76.47	23.53	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00	82.35	11.76	0.00	5.88	0.00	76.47	11.76	0.00	11.76	0.00
70.59	29.41	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00	76.47	17.65	0.00	5.88	0.00	94.12	0.00	0.00	5.88	0.00

*EDC - Electron Devices and Circuits, PPE - Power Plant Engineering, EL - Electronics Laboratory, EML I - Electrical Machines Laboratory – I

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Arokiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur-(Post), Panruti-(T.k).



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 81 (CSE)

PERIOD: AUG – NOV 2020

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	74.07	17.28	6.17	1.23	1.23
Question2	53.09	34.57	8.64	2.47	1.23
Question3	61.73	23.46	9.88	2.47	2.47
Question4	61.73	27.16	7.41	1.23	2.47
Question5	58.02	28.40	7.41	1.23	4.94
Question6	56.79	29.63	8.64	2.47	2.47
Question7	65.43	23.46	6.17	2.47	2.47
Question8	54.32	35.80	6.17	1.23	2.47
Question9	60.49	28.40	7.41	1.23	2.47
Question10	61.73	24.69	4.94	3.70	4.94

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that around 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradiass

DR. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTPALAYAM,

Siruvathur (Post), Panruti (T.k),

Cuddalore (Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 38

BATCH: 2017-2021

PERIOD: AUG – NOV 2020

YEAR/SEMESTER: IV/VII

Questions	PM (%)					CNS (%)					CC (%)					TQM (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	34.21	52.63	10.53	2.63	0.00	36.84	26.32	23.68	7.89	5.26	31.58	44.74	13.16	5.26	5.26	34.21	36.84	21.05	5.26	2.63
Question2	26.32	52.63	15.79	2.63	2.63	28.95	44.74	18.42	7.89	0.00	36.84	34.21	21.05	7.89	0.00	42.11	26.32	26.32	2.63	2.63
Question3	28.95	55.26	13.16	2.63	0.00	34.21	39.47	15.79	7.89	2.63	28.95	50.00	13.16	5.26	2.63	36.84	34.21	18.42	5.26	2.63
Question4	28.95	50.00	15.79	2.63	2.63	26.32	36.84	28.95	7.89	0.00	31.58	36.84	23.68	5.26	2.63	36.84	31.58	26.32	2.63	2.63
Question5	21.05	63.16	13.16	2.63	0.00	39.47	34.21	21.05	2.63	2.63	28.95	47.37	15.79	5.26	2.63	34.21	36.84	21.05	5.26	2.63
Question6	34.21	42.11	18.42	2.63	2.63	34.21	36.84	26.32	2.63	0.00	34.21	36.84	21.05	7.89	0.00	34.21	36.84	23.68	2.63	2.63
Question7	26.32	47.37	23.68	2.63	0.00	34.21	34.21	18.42	7.89	5.26	26.32	55.26	13.16	5.26	0.00	31.58	39.47	26.32	2.63	0.00
Question8	26.32	42.11	23.68	5.26	2.63	28.95	44.74	13.16	2.63	5.26	28.95	44.74	18.42	2.63	5.26	42.11	28.95	23.68	5.26	0.00
Question9	31.58	44.74	15.79	5.26	2.63	36.84	39.47	13.16	7.89	2.63	26.32	50.00	10.53	5.26	7.89	34.21	34.21	26.32	2.63	2.63
Question10	23.68	47.37	18.42	7.89	2.63	42.11	28.95	21.05	5.26	2.63	36.84	34.21	21.05	5.26	2.63	39.47	28.95	23.68	7.89	0.00

*PM - Principles of Management, CNS - Cryptography and Network Security, CC - Cloud Computing, TQM - Total Quality Management

HCI (%)					HM (%)					CCL (%)					SL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
34.21	39.47	23.68	2.63	0.00	39.47	39.47	15.79	5.26	0.00	44.74	31.58	15.79	5.26	2.63	39.47	39.47	18.42	2.63	0.00
36.84	31.58	23.68	2.63	5.26	39.47	28.95	23.68	5.26	2.63	31.58	39.47	23.68	5.26	0.00	36.84	36.84	21.05	2.63	2.63
31.58	44.74	21.05	2.63	0.00	36.84	44.74	13.16	5.26	0.00	28.95	44.74	21.05	2.63	2.63	34.21	44.74	18.42	2.63	0.00
31.58	28.95	28.95	5.26	5.26	36.84	34.21	23.68	2.63	2.63	36.84	34.21	23.68	5.26	0.00	39.47	26.32	26.32	2.63	5.26
31.58	47.37	18.42	2.63	0.00	34.21	42.11	15.79	5.26	2.63	31.58	42.11	18.42	5.26	2.63	39.47	36.84	21.05	2.63	0.00
31.58	34.21	28.95	2.63	2.63	36.84	31.58	23.68	5.26	2.63	34.21	34.21	23.68	7.89	0.00	39.47	31.58	18.42	2.63	2.63



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


31.58	42.11	21.05	5.26	0.00	44.74	28.95	18.42	5.26	2.63	42.11	36.84	13.16	5.26	2.63	39.47	31.58	26.32	28.95	0.00
34.21	36.84	26.32	2.63	0.00	39.47	28.95	23.68	5.26	2.63	34.21	31.58	26.32	7.89	0.00	39.47	23.68	28.95	2.63	5.26
31.58	34.21	23.68	5.26	5.26	44.74	34.21	15.79	2.63	0.00	28.95	47.37	13.16	7.89	2.63	36.84	42.11	18.42	2.63	0.00
28.95	44.74	21.05	5.26	0.00	42.11	28.95	23.68	5.26	0.00	39.47	31.58	15.79	5.26	7.89	44.74	23.68	26.32	2.63	2.63

*HCI - Human Computer Interaction, HM - Hospital Management, CCL - Cloud Computing Lab, SL - Security Lab

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

PERIOD: AUG - NOV 2019

YEAR / SEM: IV / VII



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology, 2 | Page

ANGUCHETTPALAYAM,

Siruvathur-(Post), Panruti-(T.k),

Chennai-(Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

NO OF STUDENTS: 6

BATCH: 2018-2022

PERIOD: AUG – NOV 2020

YEAR/SEMESTER: III / V

Questions	ANT (%)					CN (%)					MM (%)					TC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	33.33	33.33	16.67	16.67	0.00	33.33	33.33	16.67	0.00	16.67	33.33	33.33	16.67	0.00	16.67	16.67	33.33	33.33	16.67	0.00
Question2	33.33	33.33	16.67	16.67	0.00	50.00	33.33	0.00	16.67	0.00	16.67	33.33	0.00	33.33	16.67	50.00	16.67	33.33	0.00	16.67
Question3	33.33	33.33	16.67	0.00	16.67	33.33	50.00	16.67	0.00	0.00	50.00	0.00	16.67	16.67	0.00	16.67	50.00	16.67	16.67	0.00
Question4	33.33	33.33	16.67	0.00	16.67	33.33	33.33	16.67	0.00	16.67	33.33	33.33	16.67	0.00	16.67	16.67	50.00	16.67	0.00	16.67
Question5	16.67	50.00	16.67	16.67	0.00	33.33	33.33	16.67	16.67	0.00	33.33	50.00	0.00	16.67	0.00	33.33	33.33	0.00	16.67	16.67
Question6	33.33	50.00	0.00	0.00	16.67	33.33	33.33	0.00	16.67	16.67	50.00	50.00	0.00	0.00	0.00	33.33	33.33	16.67	16.67	0.00
Question7	16.67	33.33	16.67	16.67	16.67	16.67	66.67	16.67	0.00	0.00	16.67	50.00	16.67	0.00	16.67	33.33	50.00	0.00	0.00	16.67
Question8	33.33	16.67	16.67	16.67	16.67	33.33	33.33	0.00	16.67	16.67	50.00	33.33	16.67	0.00	0.00	33.33	33.33	16.67	16.67	0.00
Question9	33.33	33.33	16.67	16.67	0.00	33.33	66.67	0.00	0.00	0.00	33.33	33.33	0.00	16.67	16.67	33.33	33.33	16.67	0.00	16.67
Question10	50.00	33.33	16.67	0.00	0.00	50.00	50.00	0.00	0.00	0.00	33.33	50.00	16.67	0.00	0.00	33.33	33.33	16.67	16.67	0.00

*ANT - Algebra and Number Theory, CN - Computer Networks, MM - Microprocessors and Microcontrollers, Theory of Computation

OOAD (%)					APCE (%)					MML (%)					NL (%)					OOADL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
33.33	16.67	0.00	33.33	16.67	33.33	50.00	0.00	16.67	0.00	50.00	0.00	16.67	16.67	0.00	16.67	33.33	0.00	33.33	16.67	33.33	16.67	0.00	33.33	16.67
33.33	33.33	16.67	16.67	0.00	16.67	50.00	16.67	0.00	16.67	33.33	33.33	16.67	0.00	16.67	50.00	0.00	16.67	16.67	0.00	33.33	33.33	16.67	16.67	0.00
50.00	16.67	0.00	0.00	33.33	33.33	33.33	16.67	16.67	0.00	33.33	50.00	0.00	16.67	0.00	33.33	33.33	16.67	0.00	16.67	50.00	16.67	0.00	0.00	33.33
33.33	16.67	16.67	33.33	0.00	16.67	50.00	16.67	0.00	16.67	50.00	50.00	0.00	0.00	0.00	33.33	50.00	0.00	16.67	0.00	33.33	16.67	16.67	33.33	0.00
16.67	33.33	16.67	0.00	33.33	33.33	33.33	16.67	16.67	0.00	16.67	50.00	16.67	0.00	16.67	50.00	16.67	0.00	0.00	33.33	16.67	33.33	16.67	0.00	33.33
33.33	33.33	0.00	33.33	0.00	50.00	16.67	0.00	0.00	33.33	50.00	33.33	16.67	0.00	0.00	33.33	16.67	16.67	33.33	0.00	33.33	33.33	0.00	33.33	0.00
16.67	50.00	16.67	0.00	16.67	33.33	16.67	16.67	33.33	0.00	33.33	33.33	0.00	16.67	16.67	16.67	33.33	16.67	0.00	33.33	16.67	50.00	16.67	0.00	16.67



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

33.33	50.00	0.00	16.67	0.00	16.67	33.33	16.67	0.00	33.33	16.67	50.00	16.67	0.00	16.67	33.33	33.33	0.00	33.33	0.00	33.33	50.00	0.00	16.67	0.00
33.33	33.33	16.67	0.00	16.67	33.33	33.33	0.00	33.33	0.00	33.33	33.33	16.67	16.67	0.00	16.67	50.00	16.67	0.00	16.67	33.33	33.33	16.67	16.67	0.00
33.33	16.67	16.67	33.33	0.00	16.67	50.00	16.67	0.00	16.67	50.00	16.67	0.00	0.00	33.33	33.33	50.00	0.00	16.67	0.00	50.00	16.67	0.00	0.00	33.33

*OOAD - Object Oriented Analysis and Design, APCE - Air Pollution and Control Engineering, MML - Microprocessors and Microcontrollers Lab, NL - Network Lab, OOADL - Object Oriented Analysis and Design Lab

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTPALAYAM,

Siruvathur (Post), Panruti (T.k),

Cuddalore (Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

NO OF STUDENTS: 21

BATCH: 2019-2023

PERIOD: AUG – NOV 2020

YEAR/SEMESTER: II / III

Questions	DM (%)					DPSD (%)					DS (%)					OOP (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	66.67	66.67	0.00	0.00	0.00	66.67	28.57	0.00	0.00	0.00	76.19	19.05	4.76	0.00	0.00	71.43	19.05	4.76	0.00	0.00
Question2	85.71	85.71	0.00	0.00	0.00	71.43	23.81	0.00	0.00	0.00	71.43	23.81	4.76	0.00	0.00	76.19	19.05	0.00	0.00	0.00
Question3	71.43	71.43	4.76	0.00	0.00	66.67	19.05	4.76	4.76	0.00	71.43	28.57	0.00	0.00	0.00	76.19	19.05	0.00	0.00	0.00
Question4	66.67	66.67	0.00	0.00	0.00	76.19	14.29	4.76	0.00	0.00	66.67	28.57	4.76	0.00	0.00	71.43	19.05	4.76	0.00	0.00
Question5	80.95	80.95	4.76	0.00	0.00	57.14	38.10	0.00	0.00	0.00	61.90	33.33	4.76	0.00	0.00	76.19	14.29	4.76	0.00	0.00
Question6	66.67	66.67	0.00	0.00	0.00	57.14	38.10	0.00	0.00	0.00	85.71	14.29	0.00	0.00	0.00	76.19	14.29	4.76	0.00	0.00
Question7	61.90	61.90	0.00	0.00	0.00	76.19	14.29	0.00	4.76	0.00	66.67	28.57	0.00	0.00	4.76	61.90	28.57	4.76	0.00	0.00
Question8	76.19	76.19	0.00	0.00	0.00	61.90	28.57	4.76	0.00	0.00	71.43	28.57	0.00	0.00	0.00	66.67	28.57	0.00	0.00	0.00
Question9	66.67	66.67	0.00	0.00	0.00	71.43	19.05	4.76	0.00	0.00	71.43	23.81	4.76	0.00	0.00	71.43	19.05	4.76	0.00	0.00
Question10	80.95	19.05	0.00	0.00	0.00	61.90	33.33	0.00	0.00	0.00	76.19	23.81	0.00	0.00	0.00	71.43	19.05	4.76	0.00	0.00

*DM - Discrete Mathematics, DPSD - Digital Principles and System Design, DS - Data Structures, OOP - Object Oriented Programme

CE (%)					DSL (%)					DSL (%)					OOPL (%)					IS/L (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
66.67	23.81	9.52	0.00	0.00	76.19	23.81	0.00	0.00	0.00	76.19	23.81	0.00	0.00	0.00	85.71	9.52	4.76	0.00	0.00	76.19	23.81	0.00	0.00	0.00
47.62	47.62	4.76	0.00	0.00	76.19	23.81	0.00	0.00	0.00	76.19	19.05	4.76	0.00	0.00	71.43	23.81	4.76	0.00	0.00	66.67	33.33	0.00	0.00	0.00
61.90	28.57	9.52	0.00	0.00	76.19	19.05	4.76	0.00	0.00	76.19	23.81	0.00	0.00	0.00	76.19	19.05	4.76	0.00	0.00	61.90	33.33	0.00	0.00	4.76
42.86	52.38	0.00	0.00	0.00	66.67	33.33	0.00	0.00	0.00	76.19	19.05	4.76	0.00	0.00	80.95	19.05	0.00	0.00	0.00	57.14	42.86	0.00	0.00	0.00
57.14	33.33	9.52	0.00	0.00	66.67	28.57	0.00	4.76	0.00	71.43	28.57	0.00	0.00	0.00	80.95	19.05	0.00	0.00	0.00	61.90	33.33	0.00	0.00	4.76
47.62	47.62	4.76	0.00	0.00	66.67	28.57	0.00	4.76	0.00	71.43	23.81	4.76	0.00	0.00	66.67	33.33	0.00	0.00	0.00	57.14	38.10	0.00	0.00	4.76
61.90	23.81	14.29	0.00	0.00	71.43	23.81	0.00	4.76	0.00	66.67	23.81	4.76	0.00	4.76	85.71	14.29	0.00	0.00	0.00	61.90	38.10	0.00	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

52.38	42.86	4.76	0.00	0.00	76.19	23.81	0.00	0.00	0.00	61.90	33.33	0.00	4.76	0.00	66.67	33.33	0.00	0.00	0.00	66.67	28.57	0.00	0.00	4.76
71.43	14.29	14.29	0.00	0.00	80.95	19.05	0.00	0.00	0.00	71.43	23.81	0.00	4.76	0.00	85.71	14.29	0.00	0.00	0.00	57.14	33.33	0.00	9.52	0.00
66.67	23.81	9.52	0.00	0.00	80.95	19.05	0.00	0.00	0.00	66.67	28.57	0.00	4.76	0.00	76.19	23.81	0.00	0.00	0.00	57.14	38.10	0.00	4.76	0.00

*CE - Communication Engineering, DSL - Data Structures Lab, DSL - Digital Systems Lab, OOP - Object Oriented Programming Lab, ISL - Interpersonal Skills / Listening

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTPALAYAM,

Siruvathur-(Post), Panruti-(T.k),

Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: S&H

NO OF STUDENTS: 88

PERIOD: NOV – DEC 2020

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	93.18	2.27	2.27	2.27	0.00
Question2	67.05	27.27	3.41	1.14	1.14
Question3	72.73	20.45	4.55	2.27	0.00
Question4	72.73	19.32	4.55	0.00	3.41
Question5	76.14	18.18	3.41	2.27	0.00
Question6	67.05	25.00	5.68	0.00	2.27
Question7	78.41	15.91	3.41	2.27	0.00
Question8	69.32	23.86	4.55	0.00	2.27
Question9	82.95	7.95	6.82	2.27	0.00
Question10	72.73	23.86	1.14	0.00	2.27

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that above 90% of feedback on department as “Excellent” and “Very Good”.

R. Arakiadass
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti (T.k),
Angud (Dist), Pin. 607 106.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

ELECTRICAL AND COMMUNICATION ENGINEERING

NO OF STUDENTS: 13

BATCH: 2020 - 2024

YEAR/ SEMESTER: I / I

PERIOD: NOV – DEC 2020

Questions	CE (%)					EM - I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	76.92	23.08	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question2	84.62	15.38	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question3	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question4	76.92	23.08	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00
Question5	76.92	23.08	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	84.62	15.38	0.00	0.00	0.00
Question6	84.62	15.38	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question7	84.62	15.38	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00
Question8	92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
Question9	84.62	15.38	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00
Question10	92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

EG (%)					PSAPP (%)					PACLAB (%)					PSAPPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	0.00	0.00	84.62	15.38	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	84.62	15.38	0.00	0.00	0.00
100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00
92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	84.62	15.38	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	76.92	15.38	0.00	7.69	0.00
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00
100.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00	92.31	7.69	0.00	0.00	0.00

*PSAPP – Problem Solving and Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory, PACL – Physics and Chemistry Laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass
DR. R. ARADIASS, M.E., Ph.D.
 Principal,
 St. Anne's College of Engineering & Technology



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

COMPUTER SCIENCE AND ENGINEERING

NO OF STUDENTS: 37 BATCH: 2020-2024 YEAR/ SEMESTER: I / I PERIOD: NOV – DEC 2020

Questions	CE (%)					EM - I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	70.27	18.92	5.41	5.41	0.00	67.57	24.32	2.70	2.70	2.70	70.27	18.92	5.41	5.41	0.00	78.38	13.51	2.70	5.41	0.00
Question2	59.46	29.73	5.41	2.70	2.70	54.05	32.43	5.41	0.00	8.11	62.16	24.32	8.11	0.00	5.41	59.46	29.73	8.11	0.00	2.70
Question3	59.46	29.73	5.41	2.70	2.70	51.35	29.73	10.81	2.70	5.41	64.86	21.62	5.41	5.41	2.70	67.57	21.62	5.41	5.41	0.00
Question4	51.35	35.14	8.11	2.70	2.70	48.65	29.73	13.51	2.70	5.41	59.46	27.03	8.11	0.00	5.41	56.76	27.03	10.81	2.70	2.70
Question5	62.16	13.51	16.22	5.41	2.70	54.05	29.73	13.51	2.70	0.00	64.86	24.32	2.70	5.41	2.70	70.27	18.92	5.41	5.41	0.00
Question6	54.05	24.32	16.22	2.70	2.70	54.05	32.43	8.11	2.70	2.70	62.16	24.32	5.41	0.00	8.11	62.16	24.32	5.41	5.41	2.70
Question7	70.27	18.92	5.41	2.70	2.70	59.46	21.62	10.81	8.11	0.00	59.46	24.32	8.11	5.41	2.70	70.27	16.22	8.11	5.41	0.00
Question8	54.05	32.43	8.11	2.70	2.70	56.76	29.73	8.11	0.00	5.41	64.86	18.92	8.11	2.70	5.41	59.46	27.03	8.11	2.70	2.70
Question9	64.86	21.62	5.41	5.41	2.70	62.16	21.62	10.81	2.70	2.70	64.86	18.92	8.11	5.41	2.70	75.68	16.22	5.41	2.70	0.00
Question10	51.35	29.73	13.51	2.70	2.70	59.46	29.73	2.70	2.70	5.41	67.57	16.22	8.11	2.70	5.41	64.86	24.32	8.11	0.00	2.70

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

EG (%)					PSAPP (%)					PACLAB (%)					PSAPPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
75.68	13.51	5.41	5.41	0.00	78.38	13.51	2.70	5.41	0.00	78.38	13.51	2.70	5.41	0.00	75.68	8.11	10.81	5.41	0.00
67.57	21.62	5.41	0.00	5.41	72.97	21.62	0.00	0.00	5.41	67.57	18.92	5.41	0.00	8.11	59.46	29.73	5.41	0.00	5.41
62.16	16.22	16.22	5.41	0.00	75.68	8.11	10.81	5.41	0.00	62.16	18.92	13.51	5.41	0.00	75.68	13.51	5.41	5.41	0.00
67.57	16.22	10.81	0.00	5.41	75.68	10.81	5.41	2.70	5.41	62.16	21.62	10.81	0.00	5.41	64.86	21.62	10.81	0.00	2.70
67.57	13.51	13.51	5.41	0.00	78.38	13.51	2.70	5.41	0.00	62.16	18.92	13.51	5.41	0.00	72.97	16.22	5.41	2.70	2.70



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

64.86	13.51	13.51	2.70	5.41	70.27	18.92	8.11	0.00	2.70	54.05	24.32	16.22	0.00	5.41	70.27	21.62	2.70	0.00	5.41
70.27	13.51	10.81	5.41	0.00	83.78	8.11	5.41	2.70	0.00	67.57	18.92	8.11	5.41	0.00	67.57	16.22	10.81	2.70	2.70
67.57	16.22	8.11	2.70	5.41	64.86	24.32	5.41	2.70	2.70	54.05	32.43	8.11	0.00	5.41	64.86	24.32	5.41	2.70	2.70
70.27	10.81	13.51	5.41	0.00	75.68	16.22	5.41	2.70	0.00	62.16	18.92	13.51	5.41	0.00	75.68	13.51	5.41	5.41	0.00
70.27	10.81	13.51	0.00	5.41	78.38	10.81	5.41	2.70	2.70	70.27	16.22	8.11	0.00	5.41	64.86	21.62	10.81	0.00	2.70

*PSAPP – Problem Solving and Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory, PACL – Physics and Chemistry Laboratory

*EX – Excellent

VG – Very Good


G – Good

S – Satisfactory

P – Poor

PERIOD: NOV – DEC 2020

YEAR/ SEMESTER: I / I



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering and Technology, Panruti



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

ELECTRICAL AND ELECTRONIC ENGINEERING

NO OF STUDENTS: 20

BATCH: 2020-2024

YEAR/ SEMESTER: I / I

PERIOD: NOV – DEC 2020

Questions	CE (%)					EM - I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	85.00	10.00	0.00	5.00	0.00	85.00	15.00	0.00	0.00	0.00	90.00	5.00	5.00	0.00	0.00	90.00	5.00	5.00	0.00	0.00
Question2	55.00	40.00	5.00	0.00	0.00	85.00	5.00	5.00	5.00	0.00	50.00	50.00	0.00	0.00	1.00	70.00	30.00	0.00	0.00	1.00
Question3	80.00	20.00	0.00	0.00	0.00	65.00	35.00	0.00	0.00	0.00	75.00	25.00	0.00	0.00	2.00	80.00	15.00	5.00	0.00	2.00
Question4	70.00	30.00	0.00	0.00	0.00	70.00	25.00	5.00	0.00	0.00	55.00	40.00	0.00	5.00	3.00	75.00	20.00	0.00	5.00	3.00
Question5	70.00	30.00	0.00	0.00	0.00	75.00	25.00	0.00	0.00	0.00	80.00	15.00	5.00	0.00	4.00	65.00	30.00	5.00	0.00	4.00
Question6	80.00	15.00	0.00	5.00	0.00	55.00	40.00	5.00	0.00	0.00	65.00	35.00	0.00	0.00	5.00	75.00	20.00	0.00	5.00	5.00
Question7	70.00	30.00	0.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	80.00	20.00	0.00	0.00	6.00	70.00	20.00	10.00	0.00	6.00
Question8	65.00	30.00	5.00	0.00	0.00	75.00	25.00	0.00	0.00	0.00	85.00	15.00	0.00	0.00	7.00	60.00	25.00	15.00	0.00	7.00
Question9	75.00	15.00	5.00	0.00	5.00	65.00	25.00	10.00	0.00	0.00	80.00	10.00	10.00	0.00	8.00	85.00	10.00	0.00	5.00	8.00
Question10	75.00	20.00	0.00	5.00	0.00	75.00	15.00	10.00	0.00	0.00	60.00	40.00	0.00	0.00	9.00	70.00	25.00	5.00	0.00	9.00

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

EG (%)					PSAPP (%)					PSACLAB (%)					PSAPPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
90.00	10.00	0.00	0.00	0.00	85.00	5.00	0.00	5.00	5.00	80.00	10.00	0.00	5.00	5.00	90.00	10.00	0.00	0.00	0.00
65.00	35.00	0.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00	80.00	15.00	5.00	0.00	0.00	70.00	30.00	0.00	0.00	1.00
75.00	25.00	0.00	0.00	0.00	70.00	20.00	10.00	0.00	0.00	85.00	10.00	0.00	5.00	0.00	65.00	30.00	0.00	5.00	2.00
75.00	25.00	0.00	0.00	0.00	60.00	40.00	0.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	70.00	30.00	0.00	0.00	3.00
80.00	15.00	5.00	0.00	0.00	75.00	15.00	5.00	0.00	5.00	80.00	20.00	0.00	0.00	0.00	70.00	25.00	0.00	5.00	4.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

65.00	30.00	5.00	0.00	0.00	75.00	25.00	0.00	0.00	0.00	60.00	40.00	0.00	0.00	0.00	65.00	20.00	15.00	0.00	5.00
75.00	20.00	5.00	0.00	0.00	70.00	30.00	0.00	0.00	0.00	85.00	10.00	0.00	5.00	0.00	70.00	20.00	10.00	0.00	6.00
75.00	20.00	5.00	0.00	0.00	85.00	10.00	5.00	0.00	0.00	85.00	10.00	5.00	0.00	0.00	80.00	20.00	0.00	0.00	7.00
70.00	20.00	10.00	0.00	0.00	75.00	20.00	5.00	0.00	0.00	80.00	20.00	0.00	0.00	0.00	70.00	30.00	0.00	0.00	8.00
75.00	20.00	5.00	0.00	0.00	75.00	20.00	5.00	0.00	0.00	90.00	5.00	5.00	0.00	0.00	75.00	20.00	0.00	5.00	9.00

*PSAPP – Problem Solving and Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory, PACL – Physics and Chemistry Laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

Reshadeh

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

MECHANICAL ENGINEERING

NO OF STUDENTS: 18

BATCH: 2020-2024

YEAR/ SEMESTER: I / I

PERIOD: NOV – DEC 2020

Questions	CE (%)					EM - I (%)					EP (%)					EC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	88.89	11.11	0.00	0.00	0.00	88.89	11.11	0.00	0.00	0.00	83.33	16.67	0.00	0.00	0.00	66.67	27.78	0.00	5.56	0.00
Question2	72.22	27.78	0.00	0.00	0.00	72.22	27.78	0.00	0.00	0.00	94.44	5.56	0.00	0.00	0.00	77.78	16.67	0.00	5.56	0.00
Question3	72.22	27.78	0.00	0.00	0.00	61.11	33.33	5.56	0.00	0.00	77.78	22.22	0.00	0.00	0.00	77.78	16.67	0.00	5.56	0.00
Question4	88.89	11.11	0.00	0.00	0.00	83.33	16.67	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	72.22	22.22	0.00	5.56	0.00
Question5	72.22	22.22	5.56	0.00	0.00	83.33	16.67	0.00	0.00	0.00	83.33	16.67	0.00	0.00	0.00	77.78	16.67	0.00	5.56	0.00
Question6	61.11	38.89	0.00	0.00	0.00	77.78	16.67	5.56	0.00	0.00	77.78	22.22	0.00	0.00	0.00	83.33	11.11	0.00	5.56	0.00
Question7	77.78	16.67	5.56	0.00	0.00	88.89	11.11	0.00	0.00	0.00	72.22	27.78	0.00	0.00	0.00	88.89	5.56	0.00	5.56	0.00
Question8	77.78	22.22	0.00	0.00	0.00	88.89	11.11	0.00	0.00	0.00	77.78	22.22	0.00	0.00	0.00	77.78	16.67	0.00	5.56	0.00
Question9	88.89	11.11	0.00	0.00	0.00	94.44	5.56	0.00	0.00	0.00	94.44	5.56	0.00	0.00	0.00	77.78	16.67	0.00	5.56	0.00
Question10	100.00	0.00	0.00	0.00	0.00	94.44	5.56	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	94.44	0.00	0.00	5.56	0.00

*CE – Communicative English, EM I – Engineering Mathematics I, EP – Engineering Physics, EC – Engineering Chemistry

EG (%)					PSAPP (%)					PACLAB (%)					PSAPPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
83.33	16.67	0.00	0.00	0.00	83.33	16.67	0.00	0.00	0.00	88.89	5.56	0.00	5.56	0.00	94.44	5.56	0.00	0.00	0.00
88.89	11.11	0.00	0.00	1.00	77.78	22.22	0.00	0.00	0.00	88.89	5.56	0.00	5.56	0.00	88.89	11.11	0.00	0.00	0.00
83.33	11.11	5.56	0.00	2.00	77.78	22.22	0.00	0.00	0.00	77.78	16.67	0.00	5.56	0.00	77.78	22.22	0.00	0.00	0.00
83.33	16.67	0.00	0.00	3.00	72.22	27.78	0.00	0.00	0.00	88.89	5.56	0.00	5.56	0.00	83.33	16.67	0.00	0.00	0.00
88.89	5.56	5.56	0.00	4.00	83.33	16.67	0.00	0.00	0.00	94.44	0.00	0.00	5.56	0.00	94.44	5.56	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

83.33	11.11	5.56	0.00	5.00	77.78	22.22	0.00	0.00	0.00	88.89	5.56	0.00	5.56	0.00	83.33	16.67	0.00	0.00	0.00
72.22	27.78	0.00	0.00	6.00	83.33	16.67	0.00	0.00	0.00	88.89	5.56	0.00	5.56	0.00	88.89	11.11	0.00	0.00	0.00
77.78	16.67	5.56	0.00	7.00	72.22	27.78	0.00	0.00	0.00	72.22	22.22	0.00	5.56	0.00	88.89	11.11	0.00	0.00	0.00
100.00	0.00	0.00	0.00	8.00	77.78	22.22	0.00	0.00	0.00	83.33	11.11	0.00	5.56	0.00	88.89	11.11	0.00	0.00	0.00
88.89	11.11	0.00	0.00	9.00	88.89	11.11	0.00	0.00	0.00	88.89	5.56	0.00	5.56	0.00	94.44	5.56	0.00	0.00	0.00

*PSAPP – Problem Solving and Python Programming, EG – Engineering Graphics, PSAPPL – Problem Solving and Python Programming Laboratory, PACL – Physics and Chemistry Laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of first year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass

Dr. R. ARADIASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPLAYAM, PANRUTI – 607 106



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 42 (ECE)

PERIOD: JULY – NOV 2020

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	57.14	35.71	7.14	0.00	0.00
Question2	47.62	42.86	9.52	0.00	0.00
Question3	45.24	42.86	9.52	2.38	0.00
Question4	57.14	33.33	9.52	0.00	0.00
Question5	42.86	45.24	9.52	0.00	2.38
Question6	52.38	33.33	14.29	0.00	0.00
Question7	47.62	45.24	7.14	0.00	0.00
Question8	54.76	30.95	14.29	0.00	0.00
Question9	54.76	35.71	7.14	2.38	0.00
Question10	54.76	35.71	7.14	0.00	2.38

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradiass

Dr. R. ARADIASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTPALAYAM,

Siruvathur (Post), Panruti (T.k),

Cuddalore-(Dist), Pin: 607 110



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 16

BATCH: 2017 - 2021

YEAR/ SEMESTER: IV / VII

PERIOD: JULY – NOV 2020

Questions	AAME (%)					OC (%)					EARTS (%)					AWSN (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	68.75	25.00	6.25	0.00	0.00	50.00	50.00	0.00	0.00	0.00	68.75	31.25	0.00	0.00	0.00	50.00	37.50	12.50	0.00	0.00
Question2	56.25	31.25	12.50	0.00	0.00	31.25	68.75	0.00	0.00	0.00	43.75	56.25	0.00	0.00	0.00	37.50	43.75	18.75	0.00	0.00
Question3	56.25	37.50	6.25	0.00	0.00	31.25	62.50	6.25	0.00	0.00	75.00	25.00	0.00	0.00	0.00	43.75	37.50	12.50	0.00	6.25
Question4	62.50	25.00	12.50	0.00	0.00	50.00	43.75	6.25	0.00	0.00	50.00	43.75	6.25	0.00	0.00	31.25	62.50	6.25	0.00	0.00
Question5	56.25	31.25	12.50	0.00	0.00	37.50	56.25	6.25	0.00	0.00	75.00	18.75	6.25	0.00	0.00	56.25	25.00	18.75	0.00	0.00
Question6	68.75	25.00	6.25	0.00	0.00	37.50	56.25	0.00	6.25	0.00	43.75	50.00	6.25	0.00	0.00	37.50	43.75	18.75	0.00	0.00
Question7	62.50	31.25	6.25	0.00	0.00	25.00	56.25	12.50	0.00	6.25	62.50	37.50	0.00	0.00	0.00	50.00	31.25	18.75	0.00	0.00
Question8	75.00	25.00	0.00	0.00	0.00	37.50	56.25	6.25	0.00	0.00	62.50	37.50	0.00	0.00	0.00	31.25	56.25	12.50	0.00	0.00
Question9	50.00	43.75	6.25	0.00	0.00	37.50	56.25	6.25	0.00	0.00	62.50	37.50	0.00	0.00	0.00	56.25	37.50	6.25	0.00	0.00
Question10	68.75	25.00	6.25	0.00	0.00	37.50	56.25	6.25	0.00	0.00	56.25	43.75	0.00	0.00	0.00	37.50	56.25	6.25	0.00	0.00

*AAME - Antennas And Microwave Engineering, OC - Optical Communication, EARTS - Embedded And Real Time System, AWSN – ADHOC Wireless Sensor Network

MLA (%)					HM (%)					EL (%)					ACL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
50.00	43.75	6.25	0.00	0.00	56.25	43.75	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	43.75	50.00	6.25	0.00	0.00
31.25	62.50	6.25	0.00	0.00	56.25	43.75	0.00	0.00	0.00	43.75	56.25	0.00	0.00	0.00	31.25	62.50	6.25	0.00	0.00
37.50	50.00	12.50	0.00	0.00	56.25	43.75	0.00	0.00	0.00	68.75	31.25	0.00	0.00	0.00	56.25	31.25	12.50	0.00	0.00
37.50	56.25	6.25	0.00	0.00	56.25	37.50	6.25	0.00	0.00	56.25	43.75	0.00	0.00	0.00	31.25	50.00	18.75	0.00	0.00
50.00	37.50	12.50	0.00	0.00	68.75	25.00	6.25	0.00	0.00	68.75	25.00	6.25	0.00	0.00	43.75	43.75	12.50	0.00	0.00
43.75	43.75	12.50	0.00	0.00	68.75	31.25	0.00	0.00	0.00	50.00	43.75	6.25	0.00	0.00	43.75	43.75	12.50	0.00	0.00
56.25	25.00	18.75	0.00	0.00	50.00	37.50	12.50	0.00	0.00	50.00	50.00	0.00	0.00	0.00	43.75	37.50	18.75	0.00	0.00
37.50	43.75	18.75	0.00	0.00	62.50	37.50	0.00	0.00	0.00	37.50	56.25	6.25	0.00	0.00	31.25	56.25	12.50	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

56.25	37.50	6.25	0.00	0.00	68.75	25.00	6.25	0.00	0.00	62.50	31.25	6.25	0.00	0.00	50.00	50.00	0.00	0.00	0.00
50.00	43.75	6.25	0.00	0.00	62.50	37.50	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	37.50	56.25	6.25	0.00	0.00

*MLA - Machine Learning Algorithm, HM - Hospital Management, EL - Embedded Laboratory, ACL - Advanced Communication Laboratory

*Ex - Excellent VG - Very Good G - Good S - Satisfactory P - Poor



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good"

[Handwritten Signature]

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 16

BATCH: 2018 - 2022

YEAR/ SEMESTER: III / V

PERIOD: JULY – NOV 2020

Questions	DC (%)					DTSP (%)					ME (%)					APACE (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	43.75	56.25	0.00	0.00	0.00	68.75	18.75	12.50	0.00	0.00	75.00	18.75	6.25	0.00	0.00	56.25	31.25	6.25	6.25	0.00
Question2	50.00	50.00	0.00	0.00	0.00	43.75	56.25	0.00	0.00	0.00	37.50	62.50	0.00	0.00	0.00	68.75	18.75	12.50	0.00	0.00
Question3	56.25	37.50	6.25	0.00	0.00	43.75	50.00	0.00	6.25	0.00	37.50	50.00	12.50	0.00	0.00	37.50	50.00	12.50	0.00	0.00
Question4	62.50	31.25	6.25	0.00	0.00	62.50	31.25	6.25	0.00	0.00	56.25	43.75	0.00	0.00	0.00	37.50	62.50	0.00	0.00	0.00
Question5	56.25	43.75	0.00	0.00	0.00	37.50	37.50	18.75	6.25	0.00	62.50	18.75	18.75	0.00	0.00	56.25	18.75	18.75	0.00	6.25
Question6	43.75	43.75	12.50	0.00	0.00	37.50	50.00	12.50	0.00	0.00	43.75	50.00	6.25	0.00	0.00	68.75	12.50	12.50	6.25	0.00
Question7	43.75	43.75	6.25	6.25	0.00	37.50	62.50	0.00	0.00	0.00	50.00	25.00	25.00	0.00	0.00	43.75	31.25	18.75	6.25	0.00
Question8	56.25	18.75	25.00	0.00	0.00	31.25	43.75	18.75	6.25	0.00	37.50	62.50	0.00	0.00	0.00	56.25	37.50	6.25	0.00	0.00
Question9	50.00	31.25	18.75	0.00	0.00	68.75	25.00	6.25	0.00	0.00	50.00	31.25	18.75	0.00	0.00	62.50	25.00	12.50	0.00	0.00
Question10	56.25	25.00	18.75	0.00	0.00	43.75	56.25	0.00	0.00	0.00	43.75	43.75	12.50	0.00	0.00	81.25	6.25	6.25	6.25	0.00

* DC - Digital Communication, DTSP - Discrete Time Signal Processing, ME - Medical Electronics, APACE - Air Pollution and Control Engineering

CAAO (%)					CN (%)					CSL (%)					DSPL (%)					CNL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
68.75	31.25	0.00	0.00	0.00	56.25	37.50	6.25	0.00	0.00	87.50	6.25	6.25	0.00	0.00	75.00	18.75	6.25	0.00	0.00	75.00	18.75	6.25	0.00	0.00
50.00	50.00	0.00	0.00	0.00	56.25	37.50	0.00	6.25	0.00	43.75	50.00	6.25	0.00	0.00	37.50	56.25	0.00	6.25	0.00	37.50	56.25	6.25	0.00	0.00
56.25	25.00	18.75	0.00	0.00	37.50	50.00	6.25	6.25	0.00	43.75	43.75	6.25	6.25	0.00	62.50	31.25	6.25	0.00	0.00	68.75	25.00	6.25	0.00	0.00
56.25	43.75	0.00	0.00	0.00	56.25	31.25	6.25	6.25	0.00	31.25	62.50	6.25	0.00	0.00	50.00	37.50	12.50	0.00	0.00	43.75	56.25	0.00	0.00	0.00
43.75	37.50	12.50	0.00	6.25	43.75	50.00	0.00	6.25	0.00	50.00	50.00	0.00	0.00	0.00	50.00	18.75	31.25	0.00	0.00	50.00	50.00	0.00	0.00	0.00
62.50	31.25	0.00	6.25	0.00	43.75	50.00	6.25	0.00	0.00	56.25	43.75	0.00	0.00	0.00	50.00	43.75	6.25	0.00	0.00	56.25	25.00	12.50	6.25	0.00
37.50	50.00	6.25	6.25	0.00	50.00	31.25	12.50	6.25	0.00	50.00	43.75	6.25	0.00	0.00	50.00	31.25	18.75	0.00	0.00	50.00	43.75	6.25	0.00	0.00
50.00	43.75	6.25	0.00	0.00	50.00	31.25	18.75	0.00	0.00	43.75	56.25	0.00	0.00	0.00	50.00	43.75	6.25	0.00	0.00	62.50	18.75	18.75	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

68.75	25.00	6.25	0.00	0.00	62.50	25.00	12.50	0.00	0.00	62.50	37.50	0.00	0.00	0.00	50.00	43.75	6.25	0.00	0.00	56.25	31.25	0.00	6.25	6.2
56.25	37.50	6.25	0.00	0.00	62.50	25.00	12.50	0.00	0.00	37.50	62.50	0.00	0.00	0.00	68.75	25.00	6.25	0.00	0.00	50.00	37.50	6.25	6.25	0.0

*CAAO - Computer Architecture And Organization, CN - Communication Networks, CSL - Communication System Laboratory, DSPL - Digital Signal Processing Laboratory, CNL – Communication Networks Laboratory

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. Aradi

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Gururathur (Post), Panruti - (T.k).



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 10

BATCH: 2019 – 2023

YEAR/ SEMESTER: II /III

PERIOD: JULY – NOV 2020

Questions	LAAPD (%)					FODSIC (%)					EC - I (%)					SAS (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	60.00	30.00	10.00	0.00	0.00	80.00	20.00	0.00	0.00	0.00	80.00	10.00	10.00	0.00	0.00	80.00	20.00	0.00	0.00	0.00
Question2	50.00	30.00	20.00	0.00	0.00	30.00	20.00	50.00	0.00	0.00	40.00	40.00	20.00	0.00	0.00	60.00	40.00	0.00	0.00	0.00
Question3	50.00	30.00	10.00	10.00	0.00	70.00	20.00	10.00	0.00	0.00	80.00	20.00	0.00	0.00	0.00	80.00	20.00	0.00	0.00	0.00
Question4	60.00	30.00	10.00	0.00	0.00	30.00	20.00	40.00	10.00	0.00	40.00	50.00	10.00	0.00	0.00	50.00	30.00	20.00	0.00	0.00
Question5	80.00	10.00	10.00	0.00	0.00	60.00	20.00	20.00	0.00	0.00	80.00	10.00	0.00	10.00	0.00	80.00	20.00	0.00	0.00	0.00
Question6	50.00	40.00	10.00	0.00	0.00	30.00	50.00	20.00	0.00	0.00	40.00	30.00	30.00	0.00	0.00	50.00	40.00	10.00	0.00	0.00
Question7	70.00	20.00	0.00	10.00	0.00	70.00	20.00	10.00	0.00	0.00	70.00	20.00	0.00	10.00	0.00	60.00	30.00	10.00	0.00	0.00
Question8	50.00	40.00	10.00	0.00	0.00	40.00	30.00	30.00	0.00	0.00	30.00	50.00	10.00	10.00	0.00	60.00	20.00	10.00	10.00	0.00
Question9	60.00	20.00	20.00	0.00	0.00	70.00	10.00	10.00	0.00	10.00	80.00	20.00	0.00	0.00	0.00	80.00	10.00	0.00	0.00	10.00
Question10	70.00	20.00	10.00	0.00	0.00	30.00	40.00	30.00	0.00	0.00	40.00	40.00	20.00	0.00	0.00	60.00	20.00	10.00	0.00	10.00

*LAAPD - Linear Algebra and Partial Differential Equation, FODSIC - Fundamental of Data Structures In C, EC I – Electronic Circuits – I, SAS - Signals And Systems

DE (%)					CSE (%)					FODSL (%)					AADCL (%)					IPSLAS (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
60.00	10.00	10.00	20.00	0.00	70.00	30.00	0.00	0.00	0.00	80.00	10.00	10.00	0.00	0.00	70.00	10.00	10.00	10.00	0.00	70.00	20.00	10.00	0.00	0.00
40.00	60.00	0.00	0.00	0.00	40.00	40.00	0.00	10.00	10.00	40.00	60.00	0.00	0.00	0.00	60.00	40.00	0.00	0.00	0.00	30.00	60.00	10.00	0.00	0.00
60.00	20.00	10.00	0.00	10.00	50.00	30.00	20.00	0.00	0.00	60.00	30.00	10.00	0.00	0.00	40.00	40.00	10.00	10.00	0.00	70.00	20.00	10.00	0.00	0.00
50.00	30.00	20.00	0.00	0.00	40.00	60.00	0.00	0.00	0.00	50.00	30.00	20.00	0.00	0.00	50.00	30.00	10.00	0.00	10.00	50.00	30.00	10.00	0.00	10.00
70.00	20.00	0.00	10.00	0.00	50.00	30.00	10.00	10.00	0.00	50.00	30.00	10.00	0.00	10.00	40.00	60.00	0.00	0.00	0.00	60.00	20.00	10.00	0.00	10.00
60.00	20.00	10.00	0.00	10.00	50.00	30.00	10.00	0.00	10.00	40.00	30.00	20.00	10.00	0.00	40.00	20.00	20.00	10.00	10.00	30.00	20.00	30.00	10.00	10.00
70.00	0.00	20.00	10.00	0.00	50.00	30.00	10.00	10.00	0.00	50.00	20.00	20.00	0.00	10.00	70.00	10.00	10.00	0.00	10.00	50.00	20.00	20.00	0.00	10.00
40.00	60.00	0.00	0.00	0.00	30.00	50.00	10.00	0.00	10.00	40.00	20.00	20.00	0.00	20.00	40.00	40.00	0.00	10.00	10.00	30.00	60.00	10.00	0.00	0.00
60.00	30.00	0.00	10.00	0.00	70.00	10.00	20.00	0.00	0.00	50.00	20.00	10.00	10.00	10.00	60.00	30.00	0.00	10.00	0.00	70.00	0.00	10.00	10.00	10.00
50.00	50.00	0.00	0.00	0.00	50.00	40.00	10.00	0.00	0.00	60.00	20.00	10.00	0.00	10.00	50.00	50.00	0.00	0.00	0.00	40.00	40.00	20.00	0.00	0.00




ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

**Digital Electronics, Control Systems Engineering, Fundamentals of Data Structures Laboratory, Analog and Digital Circuits Laboratory, Inter Personal Skills/ Listening and Speaking*

**Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor*



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Aradi

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

(An ISO 9001: 2015 Certified Institution)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

PERIOD (2020-2021)
EVEN SEM



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: MECH

NO OF STUDENTS: 79

PERIOD: JAN – ^{Jun}DEC 2021

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	73.42	24.05	1.27	0.00	1.27
Question2	34.18	58.23	3.80	0.00	3.80
Question3	63.29	25.32	7.59	1.27	2.53
Question4	41.77	40.51	6.33	7.59	3.80
Question5	69.62	24.05	3.80	1.27	1.27
Question6	32.91	51.90	10.13	3.80	1.27
Question7	64.56	22.78	8.86	2.53	1.27
Question8	36.71	45.57	8.86	2.53	6.33
Question9	58.23	20.25	13.92	3.80	3.80
Question10	45.57	40.51	10.13	2.53	1.27

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that above 90% of feedback on department as “Excellent” and “Very Good”.

R. Aradiass
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
 St. Anne's College of Engineering & Technology



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 45

BATCH: 2017 - 2021

YEAR/ SEMESTER: IV / VIII

PERIOD: JAN – JUNE 2021

Questions	POM (%)					ED (%)					PW (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	57.78	37.78	4.44	0.00	0.00	46.67	44.44	4.44	2.22	2.22	62.22	26.67	6.67	2.22	2.22
Question2	28.89	64.44	2.22	4.44	0.00	28.89	64.44	2.22	0.00	4.44	31.11	57.78	2.22	6.67	2.22
Question3	40.00	44.44	8.89	2.22	4.44	53.33	33.33	8.89	2.22	2.22	55.56	35.56	4.44	2.22	2.22
Question4	20.00	60.00	8.89	6.67	4.44	26.67	60.00	6.67	0.00	6.67	35.56	51.11	11.11	0.00	2.22
Question5	31.11	51.11	6.67	6.67	4.44	35.56	37.78	8.89	8.89	8.89	42.22	46.67	6.67	0.00	4.44
Question6	26.67	51.11	6.67	4.44	11.11	33.33	44.44	8.89	0.00	13.33	46.67	33.33	4.44	8.89	6.67
Question7	44.44	42.22	4.44	2.22	6.67	26.67	46.67	17.78	2.22	6.67	42.22	33.33	8.89	6.67	8.89
Question8	42.22	48.89	4.44	2.22	2.22	44.44	46.67	6.67	2.22	0.00	33.33	42.22	11.11	6.67	6.67
Question9	51.11	42.22	0.00	0.00	6.67	66.67	22.22	2.22	2.22	6.67	42.22	31.11	20.00	2.22	4.44
Question10	42.22	46.67	4.44	0.00	6.67	48.89	35.56	8.89	2.22	4.44	51.11	33.33	2.22	8.89	4.44

*POM – Principles of Management, ED – Entrepreneurship Development, PW – Project Work


*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.

**ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY**

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO OF STUDENTS: 17**BATCH: 2019 - 2023****YEAR/ SEMESTER: III / IV****PERIOD: JAN – JUNE 2021**

Questions	SANM (%)					KOM (%)					MT – II (%)					EM (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	76.47	17.65	0.00	5.88	0.00	70.59	29.41	0.00	0.00	0.00	64.71	29.41	5.88	0.00	0.00	64.71	35.29	0.00	0.00	0.00
Question2	52.94	41.18	0.00	5.88	0.00	58.82	41.18	0.00	0.00	0.00	52.94	41.18	5.88	0.00	0.00	64.71	35.29	0.00	0.00	0.00
Question3	64.71	23.53	0.59	0.00	5.88	58.82	29.41	11.76	0.00	0.00	64.71	35.29	0.00	0.00	0.00	47.06	41.18	11.76	0.00	0.00
Question4	41.18	52.94	0.59	0.00	0.00	47.06	52.94	0.00	0.00	0.00	52.94	47.06	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00
Question5	58.82	35.29	0.00	0.00	5.88	47.06	35.29	11.76	0.00	5.88	47.06	47.06	5.88	0.00	0.00	41.18	47.06	11.76	0.00	0.00
Question6	52.94	41.18	0.00	5.88	0.00	52.94	29.41	5.88	0.00	11.76	52.94	41.18	5.88	0.00	0.00	64.71	35.29	0.00	0.00	0.00
Question7	41.18	47.06	0.59	0.00	5.88	47.06	41.18	5.88	0.00	5.88	47.06	41.18	11.76	0.00	0.00	47.06	47.06	5.88	0.00	0.00
Question8	52.94	35.29	1.18	0.00	0.00	41.18	47.06	5.88	0.00	5.88	58.82	29.41	11.76	0.00	0.00	64.71	17.65	17.65	0.00	0.00
Question9	52.94	41.18	0.00	0.00	5.88	47.06	41.18	11.76	0.00	0.00	52.94	47.06	0.00	0.00	0.00	41.18	52.94	5.88	0.00	0.00
Question10	58.82	41.18	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00	64.71	23.53	11.76	0.00	0.00

*SANM - Statistics and Numerical Methods, KOM - Kinematics Of Machinery, MT – II - Manufacturing Technology – II, EM - Engineering Metallurgy

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

SOMFME (%)					TE – I (%)					MTL – II (%)					SOMAFMAML (%)					ARAW (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
76.47	23.52	0.00	0.00	0.00	58.82	35.29	5.88	0.00	0.00	64.71	35.29	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00	52.94	41.18	0.00	0.00	5.88
47.05	47.05	5.82	0.00	0.00	52.94	47.06	0.00	0.00	0.00	35.29	64.71	0.00	0.00	0.00	76.47	23.53	0.00	0.00	0.00	76.47	23.53	0.00	0.00	0.00
52.94	35.29	11.76	0.00	0.00	58.82	41.18	0.00	0.00	0.00	52.94	35.29	11.76	0.00	0.00	41.18	52.94	5.88	0.00	0.00	47.06	52.94	0.00	0.00	0.00
52.94	47.05	0.00	0.00	0.00	64.71	29.41	5.88	0.00	0.00	52.94	35.29	5.88	5.88	0.00	58.82	41.18	0.00	0.00	0.00	64.71	29.41	5.88	0.00	0.00
70.588	23.52	5.88	0.00	0.00	52.94	47.06	0.00	0.00	0.00	52.94	41.18	0.00	0.00	5.88	64.71	29.41	5.88	0.00	0.00	35.29	52.94	11.76	0.00	0.00
58.82	35.29	5.88	0.00	0.00	47.06	41.18	5.88	0.00	5.88	52.94	35.29	11.76	0.00	0.00	58.82	35.29	0.00	5.88	0.00	64.71	29.41	5.88	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

52.94	35.29	5.88	0.00	5.88	41.18	58.82	0.00	0.00	0.00	47.06	47.06	5.88	0.00	0.00	58.82	41.18	0.00	0.00	0.00	47.06	47.06	5.88	0.00	0.00
64.70	23.52	11.76	0.00	0.00	52.94	35.29	5.88	0.00	5.88	64.71	35.29	0.00	0.00	0.00	52.94	41.18	5.88	0.00	0.00	76.47	17.65	0.00	5.88	0.00
58.82	41.17	0.00	0.00	0.00	41.18	58.82	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00	41.18	52.94	0.00	5.88	0.00	47.06	41.18	11.76	0.00	0.00
70.58	23.52	5.88	0.00	0.00	47.06	52.94	0.00	0.00	0.00	58.82	29.41	5.88	0.00	5.88	70.59	23.53	5.88	0.00	0.00	76.47	17.65	5.88	0.00	0.00

* SOMFME - Strength Of Materials For Mechanical Engineers, TE – I - Thermal Engineering- I, MTL – II - Manufacturing Technology Lab – II, SOMAFMAML - Strength Of Materials And Fluid Mechanics And Machinery Lab, ARAW - Advanced Reading And Writing

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology

ANGUCHETTYPLAYAM, PANRUTI - 607 106



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO OF STUDENTS: 17

BATCH: 2018 - 2022

YEAR/ SEMESTER: II /VI

PERIOD: JAN - JUNE 2021

Questions	DOTS (%)					CADAM (%)					HAMT (%)					FEA (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	88.24	11.76	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00
Question2	23.53	76.47	0.00	0.00	0.00	47.06	52.94	0.00	0.00	0.00	17.65	82.35	0.00	0.00	0.00	35.29	64.71	0.00	0.00	0.00
Question3	70.59	29.41	0.00	0.00	0.00	76.47	23.53	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00	52.94	47.06	0.00	0.00	0.00
Question4	35.29	64.71	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	29.41	58.82	11.76	0.00	0.00	41.18	52.94	5.88	0.00	0.00
Question5	76.47	23.53	0.00	0.00	0.00	76.47	17.65	5.88	0.00	0.00	58.82	35.29	5.88	0.00	0.00	47.06	47.06	5.88	0.00	0.00
Question6	41.18	58.82	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	35.29	58.82	5.88	0.00	0.00
Question7	82.35	17.65	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00	58.82	35.29	5.88	0.00	0.00	47.06	52.94	0.00	0.00	0.00
Question8	29.41	70.59	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	23.53	76.47	0.00	0.00	0.00	41.18	47.06	11.76	0.00	0.00
Question9	76.47	23.53	0.00	0.00	0.00	52.94	47.06	0.00	0.00	0.00	47.06	47.06	5.88	0.00	0.00	29.41	64.71	0.00	0.00	5.88
Question10	41.18	58.82	0.00	0.00	0.00	29.41	58.82	11.76	0.00	0.00	47.06	52.94	0.00	0.00	0.00	47.06	35.29	17.65	0.00	0.00

*DOTS - Design Of Transmission Systems, CADAM - Computer Aided Design And Manufacturing, HAMT - Heat And Mass Transfer, FEA - Finite Element Analysis

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

HAP (%)					AE (%)					C/CL (%)					DAFP (%)					PC (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
76.47	23.53	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00
47.06	52.94	0.00	0.00	0.00	23.53	76.47	0.00	0.00	0.00	23.53	76.47	0.00	0.00	0.00	23.53	76.47	0.00	0.00	0.00	5.88	94.12	0.00	0.00	0.00
64.71	29.41	5.88	0.00	0.00	70.59	29.41	0.00	0.00	0.00	88.24	11.76	0.00	0.00	0.00	82.35	17.65	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00
29.41	70.59	0.00	0.00	0.00	35.29	64.71	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	23.53	76.47	0.00	0.00	0.00	5.88	94.12	0.00	0.00	0.00
58.82	41.18	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00	64.71	29.41	5.88	0.00	0.00	82.35	17.65	0.00	0.00	0.00	70.59	29.41	0.00	0.00	0.00
29.41	70.59	0.00	0.00	0.00	17.65	76.47	5.88	0.00	0.00	41.18	58.82	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	17.65	82.35	0.00	0.00	0.00
70.59	17.65	5.88	0.00	5.88	76.47	23.53	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00	64.71	35.29	0.00	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

23.53	64.71	5.88	0.00	5.88	23.53	76.47	0.00	0.00	0.00	47.06	52.94	0.00	0.00	0.00	17.65	82.35	0.00	0.00	0.00	0.00	94.12	5.88	0.00	0.00
76.47	17.65	5.88	0.00	0.00	58.82	35.29	5.88	0.00	0.00	58.82	41.18	0.00	0.00	0.00	52.94	47.06	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00
29.41	70.59	0.00	0.00	0.00	41.18	58.82	0.00	0.00	0.00	29.41	70.59	0.00	0.00	0.00	23.53	76.47	0.00	0.00	0.00	23.53	76.47	0.00	0.00	0.00

*HAP - Hydraulics And Pneumatics, AE - Automobile Engineering, CCL - Cad / Cam Laboratory, DAFP - Design And Fabrication Project, PC - Professional Communication

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPLAYAM



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: S&H

NO OF STUDENTS: 88

PERIOD: APR – MAY 2021

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	61.36	26.14	9.09	2.27	1.14
Question2	59.09	30.68	7.95	1.14	1.14
Question3	57.95	25.00	11.36	4.55	1.14
Question4	61.36	23.86	7.95	4.55	2.27
Question5	55.68	29.55	9.09	4.55	1.14
Question6	57.95	27.27	6.82	6.82	1.14
Question7	60.23	26.14	10.23	2.27	1.14
Question8	57.95	28.41	9.09	3.41	1.14
Question9	67.05	20.45	7.95	3.41	1.14
Question10	56.82	32.95	5.68	3.41	1.14

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that above 90% of feedback on department as “Excellent” and “Very Good”.

R. Aporkiadass

DR. R. APORKIADASS, M.E., Ph.D.,

Principal,

St. Anne's College of Engineering & Technology,

ANGUCHETTPALAYAM,

Siruvathur-(Post), Panruti-(T.k),

Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

ELECTRICAL AND COMMUNICATION ENGINEERING

NO OF STUDENTS: 13 BATCH: 2020 - 2024 YEAR/ SEMESTER: I / II PERIOD: APR – MAY 2021

Questions	TE (%)					EM - II (%)					PFEE (%)					BE,EAIE (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	53.85	38.46	7.69	0.00	0.00	69.23	23.08	7.69	0.00	0.00	69.23	30.77	0.00	0.00	0.00	84.62	15.38	0.00	0.00	0.00
Question2	53.85	38.46	7.69	0.00	0.00	38.46	53.85	7.69	0.00	0.00	61.54	38.46	0.00	0.00	0.00	53.85	46.15	0.00	0.00	0.00
Question3	53.85	38.46	7.69	0.00	0.00	38.46	38.46	23.08	0.00	0.00	61.54	30.77	7.69	0.00	0.00	53.85	38.46	7.69	0.00	0.00
Question4	53.85	38.46	7.69	0.00	0.00	46.15	38.46	15.38	0.00	0.00	61.54	30.77	7.69	0.00	0.00	30.77	61.54	7.69	0.00	0.00
Question5	69.23	23.08	7.69	0.00	0.00	46.15	38.46	15.38	0.00	0.00	69.23	30.77	0.00	0.00	0.00	30.77	61.54	7.69	0.00	0.00
Question6	61.54	38.46	0.00	0.00	0.00	46.15	30.77	23.08	0.00	0.00	69.23	30.77	0.00	0.00	0.00	76.92	23.08	0.00	0.00	0.00
Question7	61.54	30.77	7.69	0.00	0.00	46.15	38.46	7.69	7.69	0.00	69.23	30.77	0.00	0.00	0.00	53.85	38.46	7.69	0.00	0.00
Question8	61.54	38.46	0.00	0.00	0.00	38.46	46.15	15.38	0.00	0.00	61.54	30.77	7.69	0.00	0.00	53.85	38.46	7.69	0.00	0.00
Question9	61.54	30.77	7.69	0.00	0.00	46.15	38.46	15.38	0.00	0.00	69.23	30.77	0.00	0.00	0.00	61.54	30.77	7.69	0.00	0.00
Question10	61.54	30.77	0.00	7.69	0.00	53.85	38.46	7.69	0.00	0.00	76.92	23.08	0.00	0.00	0.00	61.54	38.46	0.00	0.00	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

CA (%)					ED (%)					CADLAB (%)					EPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
38.46	46.15	15.38	0.00	0.00	76.92	23.08	0.00	0.00	0.00	84.62	15.38	0.00	0.00	0.00	61.54	30.77	7.69	0.00	0.00
46.15	38.46	15.38	0.00	0.00	69.23	30.77	0.00	0.00	0.00	69.23	30.77	0.00	0.00	0.00	46.15	46.15	7.69	0.00	0.00
46.15	38.46	15.38	0.00	0.00	76.92	23.08	0.00	0.00	0.00	69.23	23.08	7.69	0.00	0.00	61.54	30.77	7.69	0.00	0.00
38.46	53.85	7.69	0.00	0.00	53.85	46.15	0.00	0.00	0.00	53.85	46.15	0.00	0.00	0.00	38.46	61.54	0.00	0.00	0.00
38.46	53.85	7.69	0.00	0.00	53.85	46.15	0.00	0.00	0.00	46.15	46.15	0.00	7.69	0.00	46.15	53.85	0.00	0.00	0.00
53.85	38.46	7.69	0.00	0.00	61.54	30.77	0.00	7.69	0.00	53.85	46.15	0.00	0.00	0.00	38.46	61.54	0.00	0.00	0.00
30.77	53.85	15.38	0.00	0.00	76.92	23.08	0.00	0.00	0.00	61.54	23.08	15.38	0.00	0.00	53.85	38.46	7.69	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106


38.46	53.85	7.69	0.00	0.00	76.92	23.08	0.00	0.00	0.00	53.85	38.46	7.69	0.00	0.00	38.46	46.15	15.38	0.00	0.00
23.08	61.54	15.38	0.00	0.00	76.92	23.08	0.00	0.00	0.00	69.23	23.08	7.69	0.00	0.00	61.54	23.08	7.69	7.69	0.00
53.85	46.15	0.00	0.00	0.00	69.23	30.77	0.00	0.00	0.00	69.23	30.77	0.00	0.00	0.00	53.85	38.46	0.00	7.69	0.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

PERIOD: APR – MAY 2021

YEAR/ SEMESTER: I / II



It is observed from the graph that more than 90% of second first year students' feedback on subject as "Excellent" and "Very Good".

R. Arakladass
Dr. R. ARAKLADASS, M.E., Ph.D.,
 Principal,
 St. Anne's College of Engineering & Technology,
 ANGUCHETTYPLAYAM, PANRUTI - 607 106.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

COMPUTER SCIENCE AND ENGINEERING

NO OF STUDENTS: 37

BATCH: 2020 – 2024

YEAR/ SEMESTER: I / II

PERIOD: APR – MAY 2021

Questions	TE (%)					EM - II (%)					PFIS (%)					BE, EAME (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	72.97	18.92	2.70	5.41	0.00	62.16	27.03	2.70	8.11	0.00	72.97	24.32	2.70	0.00	0.00	56.76	27.03	10.81	2.70	2.70
Question2	62.16	32.43	2.70	0.00	2.70	56.76	27.03	13.51	0.00	2.70	59.46	29.73	8.11	2.70	0.00	51.35	24.32	18.92	5.41	0.00
Question3	54.05	37.84	5.41	2.70	0.00	59.46	27.03	8.11	5.41	0.00	64.86	27.03	8.11	0.00	0.00	54.05	18.92	18.92	5.41	2.70
Question4	56.76	37.84	2.70	0.00	2.70	56.76	21.62	13.51	5.41	2.70	70.27	16.22	10.81	2.70	0.00	51.35	32.43	10.81	2.70	2.70
Question5	62.16	29.73	5.41	2.70	0.00	51.35	35.14	5.41	5.41	2.70	62.16	27.03	8.11	2.70	0.00	48.65	21.62	16.22	8.11	5.41
Question6	51.35	37.84	8.11	0.00	2.70	62.16	21.62	10.81	2.70	2.70	64.86	29.73	5.41	0.00	0.00	51.35	27.03	13.51	8.11	0.00
Question7	62.16	24.32	10.81	2.70	0.00	56.76	35.14	5.41	2.70	0.00	59.46	21.62	18.92	0.00	0.00	48.65	21.62	24.32	2.70	2.70
Question8	64.86	29.73	2.70	0.00	2.70	48.65	35.14	5.41	8.11	2.70	62.16	21.62	10.81	5.41	0.00	48.65	32.43	10.81	5.41	2.70
Question9	64.86	24.32	5.41	5.41	0.00	56.76	32.43	2.70	2.70	5.41	67.57	21.62	10.81	0.00	0.00	48.65	24.32	13.51	10.81	2.70
Question10	64.86	27.03	5.41	0.00	2.70	59.46	29.73	2.70	5.41	2.70	67.57	24.32	8.11	0.00	0.00	64.86	21.62	8.11	5.41	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

ESAE (%)					PIC (%)					CPLAB (%)					EPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
41.67	4.17	8.33	0.00	0.00	72.97	18.92	5.41	2.70	0.00	64.86	27.03	2.70	2.70	2.70	62.16	21.62	10.81	0.00	5.41
52.38	9.52	0.00	14.29	0.00	64.86	18.92	13.51	0.00	2.70	62.16	24.32	8.11	0.00	5.41	54.05	32.43	8.11	2.70	2.70
45.45	9.09	13.64	0.00	0.00	62.16	29.73	5.41	2.70	0.00	56.76	37.84	2.70	2.70	0.00	62.16	24.32	10.81	0.00	2.70
45.45	9.09	4.55	9.09	0.00	62.16	24.32	10.81	0.00	2.70	56.76	24.32	13.51	2.70	2.70	62.16	18.92	13.51	2.70	2.70
50.00	25.00	10.00	0.00	0.00	54.05	37.84	5.41	2.70	0.00	67.57	21.62	8.11	2.70	0.00	54.05	35.14	5.41	2.70	2.70
39.13	17.39	0.00	4.35	0.00	62.16	21.62	8.11	5.41	2.70	54.05	32.43	10.81	0.00	2.70	59.46	24.32	10.81	2.70	2.70
36.36	18.18	9.09	4.55	0.00	56.76	24.32	10.81	5.41	2.70	67.57	13.51	16.22	2.70	0.00	59.46	24.32	13.51	2.70	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

39.13	8.70	8.70	4.35	0.00	59.46	24.32	10.81	0.00	5.41	59.46	27.03	10.81	0.00	2.70	59.46	21.62	16.22	2.70	0.00
45.00	20.00	20.00	0.00	0.00	62.16	27.03	5.41	2.70	2.70	62.16	24.32	8.11	5.41	0.00	59.46	29.73	8.11	0.00	2.70
25.93	7.41	0.00	3.70	0.00	64.86	21.62	8.11	5.41	0.00	62.16	24.32	5.41	2.70	5.41	56.76	29.73	10.81	2.70	0.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory


*EX – Excellent

VG – Very Good

G – Good

S – Satisfactory

P – Poor



It is observed from the graph that more than 90% of second first year students' feedback on subject as "Excellent" and "Very Good".

R. Aradi
Dr. R. AROKIADASS, M.E., Ph.D.
Principal,
St. Anne's College of Engineering & Technology
ANGUCHETTYPLAYAM, PANRUTI - 607 106



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

ELECTRICAL AND ELECTRONIC ENGINEERING

NO OF STUDENTS: 20 BATCH: 2020 - 2024 YEAR/ SEMESTER: I / II

PERIOD: APR – MAY 2021

Questions	TE (%)					EM - II (%)					PFEE (%)					ESAE (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	45.00	20.00	25.00	10.00	0.00	65.00	30.00	5.00	0.00	0.00	65.00	30.00	5.00	0.00	0.00	60.00	30.00	10.00	0.00	0.00
Question2	45.00	25.00	25.00	5.00	0.00	45.00	35.00	15.00	5.00	0.00	45.00	35.00	15.00	5.00	0.00	60.00	35.00	5.00	0.00	0.00
Question3	45.00	15.00	25.00	10.00	5.00	60.00	30.00	10.00	0.00	0.00	40.00	45.00	10.00	5.00	0.00	60.00	35.00	5.00	0.00	0.00
Question4	45.00	25.00	25.00	5.00	0.00	40.00	40.00	15.00	5.00	0.00	55.00	20.00	20.00	5.00	0.00	55.00	35.00	10.00	0.00	0.00
Question5	40.00	25.00	25.00	10.00	0.00	50.00	35.00	15.00	0.00	0.00	45.00	40.00	15.00	0.00	0.00	55.00	35.00	10.00	0.00	0.00
Question6	40.00	25.00	30.00	5.00	0.00	50.00	35.00	15.00	0.00	0.00	65.00	15.00	20.00	0.00	0.00	60.00	20.00	15.00	0.00	5.00
Question7	40.00	30.00	20.00	10.00	0.00	50.00	40.00	10.00	0.00	0.00	55.00	30.00	10.00	0.00	5.00	60.00	15.00	20.00	5.00	0.00
Question8	35.00	40.00	20.00	5.00	0.00	50.00	45.00	5.00	0.00	0.00	65.00	20.00	10.00	0.00	5.00	55.00	30.00	15.00	0.00	0.00
Question9	40.00	20.00	30.00	10.00	0.00	50.00	35.00	15.00	0.00	0.00	55.00	30.00	15.00	0.00	0.00	60.00	15.00	20.00	5.00	0.00
Question10	35.00	40.00	15.00	5.00	5.00	55.00	30.00	15.00	0.00	0.00	45.00	45.00	10.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

BCAME (%)					CT (%)					ECLAB (%)					EPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
50.00	35.00	15.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00	55.00	25.00	20.00	0.00	0.00	45.00	30.00	15.00	5.00	5.00
35.00	40.00	20.00	5.00	0.00	50.00	25.00	15.00	10.00	0.00	60.00	25.00	15.00	0.00	0.00	45.00	25.00	25.00	0.00	5.00
40.00	40.00	20.00	0.00	0.00	60.00	35.00	5.00	0.00	0.00	45.00	40.00	15.00	0.00	0.00	40.00	35.00	20.00	5.00	0.00
40.00	40.00	15.00	5.00	0.00	55.00	30.00	5.00	10.00	0.00	50.00	35.00	15.00	0.00	0.00	40.00	45.00	15.00	0.00	0.00
35.00	40.00	25.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	45.00	40.00	15.00	0.00	0.00	35.00	30.00	15.00	15.00	5.00
45.00	30.00	20.00	0.00	5.00	65.00	30.00	5.00	0.00	0.00	45.00	35.00	15.00	0.00	5.00	45.00	30.00	20.00	5.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

40.00	40.00	15.00	0.00	5.00	50.00	40.00	10.00	0.00	0.00	45.00	35.00	20.00	0.00	0.00	30.00	45.00	15.00	10.00	0.00
40.00	40.00	20.00	0.00	0.00	60.00	25.00	15.00	0.00	0.00	55.00	25.00	20.00	0.00	0.00	40.00	30.00	25.00	5.00	0.00
45.00	25.00	30.00	0.00	0.00	55.00	30.00	10.00	0.00	5.00	50.00	40.00	10.00	0.00	0.00	30.00	40.00	15.00	5.00	10.00
40.00	50.00	10.00	0.00	0.00	65.00	20.00	10.00	5.00	0.00	50.00	40.00	10.00	0.00	0.00	40.00	35.00	20.00	0.00	5.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory

*EX – Excellent

VG – Very Good


G – Good

S – Satisfactory

P – Poor

PERIOD: APR – MAY 2021

YEAR/ SEMESTER: I / II



It is observed from the graph that more than 90% of second first year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass
DR. R. AROKIADASS, M.E., Ph.D.,
 Principal,
 St. Anne's College of Engineering & Technology,
 Anguchettyplayam, Panruti - 607 106.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

MECHANICAL ENGINEERING

NO OF STUDENTS: 18

BATCH: 2020 - 2024

YEAR/ SEMESTER: I / II

PERIOD: APR – MAY 2021

Questions	TE (%)					EM - II (%)					MS (%)					EM (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	50.00	33.33	5.56	11.11	0.00	50.00	38.89	5.56	0.00	5.56	44.44	22.22	22.22	0.00	11.11	44.44	33.33	16.67	5.56	0.00
Question2	33.33	38.89	11.11	16.67	0.00	44.44	38.89	5.56	11.11	0.00	38.89	38.89	11.11	5.56	5.56	22.22	44.44	27.78	5.56	0.00
Question3	33.33	38.89	11.11	11.11	5.56	33.33	38.89	16.67	11.11	0.00	50.00	16.67	27.78	0.00	5.56	27.78	50.00	16.67	5.56	0.00
Question4	44.44	33.33	0.00	22.22	0.00	44.44	50.00	0.00	5.56	0.00	27.78	44.44	0.00	22.22	5.56	27.78	50.00	11.11	11.11	0.00
Question5	44.44	33.33	11.11	11.11	0.00	50.00	33.33	11.11	5.56	0.00	44.44	22.22	22.22	0.00	11.11	38.89	27.78	11.11	22.22	0.00
Question6	38.89	27.78	11.11	22.22	0.00	44.44	38.89	5.56	11.11	0.00	22.22	33.33	16.67	11.11	16.67	44.44	27.78	11.11	16.67	0.00
Question7	50.00	27.78	11.11	11.11	0.00	44.44	27.78	22.22	5.56	0.00	27.78	38.89	16.67	11.11	5.56	44.44	33.33	11.11	11.11	0.00
Question8	38.89	33.33	11.11	16.67	0.00	33.33	44.44	0.00	22.22	0.00	16.67	44.44	11.11	16.67	11.11	33.33	44.44	5.56	16.67	0.00
Question9	33.33	33.33	16.67	16.67	0.00	44.44	27.78	11.11	11.11	5.56	33.33	27.78	27.78	5.56	5.56	33.33	38.89	16.67	11.11	0.00
Question10	50.00	22.22	16.67	11.11	0.00	55.56	33.33	5.56	5.56	0.00	50.00	22.22	5.56	16.67	5.56	44.44	27.78	11.11	16.67	0.00

*TE – Technical English, EM II – Engineering Mathematics II, MS – Materials Science, BEEAIE – Basic Electrical, Electronics And Instrumentation Engineering

BE, EAIE (%)					ESAE (%)					BE, EAIELAB (%)					EPLAB (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
61.11	27.78	11.11	0.00	0.00	61.11	16.67	16.67	5.56	0.00	55.56	16.67	16.67	11.11	0.00	61.11	22.22	16.67	0.00	0.00
38.89	50.00	5.56	5.56	0.00	33.33	50.00	5.56	5.56	5.56	44.44	50.00	5.56	0.00	0.00	44.44	44.44	11.11	0.00	0.00
38.89	44.44	11.11	5.56	0.00	38.89	27.78	27.78	5.56	0.00	38.89	38.89	16.67	5.56	0.00	44.44	44.44	11.11	0.00	0.00
50.00	33.33	16.67	0.00	0.00	44.44	16.67	22.22	11.11	5.56	55.56	16.67	22.22	5.56	0.00	55.56	38.89	0.00	5.56	0.00
55.56	38.89	5.56	0.00	0.00	50.00	27.78	16.67	5.56	0.00	44.44	38.89	11.11	5.56	0.00	61.11	22.22	11.11	5.56	0.00
55.56	33.33	5.56	0.00	5.56	44.44	27.78	16.67	11.11	0.00	50.00	27.78	16.67	0.00	5.56	44.44	44.44	5.56	5.56	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

66.67	22.22	11.11	0.00	0.00	44.44	38.89	16.67	0.00	0.00	50.00	27.78	11.11	5.56	5.56	50.00	33.33	5.56	11.11	0.00
44.44	38.89	5.56	11.11	0.00	33.33	33.33	27.78	5.56	0.00	50.00	27.78	5.56	11.11	5.56	44.44	38.89	11.11	5.56	0.00
66.67	22.22	11.11	0.00	0.00	50.00	27.78	22.22	0.00	0.00	55.56	16.67	11.11	16.67	0.00	66.67	22.22	0.00	11.11	0.00
50.00	38.89	5.56	5.56	0.00	55.56	27.78	11.11	5.56	0.00	55.56	16.67	27.78	0.00	0.00	61.11	27.78	5.56	5.56	0.00

*ESAE – Environmental Science and Engineering, PIC – Programming in C, EPL – Engineering Practices Laboratory, CPL – C Programming laboratory

*EX – Excellent

VG – Very Good


G – Good

S – Satisfactory

P – Poor

PERIOD: APR – MAY 2021

YEAR/ SEMESTER: I / II



It is observed from the graph that more than 90% of second first year students' feedback on subject as "Excellent" and "Very Good".

R. Aradi
DR. R. AROKIADASS, M.E., Ph.D.,
 Principal,
 St. Anne's College of Engineering & Technology,
 ANGUCHETTYPALAYAM,
 PANRUTI - 607 106



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT


DEPARTMENT: EEE

NO OF STUDENTS: 59

PERIOD: APR – MAY 2021

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	94.92	3.39	0.00	1.69	0.00
Question2	47.46	49.15	3.39	0.00	0.00
Question3	72.88	25.42	1.69	0.00	0.00
Question4	61.02	35.59	3.39	0.00	0.00
Question5	59.32	37.29	3.39	0.00	0.00
Question6	69.49	28.81	1.69	0.00	0.00
Question7	71.19	27.12	1.69	0.00	0.00
Question8	76.27	20.34	3.39	0.00	0.00
Question9	84.75	15.25	0.00	0.00	0.00
Question10	79.66	13.56	6.78	0.00	0.00

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that around 90% of feedback on department as “Excellent” and “Very Good”.

R. Arakiadass
Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St Anne's College of Engineering and Technology



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 20

BATCH: 2017-2021

YEAR/ SEMESTER: IV / VIII

PERIOD: APRIL -MAY 2021

Questions	MBSD (%)					POM (%)					PW (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	90.00	0.00	5.00	0.00	5.00	75.00	25.00	0.00	0.00	0.00	75.00	20.00	0.00	5.00	0.00
Question2	40.00	50.00	5.00	5.00	0.00	40.00	50.00	0.00	10.00	0.00	55.00	40.00	0.00	0.00	5.00
Question3	70.00	25.00	5.00	0.00	0.00	50.00	45.00	5.00	0.00	0.00	60.00	30.00	0.00	10.00	0.00
Question4	60.00	35.00	0.00	5.00	0.00	65.00	35.00	0.00	0.00	0.00	60.00	35.00	0.00	0.00	5.00
Question5	55.00	40.00	5.00	0.00	0.00	50.00	40.00	0.00	5.00	5.00	50.00	40.00	10.00	0.00	0.00
Question6	35.00	50.00	10.00	0.00	5.00	55.00	25.00	15.00	5.00	0.00	65.00	30.00	5.00	0.00	0.00
Question7	45.00	40.00	15.00	0.00	0.00	55.00	35.00	10.00	0.00	0.00	55.00	35.00	10.00	0.00	0.00
Question8	60.00	30.00	0.00	5.00	5.00	50.00	45.00	0.00	5.00	0.00	55.00	40.00	5.00	0.00	0.00
Question9	65.00	30.00	0.00	0.00	5.00	75.00	25.00	0.00	0.00	0.00	55.00	40.00	5.00	0.00	0.00
Question10	55.00	35.00	0.00	10.00	0.00	70.00	30.00	0.00	0.00	0.00	75.00	25.00	0.00	0.00	0.00

* MBSD - Microcontroller Based System Design, POM - Principles of Management, PW - Project Work


* Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Sivakasi (T.K),
Cuddalore (Dist).

NO OF STUDENTS: 22

BATCH: 2018-2022

YEAR/ SEMESTER: III / VI

PERIOD: APRIL -MAY 2021

Questions	SSD (%)					PAS (%)					ES (%)					DOEA (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	68.18	22.73	9.09	0.00	0.00	72.73	13.64	13.64	0.00	0.00	72.73	18.18	9.09	0.00	0.00	77.27	13.64	9.09	0.00	0.00
Question2	45.45	36.36	18.18	0.00	0.00	50.00	40.91	9.09	0.00	0.00	72.73	13.64	13.64	0.00	0.00	45.45	40.91	13.64	0.00	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

Question3	50.00	36.36	13.64	0.00	0.00	50.00	40.91	4.55	0.00	4.55	36.36	50.00	13.64	0.00	0.00	54.55	31.82	13.64	0.00	0.00
Question4	45.45	27.27	22.73	4.55	0.00	68.18	18.18	13.64	0.00	0.00	59.09	31.82	4.55	4.55	0.00	54.55	36.36	9.09	0.00	0.00
Question5	59.09	27.27	13.64	0.00	0.00	59.09	27.27	13.64	0.00	0.00	50.00	31.82	9.09	4.55	4.55	45.45	40.91	13.64	0.00	0.00
Question6	45.45	40.91	13.64	0.00	0.00	63.64	27.27	9.09	0.00	0.00	50.00	36.36	9.09	4.55	0.00	45.45	50.00	4.55	0.00	0.00
Question7	59.09	31.82	4.55	4.55	0.00	59.09	27.27	13.64	0.00	0.00	45.45	40.91	9.09	4.55	0.00	63.64	22.73	13.64	0.00	0.00
Question8	27.27	54.55	13.64	0.00	4.55	63.64	31.82	4.55	0.00	0.00	68.18	18.18	13.64	0.00	0.00	54.55	31.82	13.64	0.00	0.00
Question9	59.09	27.27	13.64	0.00	0.00	50.00	45.45	4.55	0.00	0.00	45.45	40.91	9.09	4.55	0.00	59.09	27.27	9.09	4.55	0.00
Question10	54.55	36.36	4.55	4.55	0.00	63.64	27.27	4.55	4.55	0.00	50.00	31.82	13.64	4.55	0.00	59.09	27.27	9.09	4.55	0.00

*SSD - Solid State Drives, PAS - Protection and Switchgear, ES - Embedded Systems, DOEA - Design of Electrical Apparatus

SEM (%)					PEADLAB (%)					MAMLAB (%)					MP (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
68.18	18.18	9.09	0.00	4.55	68.18	18.18	13.64	0.00	0.00	77.27	13.64	9.09	0.00	0.00	77.27	4.55	13.64	4.55	0.00
50.00	40.91	9.09	0.00	0.00	54.55	36.36	4.55	4.55	0.00	45.45	40.91	13.64	0.00	0.00	54.55	40.91	4.55	0.00	0.00
45.45	40.91	13.64	0.00	0.00	63.64	22.73	13.64	0.00	0.00	72.73	13.64	13.64	0.00	0.00	63.64	27.27	9.09	0.00	0.00
54.55	31.82	13.64	0.00	0.00	36.36	40.91	13.64	9.09	0.00	63.64	27.27	4.55	4.55	0.00	77.27	13.64	4.55	4.55	0.00
50.00	31.82	13.64	4.55	0.00	59.09	22.73	13.64	4.55	0.00	59.09	27.27	13.64	0.00	0.00	63.64	22.73	13.64	0.00	0.00
50.00	31.82	18.18	0.00	0.00	50.00	31.82	13.64	0.00	4.55	59.09	27.27	9.09	4.55	0.00	59.09	36.36	4.55	0.00	0.00
45.45	40.91	9.09	0.00	4.55	63.64	22.73	13.64	0.00	0.00	63.64	18.18	9.09	0.00	9.09	63.64	27.27	9.09	0.00	0.00
50.00	40.91	9.09	0.00	0.00	54.55	31.82	9.09	0.00	4.55	45.45	31.82	13.64	4.55	4.55	63.64	27.27	9.09	0.00	0.00
36.36	36.36	13.64	9.09	4.55	68.18	13.64	13.64	0.00	4.55	59.09	27.27	9.09	4.55	0.00	59.09	31.82	4.55	4.55	0.00
59.09	27.27	4.55	4.55	4.55	68.18	22.73	4.55	4.55	0.00	68.18	22.73	4.55	4.55	0.00	50.00	31.82	13.64	4.55	0.00




ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

*SEM - Special Electrical Machines, PEDL - Power Electronics and Drives Laboratory, MML – Microprocessor and Microcontroller Lab, MP - Mini Project

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

R. Aradi

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPLAYAM,
Siruvathur,
Chennai - 607 106.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

NO OF STUDENTS: 17

BATCH: 2019-2023

YEAR/ SEMESTER: II / IV

PERIOD: APRIL - MAY2021

Questions	NM (%)					EM – II (%)					TAD (%)					MAI (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	70.59	23.53	5.88	0.00	0.00	82.35	5.88	11.76	0.00	0.00	88.24	11.76	0.00	0.00	0.00	62.50	31.25	6.25	0.00	0.00
Question2	41.18	47.06	5.88	0.00	5.88	52.94	41.18	0.00	0.00	5.88	58.82	35.29	0.00	0.00	5.88	31.25	62.50	0.00	0.00	6.25
Question3	29.41	64.71	5.88	0.00	0.00	41.18	41.18	11.76	0.00	5.88	58.82	29.41	5.88	0.00	5.88	31.25	43.75	18.75	0.00	6.25
Question4	41.18	47.06	5.88	0.00	5.88	41.18	47.06	5.88	0.00	5.88	70.59	17.65	5.88	0.00	5.88	37.50	56.25	6.25	0.00	0.00
Question5	70.59	17.65	5.88	0.00	5.88	47.06	35.29	11.76	0.00	5.88	64.71	23.53	11.76	0.00	0.00	62.50	25.00	6.25	0.00	6.25
Question6	41.18	52.94	0.00	0.00	5.88	58.82	41.18	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00	50.00	37.50	6.25	0.00	6.25
Question7	58.82	29.41	5.88	0.00	5.88	64.71	23.53	11.76	0.00	0.00	52.94	41.18	5.88	0.00	0.00	43.75	37.50	12.50	0.00	6.25
Question8	35.29	52.94	5.88	0.00	5.88	58.82	29.41	5.88	0.00	5.88	70.59	17.65	5.88	0.00	5.88	56.25	31.25	12.50	0.00	0.00
Question9	76.47	17.65	0.00	0.00	5.88	58.82	29.41	5.88	0.00	5.88	64.71	29.41	0.00	0.00	5.88	62.50	31.25	6.25	0.00	0.00
Question10	58.82	35.29	5.88	0.00	0.00	70.59	17.65	5.88	0.00	5.88	88.24	0.00	5.88	0.00	5.88	68.75	31.25	0.00	0.00	0.00

* NM - Numerical Methods, EM II - Electrical Machines – II, TAD - Transmission And Distribution, MAI - Measurements And Instrumentation

LICAA (%)					CS (%)					EMLAB – II (%)					LADICLAB (%)					TS (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
76.47	11.76	5.88	5.88	0.00	82.35	17.65	0.00	0.00	0.00	76.47	17.65	5.88	0.00	0.00	76.47	17.65	0.00	0.00	5.88	64.71	35.29	0.00	0.00	0.00
52.94	35.29	5.88	5.88	0.00	70.59	17.65	5.88	5.88	0.00	47.06	47.06	5.88	0.00	0.00	64.71	35.29	0.00	0.00	0.00	58.82	41.18	0.00	0.00	0.00
47.06	47.06	0.00	5.88	0.00	58.82	35.29	5.88	0.00	0.00	82.35	11.76	5.88	0.00	0.00	64.71	23.53	5.88	0.00	5.88	70.59	23.53	0.00	0.00	5.88
41.18	41.18	11.76	5.88	0.00	41.18	47.06	5.88	0.00	5.88	52.94	41.18	0.00	0.00	5.88	76.47	11.76	5.88	5.88	0.00	64.71	23.53	5.88	5.88	0.00



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106

58.82	17.65	17.65	0.00	5.88	70.59	23.53	0.00	5.88	0.00	76.47	17.65	0.00	0.00	5.88	70.59	23.53	5.88	0.00	0.00	58.82	29.41	5.88	0.00	5.88
47.06	35.29	17.65	0.00	0.00	52.94	35.29	5.88	0.00	5.88	52.94	41.18	0.00	0.00	5.88	70.59	23.53	0.00	0.00	5.88	58.82	35.29	5.88	0.00	0.00
58.82	35.29	5.88	0.00	0.00	70.59	23.53	5.88	0.00	0.00	76.47	23.53	0.00	0.00	0.00	64.71	29.41	5.88	0.00	0.00	64.71	29.41	5.88	0.00	0.00
52.94	41.18	5.88	0.00	0.00	52.94	35.29	5.88	0.00	5.88	47.06	41.18	11.76	0.00	0.00	70.59	23.53	5.88	0.00	0.00	64.71	29.41	5.88	0.00	0.00
52.94	23.53	23.53	0.00	0.00	88.24	5.88	0.00	0.00	5.88	76.47	11.76	5.88	0.00	5.88	70.59	23.53	0.00	5.88	0.00	64.71	29.41	5.88	0.00	0.00
70.59	23.53	0.00	0.00	5.88	82.35	11.76	0.00	5.88	0.00	64.71	29.41	0.00	5.88	0.00	82.35	11.76	5.88	0.00	0.00	64.71	29.41	5.88	0.00	0.00

*LICAA - Linear Integrated Circuits And Applications, CS - Control Systems, EML II - Electrical Machines Lab – II, TS - Technical Seminar

*Ex – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

R. Aradiass
Dr. R. AROKIADASS, M.E., Ph.D. | Page
 Principal, . . .



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


STUDENT FEEDBACK ON DEPARTMENT

NO OF STUDENTS: 99

PERIOD: JAN – JUN 2021

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	65.66	28.28	3.03	1.01	2.02
Question2	36.36	57.58	4.04	1.01	1.01
Question3	40.40	47.47	10.10	1.01	1.01
Question4	52.53	37.37	8.08	1.01	1.01
Question5	46.46	40.40	10.10	1.01	2.02
Question6	43.43	46.46	7.07	1.01	2.02
Question7	45.45	46.46	6.06	2.02	0.00
Question8	42.42	42.42	13.13	2.02	0.00
Question9	41.41	39.39	9.09	7.07	3.03
Question10	32.32	26.26	30.30	8.08	3.03

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that around 90% of feedback on department as “Excellent” and “Very Good”.

R. Arokia Dass
DR. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist) Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

DEPARTMENT: CSE

BATCH: 2017-2021

YEAR/SEMESTER: IV/VIII

PERIOD: JAN–JUN 2021

Questions	PEE (%)					IRT (%)					PW (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	93.88	0.00	0.00	0.00	6.12	89.80	4.08	0.00	2.04	4.08	89.80	0.00	2.04	2.04	6.12
Question2	61.22	34.69	0.00	0.00	4.08	61.22	36.73	0.00	0.00	2.04	63.27	28.57	2.04	2.04	4.08
Question3	77.55	14.29	4.08	0.00	4.08	77.55	14.29	6.12	0.00	2.04	69.39	14.29	12.24	2.04	2.04
Question4	75.51	16.33	0.00	2.04	6.12	67.35	24.49	2.04	2.04	4.08	67.35	20.41	4.08	2.04	6.12
Question5	77.55	16.33	0.00	2.04	4.08	67.35	26.53	2.04	0.00	4.08	63.27	28.57	2.04	2.04	4.08
Question6	71.43	20.41	4.08	2.04	2.04	75.51	16.33	4.08	2.04	2.04	75.51	14.29	6.12	2.04	2.04
Question7	69.39	24.49	2.04	0.00	4.08	65.31	26.53	2.04	2.04	4.08	63.27	26.53	6.12	0.00	4.08
Question8	79.59	18.37	0.00	0.00	2.04	67.35	28.57	0.00	0.00	4.08	69.39	22.45	4.08	2.04	2.04
Question9	75.51	20.41	2.04	0.00	2.04	73.47	18.37	2.04	4.08	2.04	73.47	14.29	6.12	2.04	4.08
Question10	71.43	22.45	2.04	0.00	4.08	65.31	26.53	4.08	0.00	4.08	71.43	16.33	2.04	4.08	6.12

*PEE - Professional Ethics in Engineering, IRT - Information Retrieval Techniques, PW - Project Work


*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good".

R. Arakiadass

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

NO OF STUDENTS: 23

BATCH: 2018-202

PERIOD: JAN–JUN2021

YEAR/SEMESTER: III / VI

Questions	IP (%)					AI (%)					MC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	65.22	30.43	4.35	0.00	0.00	65.22	30.43	4.35	0.00	0.00	69.57	26.09	4.35	0.00	0.00
Question2	52.17	39.13	8.70	0.00	0.00	52.17	30.43	17.39	0.00	0.00	43.48	43.48	13.04	0.00	0.00
Question3	47.83	43.48	8.70	0.00	0.00	47.83	34.78	17.39	0.00	0.00	56.52	30.43	13.04	0.00	0.00
Question4	56.52	39.13	4.35	0.00	0.00	47.83	39.13	13.04	0.00	0.00	52.17	43.48	4.35	0.00	0.00
Question5	43.48	52.17	4.35	0.00	0.00	47.83	43.48	8.70	0.00	0.00	65.22	30.43	4.35	0.00	0.00
Question6	60.87	30.43	8.70	0.00	0.00	52.17	30.43	17.39	0.00	0.00	43.48	43.48	13.04	0.00	0.00
Question7	39.13	52.17	8.70	0.00	0.00	56.52	30.43	13.04	0.00	0.00	56.52	34.78	8.70	0.00	0.00
Question8	56.52	39.13	4.35	0.00	0.00	47.83	34.78	17.39	0.00	0.00	43.48	47.83	8.70	0.00	0.00
Question9	34.78	65.22	0.00	0.00	0.00	56.52	34.78	8.70	0.00	0.00	56.52	34.78	8.70	0.00	0.00
Question10	65.22	30.43	4.35	0.00	0.00	52.17	43.48	4.35	0.00	0.00	60.87	34.78	4.35	0.00	0.00

*IP - Internet Programming, AI - Artificial Intelligence, MC - Mobile Computing

Questions	DS (%)					IPLAB (%)					MP (%)					PC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	69.57	21.74	8.70	0.00	0.00	65.22	26.09	8.70	0.00	0.00	69.57	26.09	4.35	0.00	0.00	69.57	26.09	4.35	0.00	0.00
Question2	52.17	34.78	13.04	0.00	0.00	52.17	34.78	13.04	0.00	0.00	43.48	56.52	0.00	0.00	0.00	52.17	39.13	8.70	0.00	0.00
Question3	47.83	34.78	17.39	0.00	0.00	43.48	47.83	8.70	0.00	0.00	47.83	34.78	17.39	0.00	0.00	43.48	30.43	26.09	0.00	0.00
Question4	47.83	52.17	0.00	0.00	0.00	60.87	30.43	8.70	0.00	0.00	47.83	39.13	13.04	0.00	0.00	47.83	39.13	13.04	0.00	0.00
Question5	52.17	39.13	8.70	0.00	0.00	39.13	47.83	13.04	0.00	0.00	52.17	34.78	13.04	0.00	0.00	52.17	39.13	8.70	0.00	0.00
Question6	47.83	43.48	8.70	0.00	0.00	52.17	43.48	4.35	0.00	0.00	52.17	34.78	13.04	0.00	0.00	60.87	26.09	13.04	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY


(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.

Question7	47.83	47.83	4.35	0.00	0.00	43.48	43.48	13.04	0.00	0.00	60.87	34.78	4.35	0.00	0.00	43.48	43.48	13.04	0.00	0.00
Question8	60.87	34.78	4.35	0.00	0.00	60.87	30.43	8.70	0.00	0.00	34.78	47.83	17.39	0.00	0.00	47.83	43.48	8.70	0.00	0.00
Question9	52.17	34.78	13.04	0.00	0.00	47.83	39.13	13.04	0.00	0.00	52.17	30.43	17.39	0.00	0.00	60.87	34.78	4.35	0.00	0.00
Question10	52.17	34.78	13.04	0.00	0.00	60.87	34.78	4.35	0.00	0.00	47.83	43.48	8.70	0.00	0.00	47.83	43.48	8.70	0.00	0.00

*DS - Distributed Systems, IPL - Internet Programming Laboratory, MP - Mini Project, PC - Professional Communication

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur (Post), Panruti (T. & C.)



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPALAYAM, PANRUTI – 607 106.

NO OF STUDENTS: 27

BATCH: 2019 - 2023

PERIOD: JAN – JUN2021

YEAR/ SEMESTER: II / IV

Questions	PQT (%)					CA (%)					DMS (%)					DAA (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	66.67	29.63	3.70	0.00	0.00	62.96	33.33	3.70	0.00	0.00	55.56	37.04	3.70	3.70	0.00	62.96	29.63	7.41	0.00	0.00
Question2	51.85	33.33	3.70	3.70	7.41	48.15	40.74	11.11	0.00	0.00	51.85	37.04	7.41	0.00	3.70	48.15	37.04	14.81	0.00	0.00
Question3	48.15	48.15	0.00	0.00	3.70	48.15	33.33	14.81	3.70	0.00	55.56	29.63	11.11	0.00	3.70	66.67	18.52	14.81	0.00	0.00
Question4	66.67	29.63	3.70	0.00	0.00	51.85	40.74	7.41	0.00	0.00	48.15	48.15	0.00	0.00	3.70	62.96	29.63	7.41	0.00	0.00
Question5	66.67	25.93	7.41	0.00	0.00	59.26	25.93	11.11	0.00	3.70	55.56	40.74	3.70	0.00	0.00	51.85	33.33	11.11	3.70	0.00
Question6	48.15	48.15	3.70	0.00	0.00	51.85	37.04	7.41	0.00	3.70	66.67	25.93	7.41	0.00	0.00	59.26	25.93	14.81	0.00	0.00
Question7	55.56	25.93	11.11	0.00	7.41	55.56	33.33	7.41	0.00	3.70	48.15	44.44	7.41	0.00	0.00	55.56	29.63	11.11	3.70	0.00
Question8	48.15	44.44	7.41	0.00	0.00	51.85	44.44	3.70	0.00	0.00	48.15	51.85	0.00	0.00	0.00	51.85	37.04	11.11	0.00	0.00
Question9	62.96	29.63	7.41	0.00	0.00	59.26	33.33	7.41	0.00	0.00	51.85	33.33	14.81	0.00	0.00	59.26	29.63	7.41	0.00	3.70
Question10	55.56	44.44	0.00	0.00	0.00	59.26	33.33	3.70	0.00	3.70	51.85	37.04	11.11	0.00	0.00	62.96	29.63	7.41	0.00	0.00

*PQT - Probability and Queueing Theory, CA - Computer Architecture, DMS - Database Management Systems, DAA - Design and Analysis of Algorithms, Operating Systems.

OS (%)					SE (%)					DMSL (%)					OSL (%)					ARW (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
70.37	22.22	3.70	3.70	0.00	70.37	22.22	7.41	0.00	0.00	55.56	33.33	7.41	0.00	3.70	62.96	33.33	3.70	0.00	0.00	59.26	33.33	3.70	0.00	3.70
40.74	55.56	3.70	0.00	0.00	51.85	40.74	3.70	0.00	3.70	51.85	33.33	11.11	3.70	0.00	55.56	33.33	11.11	0.00	0.00	66.67	22.22	7.41	0.00	3.70
62.96	18.52	14.81	0.00	3.70	51.85	37.04	7.41	0.00	3.70	55.56	37.04	3.70	0.00	3.70	62.96	29.63	3.70	0.00	3.70	59.26	37.04	3.70	0.00	0.00
55.56	33.33	11.11	0.00	0.00	66.67	25.93	3.70	0.00	3.70	59.26	37.04	3.70	0.00	0.00	62.96	29.63	7.41	0.00	0.00	51.85	33.33	14.81	0.00	0.00
70.37	14.81	7.41	0.00	7.41	51.85	40.74	3.70	0.00	3.70	48.15	37.04	3.70	3.70	7.41	59.26	29.63	7.41	0.00	3.70	55.56	29.63	11.11	0.00	3.70
55.56	29.63	11.11	0.00	3.70	66.67	29.63	3.70	0.00	0.00	51.85	33.33	11.11	0.00	3.70	70.37	14.81	14.81	0.00	0.00	51.85	37.04	7.41	0.00	3.70
66.67	22.22	11.11	0.00	0.00	62.96	25.93	7.41	3.70	0.00	48.15	48.15	3.70	0.00	0.00	66.67	22.22	7.41	0.00	3.70	66.67	29.63	3.70	0.00	0.00



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTPALAYAM, PANRUTI – 607 106.


55.56	29.63	14.81	0.00	0.00	55.56	40.74	3.70	0.00	0.00	51.85	33.33	14.81	0.00	0.00	70.37	25.93	0.00	0.00	3.70	51.85	33.33	11.11	3.70	0.00
70.37	22.22	7.41	0.00	0.00	70.37	25.93	3.70	0.00	0.00	66.67	25.93	3.70	0.00	3.70	62.96	29.63	3.70	3.70	0.00	51.85	37.04	3.70	3.70	3.70
66.67	22.22	11.11	0.00	0.00	55.56	33.33	11.11	0.00	0.00	66.67	29.63	3.70	0.00	0.00	66.67	18.52	11.11	0.00	3.70	55.56	37.04	7.41	0.00	0.00

*SE - Software Engineering, DMSL - Database Management Systems Laboratory, OSL - Operating Systems Laboratory, ARW - Advanced Reading and Writing

*EX – Excellent VG – Very Good G – Good S – Satisfactory P – Poor

PERIOD: JAN – JUN2021

YEAR/ SEMESTER: II / IV



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good".

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.



ST. ANNE'S

COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

(An ISO 9001 : 2015 Certified Institution)


ANGUCHETTYPLAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON DEPARTMENT

DEPARTMENT: ECE

PERIOD: JAN – MAY 2021

Questions	Excellent (%)	Very Good (%)	Good (%)	Satisfactory (%)	Poor (%)
Question1	83.33	14.29	2.38	0.00	0.00
Question2	50.00	50.00	0.00	0.00	0.00
Question3	78.57	21.43	0.00	0.00	0.00
Question4	52.38	47.62	0.00	0.00	0.00
Question5	71.43	26.19	2.38	0.00	0.00
Question6	54.76	45.24	0.00	0.00	0.00
Question7	73.81	26.19	0.00	0.00	0.00
Question8	59.52	40.48	0.00	0.00	0.00
Question9	71.43	26.19	2.38	0.00	0.00
Question10	71.43	26.19	2.38	0.00	0.00



It is observed from the graph that above 90% of feedback on department as “Excellent” and “Very Good”.

R. Arakiadass
Dr. R. AROKIADASS, M.E., Ph.D.,
 Principal,
 St. Anne's College of Engineering & Technology,
 ANGUCHETTYPALAYAM,
 Siruvathur (Post), Panruti (T. & N.),
 Cuddalore (Dist) Pin: 607 110.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106.

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 16

BATCH: 2017 – 2021

YEAR/ SEMESTER: IV / VIII

PERIOD: FEB 2021 – MAY 2021

Questions	PEIE (%)					SC (%)					PW (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Questions1	43.75	18.75	18.75	12.50	6.25	43.75	18.75	18.75	12.50	6.25	43.75	25.00	18.75	6.25	6.25
Questions2	50.00	31.25	12.50	0.00	6.25	56.25	25.00	12.50	0.00	6.25	50.00	31.25	12.50	0.00	6.25
Questions3	50.00	31.25	0.00	12.50	6.25	50.00	25.00	18.75	6.25	0.00	62.50	25.00	0.00	12.50	0.00
Questions4	50.00	37.50	6.25	0.00	6.25	68.75	31.25	0.00	12.50	6.25	62.50	18.75	12.50	0.00	6.25
Questions5	43.75	31.25	12.50	12.50	0.00	50.00	25.00	18.75	6.25	0.00	50.00	31.25	0.00	18.75	0.00
Questions6	37.50	25.00	18.75	12.50	6.25	43.75	37.50	12.50	0.00	6.25	43.75	25.00	18.75	0.00	12.50
Questions7	50.00	31.25	0.00	12.50	6.25	50.00	31.25	12.50	6.25	0.00	56.25	18.75	6.25	18.75	0.00
Questions8	68.75	18.75	6.25	0.00	6.25	50.00	31.25	0.00	12.50	6.25	62.50	25.00	0.00	6.25	6.25
Questions9	68.75	18.75	6.25	6.25	0.00	56.25	25.00	12.50	6.25	0.00	56.25	31.25	6.25	0.00	6.25
Questions10	56.25	25.00	6.25	6.25	6.25	62.50	18.75	6.25	6.25	6.25	68.75	12.50	6.25	6.25	6.25

*PEIE – Professional Ethics in Engineering, SC – Satellite Communication, PW – Project Work

* EX – Excellent

VG – Very Good

G – Good

S – Satisfactory


P – Poor



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106.



It is observed from the graph that more than 90% of final year students' feedback on subject as "Excellent" and "Very Good"

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 16

BATCH: 2018-2022

YEAR/ SEMESTER: III / VI

PERIOD: FEB 2021– MAY 2021

Questions	POM (%)					TLARS (%)					MCAC (%)					VD (%)					WC (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Questions1	43.75	18.75	18.75	12.50	6.25	56.25	12.50	12.50	12.50	6.25	56.25	6.25	18.75	12.50	6.25	37.50	31.25	18.75	6.25	6.25	62.50	12.50	6.25	12.50	6.25
Questions2	43.75	31.25	12.50	6.25	6.25	43.75	37.50	12.50	6.25	0.00	37.50	31.25	18.75	6.25	6.25	43.75	18.75	25.00	6.25	6.25	50.00	25.00	0.00	12.50	12.50
Questions3	43.75	31.25	12.50	6.25	6.25	62.50	25.00	6.25	0.00	0.00	43.75	18.75	25.00	6.25	6.25	50.00	25.00	12.50	6.25	6.25	62.50	12.50	12.50	12.50	0.00
Questions4	56.25	31.25	0.00	12.50	0.00	50.00	25.00	12.50	12.50	0.00	50.00	25.00	0.00	18.75	0.00	50.00	25.00	0.00	18.75	6.25	56.25	18.75	6.25	12.50	6.25
Questions5	43.75	31.25	18.75	0.00	6.25	50.00	31.25	0.00	6.25	0.00	68.75	18.75	6.25	0.00	6.25	68.75	18.75	6.25	0.00	6.25	68.75	18.75	0.00	12.50	0.00

Rephrased
Dr. R. AROKIADASS, M.E., Ph.D.



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106.

Questions6	50.00	31.25	6.25	12.50	0.00	50.00	25.00	12.50	12.50	0.00	50.00	18.75	12.50	12.50	6.25	56.25	18.75	6.25	12.50	6.25	75.00	12.50	6.25	0.00	6.25
Questions7	50.00	31.25	0.00	6.25	12.50	75.00	12.50	6.25	0.00	0.00	50.00	18.75	12.50	12.50	6.25	62.50	12.50	12.50	12.50	0.00	50.00	25.00	0.00	18.75	6.25
Questions8	43.75	31.25	18.75	0.00	6.25	50.00	37.50	0.00	12.50	0.00	56.25	18.75	6.25	12.50	6.25	50.00	25.00	0.00	12.50	12.50	56.25	18.75	18.75	6.25	0.00
Questions9	56.25	18.75	6.25	12.50	6.25	62.50	18.75	12.50	0.00	0.00	68.75	18.75	6.25	0.00	6.25	62.50	12.50	18.75	0.00	6.25	50.00	31.25	6.25	6.25	6.25
Questions10	62.50	12.50	12.50	6.25	6.25	43.75	31.25	18.75	6.25	0.00	43.75	31.25	18.75	6.25	0.00	56.25	25.00	6.25	6.25	6.25	68.75	12.50	6.25	6.25	6.25

*POM - Principles Of Management, TLARS - Transmission Lines And RF Systems, MCAC - Multimedia Compression And Communication, VD - VLSI Design, WC - Wireless Communication

MAM (%)					MAML (%)					VDL (%)					TS (%)					PC (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
62.50	18.75	12.50	0.00	6.25	75.00	12.50	6.25	0.00	6.25	62.50	18.75	12.50	0.00	6.25	40.00	20.00	20.00	10.00	10.00	62.50	12.50	6.25	12.50	6.25
43.75	18.75	18.75	12.50	6.25	50.00	25.00	0.00	18.75	6.25	56.25	18.75	6.25	18.75	0.00	30.00	30.00	0.00	30.00	10.00	50.00	25.00	0.00	12.50	12.50
56.25	18.75	12.50	0.00	12.50	56.25	18.75	18.75	6.25	0.00	68.75	12.50	6.25	6.25	6.25	20.00	40.00	30.00	0.00	10.00	62.50	12.50	12.50	12.50	0.00
56.25	18.75	12.50	12.50	0.00	56.25	18.75	12.50	0.00	12.50	56.25	31.25	0.00	6.25	6.25	50.00	20.00	10.00	20.00	0.00	56.25	18.75	6.25	12.50	6.25
43.75	25.00	18.75	6.25	6.25	68.75	12.50	6.25	6.25	6.25	75.00	6.25	12.50	0.00	6.25	50.00	20.00	10.00	0.00	20.00	68.75	18.75	0.00	12.50	0.00
43.75	25.00	18.75	6.25	6.25	56.25	18.75	12.50	12.50	0.00	56.25	18.75	12.50	12.50	0.00	40.00	40.00	0.00	10.00	10.00	75.00	12.50	6.25	0.00	6.25
68.75	12.50	6.25	6.25	6.25	75.00	12.50	6.25	0.00	6.25	68.75	12.50	6.25	6.25	6.25	50.00	10.00	20.00	10.00	10.00	50.00	25.00	0.00	18.75	6.25
43.75	12.50	18.75	12.50	12.50	50.00	31.25	6.25	6.25	6.25	56.25	18.75	12.50	0.00	12.50	40.00	30.00	20.00	0.00	10.00	56.25	18.75	18.75	6.25	0.00
56.25	18.75	12.50	0.00	12.50	56.25	18.75	6.25	12.50	6.25	68.75	12.50	6.25	6.25	6.25	60.00	20.00	0.00	20.00	0.00	50.00	31.25	6.25	6.25	6.25
50.00	31.25	6.25	6.25	6.25	56.25	31.25	0.00	6.25	6.25	81.25	6.25	6.25	0.00	6.25	50.00	20.00	20.00	10.00	0.00	68.75	12.50	6.25	6.25	6.25

* MAM - Microprocessor and Microcontroller, MAML - Microprocessor and Microcontroller Lab, VLSI Design Laboratory, TS - Technical Seminar, PC - Professional Communication

* EX – Excellent

VG – Very Good

G – Good

S – Satisfactory


P – Poor



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106.



It is observed from the graph that more than 90% of third year students' feedback on subject as "Excellent" and "Very Good"

STUDENT FEEDBACK ON SUBJECT

NO OF STUDENTS: 10

BATCH: 2019-2023

YEAR/ SEMESTER: II /IV

PERIOD: FEB 2021 – MAY 2021

Questions	PRP (%)					EC II (%)					CT (%)					EF (%)				
	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
Question1	40.00	30.00	10.00	10.00	10.00	40.00	20.00	20.00	10.00	10.00	50.00	30.00	0.00	10.00	10.00	40.00	20.00	20.00	10.00	10.00
Question2	40.00	20.00	20.00	10.00	10.00	30.00	30.00	0.00	30.00	10.00	50.00	40.00	10.00	0.00	0.00	30.00	30.00	0.00	30.00	10.00
Question3	50.00	20.00	20.00	0.00	10.00	20.00	40.00	30.00	0.00	10.00	40.00	20.00	20.00	10.00	10.00	20.00	40.00	30.00	0.00	10.00
Question4	40.00	30.00	20.00	10.00	0.00	50.00	20.00	10.00	20.00	0.00	40.00	40.00	10.00	10.00	0.00	50.00	20.00	10.00	20.00	0.00

Dr. R. Adarsh
 DR. R. ADARSH



ST.ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106.

Question5	40.00	20.00	10.00	20.00	10.00	50.00	20.00	10.00	0.00	20.00	50.00	30.00	10.00	0.00	10.00	50.00	20.00	10.00	0.00	20.00
Question6	50.00	30.00	10.00	10.00	0.00	40.00	40.00	0.00	10.00	10.00	40.00	20.00	10.00	20.00	10.00	40.00	40.00	0.00	10.00	10.00
Question7	50.00	20.00	10.00	0.00	20.00	50.00	10.00	20.00	10.00	10.00	50.00	30.00	10.00	0.00	10.00	50.00	10.00	20.00	10.00	10.00
Question8	50.00	10.00	20.00	10.00	10.00	40.00	30.00	20.00	0.00	10.00	30.00	30.00	20.00	10.00	10.00	40.00	30.00	20.00	0.00	10.00
Question9	40.00	20.00	20.00	20.00	0.00	40.00	20.00	20.00	20.00	0.00	40.00	30.00	20.00	10.00	0.00	40.00	20.00	20.00	20.00	0.00
Question10	40.00	30.00	20.00	0.00	10.00	50.00	20.00	20.00	10.00	0.00	40.00	30.00	20.00	0.00	10.00	50.00	20.00	20.00	10.00	0.00

**PRP - Probability And Random Processes, EC II - Electronic Circuits II, CT - Communication Theory, EF - Electromagnetic Fields*

LIC (%)					ESE (%)					CDSL (%)					LICL (%)				
EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P	EX	VG	G	S	P
40.00	20.00	20.00	10.00	10.00	50.00	20.00	10.00	10.00	10.00	50.00	20.00	10.00	10.00	10.00	40.00	20.00	20.00	10.00	10.00
30.00	30.00	0.00	30.00	10.00	30.00	30.00	20.00	0.00	10.00	30.00	30.00	10.00	20.00	10.00	30.00	30.00	0.00	30.00	10.00
20.00	40.00	30.00	0.00	10.00	50.00	30.00	10.00	10.00	0.00	50.00	20.00	10.00	10.00	10.00	20.00	40.00	30.00	0.00	10.00
50.00	20.00	10.00	20.00	0.00	40.00	30.00	10.00	10.00	10.00	40.00	20.00	20.00	10.00	10.00	50.00	20.00	10.00	20.00	0.00
50.00	20.00	10.00	0.00	20.00	40.00	30.00	10.00	10.00	10.00	40.00	20.00	20.00	10.00	10.00	50.00	20.00	10.00	0.00	20.00
40.00	40.00	0.00	10.00	10.00	40.00	20.00	20.00	10.00	10.00	50.00	20.00	20.00	10.00	0.00	40.00	40.00	0.00	10.00	10.00
50.00	10.00	20.00	10.00	10.00	50.00	30.00	0.00	10.00	10.00	40.00	20.00	20.00	20.00	0.00	50.00	10.00	20.00	10.00	10.00
40.00	30.00	20.00	0.00	10.00	40.00	30.00	10.00	10.00	10.00	50.00	20.00	10.00	10.00	10.00	40.00	30.00	20.00	0.00	10.00
40.00	20.00	10.00	20.00	10.00	60.00	20.00	0.00	20.00	0.00	50.00	30.00	10.00	10.00	0.00	40.00	20.00	10.00	20.00	10.00
50.00	20.00	20.00	10.00	0.00	50.00	20.00	10.00	10.00	10.00	50.00	30.00	10.00	10.00	0.00	50.00	20.00	20.00	10.00	0.00

**LIC - Linear Integrated Circuits, ESE - Environmental Science And Engineering, CDSL - Circuits Design And Simulation Laboratory, LICL - Linear Integrated Circuits Laboratory*

** EX – Excellent*

VG – Very Good

G – Good

S – Satisfactory


P – Poor



ST. ANNE'S COLLEGE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi. Affiliated to Anna University, Chennai)

ANGUCHETTYPLAYAM, PANRUTI – 607 106.



It is observed from the graph that more than 90% of second year students' feedback on subject as "Excellent" and "Very Good"

Dr. R. AROKIADASS, M.E., Ph.D.,
Principal,
St. Anne's College of Engineering & Technology,
ANGUCHETTYPALAYAM,
Siruvathur-(Post), Panruti-(T.k),
Cuddalore-(Dist), Pin: 607 110.