| Reg. No.: | | | | | | | | |
|-----------|---|---|---|---|------|------|--|--|
| | _ | _ | _ | _ | | | | |

Question Paper Code: 25079

B.E./B.Tech. DEGREE EXAMINATION, NOVEMBER/DECEMBER 2018.

Third Semester

Computer Science and Engineering

EC 8395 — COMMUNICATION ENGINEERING

(Regulations 2017)

Time: Three hours

Maximum: 100 marks

Answer ALL questions.

PART A — $(10 \times 2 = 20 \text{ marks})$

- 1. What is the relationship between phase modulation and frequency modulation?
- 2. A signal m(t), band limited to 5 kHz is multiplied by a carrier wave $\cos(w_c t)$ to yield a DSB-SC signal S(t). For what value of the carrier frequency, will the bandwidth of S(t) be 2% of f_c .
- 3. What is sampling and quantization?
- 4. What is meant by aliasing? How do you avoid aliasing?
- 5. Draw the modulated waveform representing PSK and FSK.
- 6. Explain the term 'ISI'? How do you alleviate ISI?
- 7. Define entropy.
- 8. What is prefix code? Give examples.
- 9. What is Viterbi decoding?
- 10. What is the aim of error control coding? List the different error control mechanisms.

PART B — $(5 \times 13 = 65 \text{ marks})$

- 11. (a) (i) Discuss the generation of SSB using Filter and phasing method. (8)
 - (ii) Compare AM and Narrow band FM with phasor diagram and expressions. (5)

Or

- (b) Derive the expression for AM. Draw the spectrum and phasor diagram.

 Draw the waveform representing modulating signal, carrier signal and modulated signal for AM. (13)
- 12. (a) Explain the steps involved in PCM encoder and decoder. Derive the expression for signal to noise ratio for PCM. (13)

Or

- (b) Draw the block diagram of delta modulation and explain the working principle. Discuss the distortion occurring in delta modulation with neat waveform. Explain the ways to overcome the distortion. (13)
- 13. (a) Discuss the operation of QPSK modulator with neat diagram. Draw its phasor and constellation diagram. (13)

Or

- (b) Define DPSK. Draw the waveform representing DPSK. With neat diagram, explain the generation and detection of DPSK with neat block diagram. (13)
- 14. (a) (i) A source produces three symbols A, B and C with probabilities P(A)=1/2, P(B)=1/4, P(c)=1/4. Determine the source entropy.

(4)

(ii) Find the entropy of a binary memory less source and find when it is maximum. (9)

Or

- (b) (i) Explain Shannon's channel capacity theorem.
 - (ii) A transmission channel has a bandwidth of 4 KHz and signal to noise power ratio of 31.
 - (1) how much should the bandwidth be in order to have the same channel capacity, if S/N ratio is reduced to 15?
 - (2) what will be the signal to noise power ratio required if the bandwidth is reduced to 3 KHZ.

25079

| 15. | (a) | (i) What are PN sequences? What are the properties of PN sequences? | | | | | |
|-----|-----|---|------------|--|--|--|--|
| | | (ii) What are the differences between FHSS and DSSS? (4 | () | | | | |
| | | (iii) What are the advantages of spread spectrum? (5 | 5) | | | | |
| | | Or | | | | | |
| | (b) | Explain the various multiple access techniques with neat diagram. List the advantages and disadvantages of each technique. (13) | | | | | |
| | | PART C — (1 × 15 = 15 marks) | | | | | |
| 16. | (a) | Explain the modulation technique which is used for television stransmission. Draw the spectrum. Explain the generation and determined of the same. List the advantages and disadvantages. | | | | | |
| | | Or | | | | | |
| | (b) | Discuss the working principle of Superhetrodyne receiver? Explain the following terms | .e | | | | |
| | | (i) Sensitivity | | | | | |
| | | (ii) Selectivity | | | | | |
| | | (iii) Image signal. (15 | 5) | | | | |

