

UNIT IV - WEATHER PREDICTION MODELS

Importance of climate variability and seasonal forecasting, Understanding and predicting world's climate system, Global climatic models and their potential for seasonal climate forecasting, General systems approach to applying seasonal climate forecasts.

Explain the importance of climate variability in predicting agricultural output.

IMPORTANCE OF CLIMATE VARIABILITY AND SEASONAL FORECASTING

Climate variability refers to the short-term fluctuations in the Earth's climate system, typically over months, years, or decades, while climate change refers to long-term trends.

Seasonal forecasting predicts weather and climate conditions over a 3–6 month period, helping different sectors plan and prepare.

Importance of Climate Variability

Climate variability affects almost every aspect of human life and natural ecosystems. The key impacts are:

(a) Agriculture & Food Security

- Determines crop yield, sowing times, and irrigation requirements.
- Helps reduce crop losses due to droughts, floods, or delayed monsoons.
- Example: Indian monsoon variability influences rice, wheat, and sugarcane production.

(b) Water Resource Management

- Guides reservoir operations, groundwater usage, and hydropower generation.
- Seasonal rainfall forecasts help optimize dam storage and prevent flooding.

(c) Disaster Preparedness

- Early prediction of droughts, floods, cyclones, and heatwaves reduces economic losses and human casualties.
- Governments can pre-position relief supplies and improve emergency response systems.

(d) Energy Sector Planning

- Energy demand fluctuates with temperature and rainfall.
- Seasonal forecasts help optimize hydropower, thermal power, and renewable energy generation.

(e) Public Health

- Climate variability influences the spread of vector-borne diseases (e.g., malaria, dengue).
- Seasonal climate forecasts help plan vaccination campaigns and disease control measures.

Importance of Seasonal Forecasting

Seasonal climate forecasts predict conditions 1–6 months ahead using statistical models, dynamic models, and Global Climate Models (GCMs).

Key benefits include:

(a) Agricultural Planning

- Farmers decide what crops to plant, when to irrigate, and when to harvest.
- Reduces crop failure risks due to unpredictable rainfall.

(b) Drought & Flood Management

- Provides early warning systems.
- Governments and NGOs prepare for water scarcity or flooding in advance.

(c) Economic Stability

- Seasonal forecasts reduce financial losses in agriculture, fisheries, tourism, and power generation.

(d) Policy & Decision-Making

- Governments design climate-resilient policies.
- Helps in resource allocation and risk management planning.

Examples of Seasonal Forecasting

Region	Forecasting Model	Application
India	IMD Monsoon Forecast Model	Predicts southwest monsoon rainfall
USA	NOAA Climate Forecast System	Winter storm and drought monitoring
Australia	Bureau of Meteorology Model	Drought & bushfire predictions
Global	ENSO-based Forecast Models	Predicts El Niño / La Niña impacts

Evaluate the importance of understanding the global climate system for sustainable development.

UNDERSTANDING AND PREDICTING THE WORLD'S CLIMATE SYSTEM

The Earth's climate system is a highly complex network of interacting components, including the atmosphere, oceans, land surfaces, ice masses, and living organisms. These components continuously exchange energy, moisture, and gases, resulting in climate patterns.

Understanding the climate system is crucial for:

- Predicting short-term weather and seasonal patterns.
- Assessing climate variability like El Niño and La Niña.
- Forecasting long-term climate change.
- Managing natural resources, agriculture, energy, and disaster preparedness.

Components of the Climate System

The climate system has five major components that interact dynamically:

Component	Key Features	Role in Climate Regulation
Atmosphere	Thin gaseous envelope surrounding Earth	Controls temperature, pressure, humidity, and weather systems
Hydrosphere	Oceans, seas, lakes, rivers	Distributes heat through currents; stores ~93% of excess heat from global warming
Cryosphere	Glaciers, ice caps, permafrost, snow cover	Reflects solar radiation (high albedo), regulates sea levels
Lithosphere	Earth's solid surface, mountains, deserts	Influences heat absorption, weathering, and CO ₂ cycles
Biosphere	Plants, animals, humans, and ecosystems	Modulates greenhouse gases, evapotranspiration, and carbon cycles

Drivers of the Climate System

The Earth's climate is primarily driven by energy from the Sun, but several other factors affect it:

- Solar Radiation → The primary source of heat.
- Greenhouse Effect → Traps heat through gases like CO₂, CH₄, and N₂O.
- Ocean Currents → Transport heat between equator and poles.
- Atmospheric Circulation → Moves air masses and moisture globally.
- Volcanic Activity → Releases aerosols affecting global temperatures.

- Human Activities → Fossil fuel burning, deforestation, and urbanization.

Understanding the Climate System

Scientists use several techniques and data sources to understand global climate:

(a) Satellite Observations

- Monitors temperature, humidity, rainfall, cloud cover, and sea levels.
- Examples: NASA's Terra & Aqua satellites, ISRO's INSAT series.

(b) Ground-Based Observations

- Weather stations, radars, and buoys collect surface data on wind, rainfall, and pressure.

(c) Paleoclimate Studies

- Analysis of ice cores, sediments, and tree rings provides insights into historical climate patterns over thousands of years.

(d) Data Assimilation

- Combines observed data + computer models to improve forecasting accuracy.

Predicting the World's Climate System

Climate prediction involves simulating the future state of the climate system using mathematical models and supercomputing.

Types of Climate Predictions

Prediction Type	Time Scale	Purpose
Weather Forecasts	Hours → 7 days	Predict short-term conditions like rain, storms, and temperature
Seasonal Forecasts	3 → 6 months	Predict monsoon, droughts, floods, and El Niño / La Niña
Interannual Forecasts	1 → 5 years	Predict ENSO cycles and prolonged droughts
Decadal Forecasts	5 → 30 years	Assess long-term trends in rainfall and temperature
Climate Change Projections	50 → 100+ years	Study global warming, sea-level rise, and policy impacts

Prediction Tools and Models

(a) Global Climate Models (GCMs)

- Simulate atmospheric, oceanic, cryospheric, and land processes.
- Use grids dividing the Earth into 3D boxes.
- Example: CMIP6 models used by the IPCC.

(b) Numerical Weather Prediction (NWP)

- Uses mathematical equations based on physics.
- Requires supercomputers to process large datasets.

(c) Coupled Ocean-Atmosphere Models

- Combine ocean + atmosphere interactions for better ENSO and monsoon predictions.

(d) AI & Machine Learning Models

- Predict temperature anomalies, rainfall, and drought risks more accurately.
- Examples: Google's Climate AI, DeepMind's GraphCast.

Challenges in Predicting the Climate System

- High Complexity → Millions of interdependent variables.
- Data Gaps → Limited observations in remote areas.
- Uncertainty in Human Activities → Future emissions are unpredictable.

- Natural Variability → Volcanic eruptions, solar cycles, and ENSO events.
- Computational Limitations → Requires massive data processing power.

Applications of Climate Predictions

Sector	Application
Agriculture	Crop selection, irrigation planning, pest control
Water Resources	Reservoir management, drought preparedness
Energy	Hydropower, solar and wind forecasting
Health	Predicting disease outbreaks linked to climate
Disaster Management	Floods, heatwaves, cyclone preparedness
Policy Making	Designing climate-resilient development plans

Evaluate the global climatic models and their potential for seasonal climate forecasting.

GLOBAL CLIMATIC MODELS AND THEIR POTENTIAL FOR SEASONAL CLIMATE FORECASTING

Global Climatic Models (GCMs) are advanced computer-based simulations that represent the Earth's atmosphere, oceans, land, and cryosphere. They are used to:

- Understand the climate system.
- Predict short-term (seasonal) and long-term (decadal to centennial) changes.
- Forecast events like monsoons, droughts, floods, El Niño, and La Niña.

What are Global Climatic Models (GCMs)?

GCMs are numerical models based on the laws of physics, particularly:

- Thermodynamics – Heat exchange.
- Fluid dynamics – Wind and ocean currents.
- Radiation balance – Energy entering and leaving Earth.

They divide the Earth into a 3D grid:

- Horizontal divisions → Latitude & longitude.
- Vertical divisions → Atmosphere and ocean depths.
- Equations are solved for temperature, humidity, pressure, winds, clouds, and ocean currents.

Types of Global Climatic Models

1. Atmospheric General Circulation Models (AGCMs)

- Focus on atmospheric processes.
- Include radiation, cloud formation, and precipitation.
- Used for weather forecasts and short-term climate predictions.

2. Oceanic General Circulation Models (OGCMs)

- Simulate ocean currents, temperature, salinity, and heat transport.
- Crucial for predicting ENSO events like El Niño and La Niña.

3. Coupled Atmosphere-Ocean Models (AOGCMs)

- Combine AGCMs + OGCMs.
- Most widely used for seasonal forecasting.
- Represent atmosphere-ocean feedbacks critical for monsoon prediction.

4. Earth System Models (ESMs)

- Include carbon cycle, vegetation, aerosols, and human activities.
- Used for long-term climate change projections.

Potential of GCMs for Seasonal Climate Forecasting

Seasonal Climate Forecasting

Seasonal forecasting predicts climate patterns 1 to 6 months ahead by analyzing:

- Sea surface temperatures (SSTs)
- Atmospheric circulation patterns
- Ocean heat content
- ENSO (El Niño-Southern Oscillation) events

Role of GCMs in Seasonal Forecasting

Application	How GCMs Help	Example
Monsoon Prediction	Simulate Indian monsoon onset, intensity & duration	IITM Pune – CFSv2 model
Drought Forecasting	Identify rainfall deficits linked to ENSO	IMD, NOAA models
Flood Prediction	Model heavy rainfall & river basin responses	ECMWF ensemble models
ENSO Events	Predict El Niño & La Niña conditions months in advance	NCEP CFS model

Popular Global Climate Models Used Worldwide

Model Name	Developed By	Application
CFSv2	NOAA (USA)	Seasonal climate forecasts, ENSO prediction
ECMWF-SEAS5	European Centre for Medium-Range Weather Forecasts	Monsoon & extreme weather forecasting
ACCESS-S	Australia	Seasonal rainfall & temperature forecasts
MIROC	Japan	Climate variability studies
IITM-CFS	India	Indian monsoon prediction

Advantages of GCMs in Seasonal Forecasting

- High accuracy for rainfall and temperature trends.
- Long lead times (up to 6 months).
- Integration of ocean-atmosphere interactions.
- Use of AI-enhanced models improves performance.
- Helps in agriculture, water management, disaster preparedness.

Limitations of GCMs

- Cannot predict exact daily weather → Only gives probability-based forecasts.
- Limited resolution for local-scale forecasts.
- Sensitive to incomplete data.
- Computationally expensive → Requires supercomputers.

Future of Seasonal Forecasting with GCMs

- Integration of Artificial Intelligence and Machine Learning.
- High-resolution GCMs with better local accuracy.
- Better satellite observation networks for real-time data assimilation.
- Coupling with hydrological, agricultural, and disaster models.

Explain in detail about systems approach to apply seasonal climate forecasting.**GENERAL SYSTEMS APPROACH TO APPLYING SEASONAL CLIMATE FORECASTS**

Seasonal climate forecasts (SCFs) provide predictions of average climate conditions such as rainfall, temperature, drought risk, and monsoon behavior over a period ranging from 1 month to 1 year.

However, raw forecasts from models are often complex and scientific, making them difficult for farmers, policymakers, and industries to apply directly.

The General Systems Approach provides a framework where:

- Climate forecasts are generated using scientific models
- Transformed into actionable information
- Delivered to decision-makers and end-users
- Feedback from users improves future forecasts

This approach integrates science, technology, stakeholders, and decision-support systems to ensure maximum usability of climate information.

Objectives of the Systems Approach

- To translate climate forecasts into sector-specific actionable insights
- To integrate multiple data sources (satellites, GCMs, ENSO, paleoclimate records)
- To support decision-making in critical sectors like agriculture, water, health, and energy
- To minimize economic losses due to droughts, floods, or monsoon failures
- To improve climate resilience at local, regional, and national scales

Structure of the Systems Approach

The General Systems Approach works like a closed-loop framework involving five stages:

Stage 1: Input Layer (Data Collection & Observation)

Data is collected from multiple sources:

a) Observational Data

- Ground-based stations → Rainfall, temperature, wind, humidity
- Satellite data → Monsoon tracking, sea surface temperatures, cloud cover
- Ocean buoys → ENSO and La Niña detection
- Radar systems → Tracking cyclones, thunderstorms, and floods

b) Climate Indices

- ENSO (El Niño Southern Oscillation) → Affects Indian monsoon variability
- IOD (Indian Ocean Dipole) → Alters rainfall in South Asia and East Africa
- MJO (Madden-Julian Oscillation) → Influences intra-seasonal rainfall patterns

c) Historical & Paleoclimate Records

- Ice cores, tree rings, sediment analysis help reconstruct long-term climate trends.

Stage 2: Processing Layer (Climate Forecast Modeling)

The collected data is processed using advanced climate models:

a) Global Climate Models (GCMs)

- Simulate interactions among atmosphere, ocean, land, and cryosphere.
- Examples: CFSv2 (NCEP), ACCESS-S (Australia), ECMWF SEAS5 (Europe).

b) Regional Climate Models (RCMs)

- Downscale global forecasts to local levels for better accuracy.
- Example: WRF (Weather Research and Forecasting Model).

c) Statistical & AI-Based Models

- Use historical data + machine learning for predicting local anomalies.
- Example: IMD's Monsoon Mission DSS integrates AI-driven prediction.

Stage 3: Output Layer (Seasonal Forecasts)

The processing layer produces forecasts at different scales:

Forecast Type	Time Scale	Examples
Short-range	1–7 days	Heavy rainfall, cyclone warnings
Medium-range	8–14 days	Monsoon depressions
Extended-range	15–45 days	Onset/withdrawal of monsoon
Seasonal	1–6 months	Rainfall, temperature anomalies

Stage 4: Application Layer (Decision Support Systems - DSS)

This stage converts raw forecasts into sector-specific insights:

a) Agriculture

- Crop planning & sowing dates based on rainfall forecasts
- Pest & disease management
- Irrigation scheduling

b) Water Resources

- Reservoir storage optimization
- Groundwater recharge planning
- Drought management strategies

c) Disaster Risk Management

- Early warning for droughts, floods, cyclones, and heatwaves
- Evacuation and relief planning

d) Energy Sector

- Hydropower production forecasts
- Power demand projections based on seasonal temperatures

e) Health Sector

- Prediction of climate-sensitive diseases (e.g., malaria, dengue)
- Heatwave-related health advisories

Stage 5: Feedback Layer (System Improvement)

- Real-time verification of forecasts using ground-truth data.
- User feedback collected from farmers, policymakers, and industries.
- Models are updated for better accuracy in the next cycle.

Integration with Decision Support Systems

The General Systems Approach relies on Decision Support Systems (DSS) that:

- Integrate climate models + socio-economic data
- Present forecasts through web dashboards, mobile apps, and GIS maps
- Provide customized advisories for different sectors

Examples:

- IMD's Meghdoot App → Agro-advisories for Indian farmers
- FAO's GeoNetwork → Global agricultural DSS
- NOAA's Climate Prediction Center (USA) → Seasonal risk forecasts

Advantages of the Systems Approach

- Bridges science and society → Converts forecasts into actionable information
- Cross-sectoral utility → Agriculture, water, energy, health, and disaster planning
- Reduces economic losses → Early warnings save lives and infrastructure
- Supports sustainable development → Better planning of natural resources
- Improves adaptive capacity against climate variability

Challenges

- Accuracy gaps at local and district levels
- Data scarcity in remote and rural areas
- Low awareness among end-users
- Technology gaps in developing countries
- Model uncertainties due to chaotic climate behavior

Real-World Examples

- India →
 - IMD uses CFSv2-based monsoon forecasts integrated with DSS.
 - IITM Pune collaborates with farmers for climate-smart advisories.
- Australia →
 - ACCESS-S model for predicting droughts and bushfires.
- USA →
 - NOAA's Climate Prediction Center for hurricane and ENSO forecasts.

Summary Table

Step	Process	Tools / Models Used	Outputs
Input	Collecting observations & satellite data	Satellites, buoys, IMD data	Raw datasets
Processing	Running climate models	GCMs, RCMs, AI models	Simulated scenarios
Output	Producing forecasts	Monsoon & ENSO models	Seasonal anomalies
Application	DSS integration	GIS dashboards, apps	Sectoral advisories
Feedback	User response & verification	Surveys, IoT devices	Improved models

Identify the impacts of Climate Variability on Agriculture and Other Sectors. (Nov / Dec 2024)

Climate variability refers to short-term fluctuations in climate conditions such as temperature, rainfall, humidity, and wind patterns. These variations directly and indirectly affect agriculture and several other sectors.

Impacts on Agriculture**1. Crop Yield and Productivity**

- Irregular rainfall, drought, and floods reduce crop production.
- Temperature rise accelerates crop maturity, leading to lower grain filling and reduced yields.
- Example: Wheat and rice yields decline during unexpected heatwaves.

2. Changes in Crop Growing Seasons

- Alteration in sowing and harvesting periods due to unpredictable monsoons.
- Shifts in suitable cropping zones, especially for temperature-sensitive crops like tea, coffee, and sugarcane.

3. Water Availability

- Droughts cause water scarcity for irrigation.

- Increased evapotranspiration reduces soil moisture.
- Heavy rainfall events cause waterlogging, damaging roots and reducing productivity.

4. Pest, Weed, and Disease Outbreaks

- Warmer and humid conditions favor pest proliferation.
- Increased weed infestation affects crop competition.
- Spread of diseases like rice blast and wheat rust increases with climate variability.

5. Soil Degradation

- Intense rainfall leads to soil erosion.
- Drought reduces soil fertility and causes salinity issues in irrigated regions.

Impacts on Other Sectors

1. Water Resources

- Changes in rainfall patterns affect river flow, groundwater recharge, and reservoir storage.
- Increased drought frequency causes conflicts over water usage.

2. Energy Sector

- Hydropower generation decreases due to reduced river discharge.
- High temperatures increase electricity demand for cooling.
- Extreme weather disrupts power transmission infrastructure.

3. Human Health

- Heatwaves cause heat strokes and dehydration.
- Spread of vector-borne diseases like malaria and dengue due to temperature and humidity changes.
- Food insecurity from poor crop production leads to malnutrition.

4. Infrastructure and Economy

- Floods damage roads, railways, and bridges.
- Rising insurance costs due to frequent natural disasters.
- Economic losses in agriculture, fisheries, and tourism.

Illustrate the Solar and Global Energy Balance with neat sketch. (Nov / Dec 2024)

The global energy balance explains how the incoming solar energy from the sun and the outgoing terrestrial energy from the Earth are balanced to maintain a stable climate.

Components of the Global Energy Balance

1. Incoming Solar Radiation (Insolation)

- The sun emits shortwave radiation.
- Approximately 340 W/m² of solar energy reaches the top of the atmosphere.

2. Reflection (Albedo Effect)

- Around 30% of solar energy is reflected back into space by:
 - Clouds (20%)
 - Atmospheric particles (6%)
 - Earth's surface (4%)

3. Absorption

- About 70% of solar energy is absorbed:
 - Earth's surface absorbs 51%
 - Atmosphere and clouds absorb 19%

4. Outgoing Longwave Radiation


- The Earth re-emits energy as infrared (longwave) radiation.

- Without atmospheric gases, this heat would escape, making Earth much cooler.

5. Greenhouse Effect

- Greenhouse gases like CO₂, CH₄, N₂O, and water vapor trap part of this outgoing heat.
- This natural process keeps Earth's average temperature around 15°C.
- However, excess greenhouse gases cause global warming.

B. Diagram of Global Energy Balance



Part A

1. Define climate variability and give an example.

Climate variability refers to short- to medium-term changes in climate patterns due to natural or human causes. Example: Variation in monsoon rainfall.

2. What is seasonal forecasting and why is it important?

Seasonal forecasting predicts climate patterns over 3–6 months. It is important for agriculture, water management, and disaster preparedness.

3. List any two applications of seasonal climate forecasts in agriculture.

(i) Crop selection and sowing date planning, (ii) Irrigation scheduling.

4. What is the difference between climate prediction and weather forecasting?

Climate prediction deals with long-term averages (months to years), whereas weather forecasting predicts short-term daily or weekly conditions.

5. Name two global climatic models used for seasonal forecasting.

(i) NCAR Community Earth System Model (CESM), (ii) ECMWF Integrated Forecast System (IFS).

6. Define El Niño and La Niña in terms of climate variability.

El Niño is abnormal warming of the central/eastern Pacific Ocean; La Niña is abnormal cooling, both affecting rainfall and temperature globally.

7. State two advantages of seasonal climate forecasting.

(i) Better resource management, (ii) Improved disaster preparedness.

8. Give two examples of extreme climate variability in India.

(i) 2015 Chennai floods, (ii) 2016 drought in Maharashtra.

9. How does seasonal forecasting help in disaster management?

It helps predict floods, droughts, and cyclones early, allowing preventive measures.

10. What is the role of climate variability in crop production?

It influences crop yield, sowing schedules, and irrigation needs.

11. What is meant by the Earth's climate system?

It is the interaction of the atmosphere, oceans, land, ice, and biosphere that determines global climate.

12. Name two main components of the climate system.

(i) Atmosphere, (ii) Oceans.

13. State any two challenges in predicting the world's climate system.

(i) Complex interactions among atmosphere, ocean, and land, (ii) Inaccurate initial data inputs.

14. What role does ENSO play in monsoon prediction?

ENSO (El Niño-Southern Oscillation) influences Indian monsoon rainfall patterns significantly.

15. Mention any two sources of climate data.

(i) Satellite observations, (ii) Weather stations.

16. What is the role of oceans in global climate regulation?

Oceans store and transport heat, regulating temperature and driving weather patterns.

17. Name two important satellites used in climate monitoring.

(i) INSAT-3D, (ii) NOAA GOES.

18. Define climate forcing.

External factors (like greenhouse gases or solar radiation) that influence the Earth's climate.

19. What is the significance of paleoclimate data?

It helps understand historical climate variations to improve future predictions.

20. State one role of aerosols in climate regulation.

Aerosols reflect sunlight, reducing Earth's surface temperature.

21. Define Global Climate Models (GCMs).

GCMs are mathematical models that simulate interactions among the atmosphere, oceans, and land to predict climate patterns.

22. What is dynamical seasonal forecasting?

A method that uses physical models to simulate atmospheric and oceanic processes for seasonal forecasts.

23. Give any two examples of global climate centres.

(i) ECMWF (Europe), (ii) NOAA CPC (USA).

24. State two benefits of global climate models.

(i) Better prediction of rainfall and temperature, (ii) Helps in agricultural planning.

25. What is the role of boundary conditions in GCMs?

They define initial atmospheric, oceanic, and land-surface states, influencing forecast accuracy.

26. Name any two types of climate models.

(i) Statistical models, (ii) Dynamical models.

27. What is model downscaling?

Refining global model outputs to provide region-specific climate forecasts.

28. What is a multi-model ensemble in forecasting?

Combining multiple GCMs to improve accuracy and reduce uncertainties.

29. Name two challenges in using GCMs.

(i) High computational cost, (ii) Limited resolution for regional forecasts.

30. Mention one recent advancement in climate modelling.

Use of AI and machine learning for improved seasonal forecasts.

31. What is meant by a General Systems Approach in climate forecasting?

A holistic approach that integrates climate data, models, and socio-economic factors for better decision-making.

32. Give one example of applying a systems approach in agriculture.

Using seasonal rainfall forecasts to decide sowing schedules and crop varieties.

33. Name two sectors that benefit from seasonal climate forecasts.

(i) Agriculture, (ii) Water resource management.

34. State any two tools used in climate-based decision-making systems.

(i) Geographic Information Systems (GIS), (ii) Remote sensing models.

35. What is the role of seasonal forecasts in disaster preparedness?

They provide early warnings for floods, droughts, and cyclones.

36. Give an example of integrating GCM data into regional planning.

Using GCM rainfall outputs to manage irrigation systems.

37. What is adaptive planning in climate forecasting?

Planning strategies that adjust according to predicted climate changes.

38. State two limitations of seasonal forecasting in India.

(i) Regional rainfall variations, (ii) Limited accuracy in extreme events.

39. What is the main purpose of a systems approach in decision-making?

To combine forecasts with socio-economic data for optimized planning.

40. Name one recent technology used in seasonal forecast applications.

Artificial Intelligence-based decision support systems.

41. List some of the crop simulation models. (Nov / Dec 2022)

- DSSAT – Decision Support System for Agrotechnology Transfer
- APSIM – Agricultural Production Systems Simulator
- WOFOST – World Food Studies Model
- CERES – Crop Environment Resource Synthesis
- AquaCrop – Developed by FAO for water productivity simulation
- EPIC – Environmental Policy Integrated Climate Model

42. Define Data-Driven Insight. (Nov / Dec 2022)

- Data-Driven Insight refers to conclusions, patterns, or knowledge derived from analyzing large datasets using statistical, computational, and AI-based techniques.
- It helps in understanding trends, predicting outcomes, and supporting decision-making.
- Example: Using historical crop yield data to predict future production under changing climate conditions.